www.dunavox.com
info@dunavox.com

www.facebook.com/dunavoxglobal

www.instagram.com/dunavoxglobal

www.linkedin.com/company/dunavox





A VISION OF GLOBAL REACH

For almost twenty years, the award winning wine cooler brand, Dunavox, has been associated with the professional storage and cooling solutions for wine. Dunavox has been at the forefront of development and is known for minimalistic yet functional design character, practical internal layout, state-of-the art technology enabling them to make highly energy efficient and reliable products. As a result of recent continued business expansion, Europe's largest range of over 50 different premium wine coolers is now available through it's network of global distributors but also five separate Dunavox subsidiaries (GB, ES, IT, BNL, DE) - all providing high quality assistance, technical support and after-sales service.

DUNAVOX Kft., Hungary - Headquarters

2151 Fót, Fehérkő utca 8/B Phone: +36 27 594 054 Email: info@dunavox.com

DUNAVOX Deutschland GmbH, Germany

84056 Rottenburg Dieselstrasse 34 Phone: +49 8781 2014130 Email: deutschland@dunavox.com

DUNAVOX Benelux B.V., The Netherlands

Sofiapad 6 3542 EV, Utrecht Phone: +31 0 307430230, WhatsApp: +31 6 15444081 Email: nederland@dunavox.com, belgie@dunavox.com

DUNAVOX Italia s.r.l, Italy

31031 Caerano di San Marco Phone: +39 0423 650022 Email: info@dunavox.it

DUNAVOX GB Ltd., The United Kingdom

Unit 3 Central Trading Estate, Chester, CH4 8SX Phone: 01244 681 369 Email: sales.gb@dunavox.com

DUNAVOX Iberia sl, Spain

08402 Granollers-Barcelona, C/ Pallars 6, planta 7ª Phone: +34 938 700 895 Email: iberia@dunavox.com

DUNAVOX Poland Business Development Team, Poland

Phone: +48 604 405 804, +48 661 955 506 Email: kontakt.polska@dunavox.com



WINNER 2020

THE BEST LUXURY WINE FRIDGE THE WORLD

2 | DUNAVOX

DUNAVOX KEY FEATURES

SINGLE AND DUAL TEMPERATURE ZONES

Dunavex wine coolers are available with one or two cooling zones. Configuring the desired temperature is easy at single, dual or even three cooling zone wine coolers.



The ventilation grille must be kept free; the warm air produced by the compressor is expelled through one side and the cooler air is drawn in on the other via a set of silent fans which enable

If running a plinth in front of the wine cooler, a grille must be installed into the plinth itself to ensure adequate ventilation and any heat sources near to the cooler will likely reduce the life span of the fridge, namely the compressor itself.


FRONT GRILLE VENTILATION

the cooler to ventilate correctly.

VARIOUS DOOR/FINISH OPTIONS

Black full glass door, stainless steel door, matt black door, RAL colour door, overlay panel – a finish to match any kitchen style





INTEGRATED DOOR LOCK

Child-safe lock prevents unauthorized access to contents and temperature controls; suitable for either home or commercial restaurant use. All lockable wine coolersw will lock from the bottom (REMOVE and use regular padlock style keys to keep the wines secure). Most wine coolers will come with two keys and most wine cabinet owners will opt to carry one and keep another in a safe place in their home.



DOOR HANDLE

PUSH-TO-OPEN

Black door with black handle, Inox door with stainless steel handle, the classic door opening method. The handle allows manual opening and closing of the door.

Gently push the door to access the bottles inside, in keeping with the handleless kitchen trend.



INTEGRATED VENTILATION SYSTEM

Simple to install without a plinth vent; allowing integrated coolers to be installed undercounter, maintaining the lines of the kitchen.



MULTI LED LIGHT

A lighting option for every mood; choose between white, amber or blue, as well as multiple lighting mode.



HIDDEN HANDLE DOOR

Inkeeping with the latest design trends with undercounter wine coolers, a small range of our coolers are available with a recessed handle.



4 | DUNAVOX

DUNAVOX KEY FEATURES

TELESCOPIC WOODEN SHELVES

Fully extendable, smooth sliding, telescopic shelves provide full visibility and access to all bottles of your collection. Access your wines easily with shelving that pulls all the way out.



LABEL VIEW SHELVES

Designed specifically for larger bottles, the optimal distance between the shelves fits comfortably with the champagne & prosecco bottles. Bottles are supported on patented display shelves. Botte capacity and shelf distance is based on standard shaped champagne bottles; dimensions listed above (750ml 310x85mm).



TFT TOUCH SCREEN


The latest technology in home appliances, swipe through the settings menu just like your mobile phone; change settings from your mobile phone and set the temperature with the full colour





LED TOUCH SCREEN

The LED display allows a quick and easy use to set and check the desired temperature or switch the lights on and off.



LCD TOUCH SCREEN

Smooth and detailed touch screen display that show various functions such as inner airflow and light colour.







OVERLAY PANEL

Overlay panel door option allows you to hide the wine cooler completely with furniture. The same furniture panel can be attached to the winecooler as the kitchen furniture has been made of.



OUTDOOR PLACEMENT

Dunavox wine coolers are intended to use indoor, however if you follow a few conditions the units can also be used outdoors. Keep the fridge out of direct sunlight, and install it in a covered area protected from rain. Do not keep the unit outside when the ambient temperature fall below 18°C. (Lets cover ourselves, heating wise)

OPENED BOTTLES STORAGE

Home series offers a unique feature to store opened bottles in the wine fridges in standing position. The front part of the unit is designed for standing bottle storage.



WIFI + SMART APP

Experience unparalleled convenience and control with our wine fridge's advanced WiFi and smart app functionality. Whether you're at home work, or on the go, stay connected to your wine collection like never before, ensuring every bottle is perfectly chilled and ready to enjoy whenever the moment strikes.



INSTALLATION/ PLACEMENT

It's an easy to handle range. The capacity is on a wide scale from 16 to 50 bottles. These coolers can't be built-in or place under a counter. Only the freestanding installation is allowed because these coolers don't have a regular front grid where the ventillation can be done. For proper functioning the units require free space around them.

The condenser is installed inside the corpus, this means the heat extraction happens at the sides and at the top of the cooler. That's why it's crucial to let these units stand freely.



YACHT & SHIP INSTALLATIONS

Indulge in the luxury of perfectly chilled wines at sea with our state-of-the-art wine fridges aboard cruise ships. Designed to preserve the delicate flavors and aromas of your favorite vintages, our sleek and efficient wine fridges ensure that every sip is as delightful as the first. Elevate your onboard experience with the convenience and sophistication of expertly stored wines, enhancing every moment of your voyage

12



DUNAVOX | 7 6 | DUNAVOX

DUNAVOX RANGES



DUNAVOX PRIME, SPIRIT, JOY

Fully integrated with-handle range



DUNAVOX GRANDE

High bottle capacity range



DUNAVOX HOME

Anywhere with you

DUNAVOX NOBLE, HORIZON, BALANCE

Fully integrated Push-to-open range



DUNAVOX FLOW

Undercounter range



DUNAVOX SERA

Champagne, Prosecco, Cava range






HORIZON, BALANCE

ш

DUNAVOX NOBL



FULLY INTEGRATED INSTALLATION

- 455 1784mm standard height models
- · width varies between 590-650mm



THREE YEAR WARRANTY


Parts & labour

+2 years for compressor

Matt black Black full glass

Inox





Integrated ventillation system



45 CM HIGH

DVN-19.50B.TO DVH-19.50B.TO DVH-19.50SS.TO



VARIOUS

OPTIONS

DOOR/ **FINISH**

45 CM HIGH


DXB-24.51B.TO



Integrated ventillation system

60 CM HIGH

DVN-25.65DB.TO DVH-25.65DB.TO DVH-25.65DSS.TO



60 CM HIGH

DXB-26.69DB.TO

72 CM HIGH

DAVG-32.80DB.TO DAVG-32.80DSS.TO DAVG-32.80DOP.TO

KEY FEATURES

PUSH-TO-OPEN

Gently push the door to access the bottles inside, in keeping with the handleless kitchen trend.



TFT TOUCH SCREEN

The latest technology in home appliances, swipe through the settings menu just like your mobile phone; change settings from your mobile phone and set the temperature with the full colour screen.

• DUNAVOX NOBLE range



LCD TOUCH SCREEN

Smooth and detailed touch screen display that show various functions such as inner airflow and light colour.

• DUNAVOX HORIZON range

*except DUNAVOX HORIZON-32.TO and HORIZON-114.TO

LED TOUCH SCREEN

The LED display allows a quick and easy use to set and check the desired temperature or switch the lights on and off.

• DUNAVOX BALANCE range



WIFI + SMART APP

Experience unparalleled convenience and control with our wine fridge's advanced WiFi and smart app functionality. Whether you're at home, work, or on the go, stay connected to your wine collection like never before, ensuring every bottle is perfectly chilled and ready to enjoy whenever the moment strikes.

• DUNAVOX NOBLE, HORIZON range

INTEGRATED VENTILATION SYSTEM

Simple to install without a plinth vent; allowing integrated coolers to be installed undercounter, maintaininng the lines of the kitchen.

• DUNAVOX NOBLE, HORIZON range



TELESCOPIC WOODEN SHELVES

Fully extendable, smooth sliding, telescopic shelves provide full visibility and access to all bottles of your collection. Access your wines easily with shelving that pulls all the way out. *except DUNAVOX HORIZON-32.TO and HORIZON-114.TO



MULTI LED LIGHT

A lighting option for every mood; choose between white, amber or blue, as well as multiple lighting mode.







Integrated ventillation system

Integrated ventillation system



88 CM HIGH

DVN-44.120DB.TO DVH-44.120DB.TO DVH-44.120DSS.TO



88 CM HIGH

DXB-42.100DB.TO



123 CM HIGH

Integrated ventillation system

DVN-70.185DB.TO DVH-70 185DB TO DVH-70.185DSS.TO




123 CM HIGH

DXB-65.154DB.TO



178 CM HIGH


DAVG-114.288DB.TO DAVG-114.288DSS.TO DAVG-114.288DOP.TO











3 years parts and labour +2 years for compressor

3 years parts and labour +2 years for compressor

455






NOBLE-25.TO

Black full glass DVN-25.65DB.TO EAN: 5999558435349













Wifi + Smart App

NOBLE-44.TO

Black full glass DVN-44.120DB.TO EAN: 5999558435356
















Installation type	Fully integrated or undercounter
Bottle capacity (750mL Bordeaux bottles) 44
Type of opening	Push-to-open
Type of hinges	Soft closing Hettich hinge
Display type	TFT touch screen - same as a smart phone -
Cooling zones	2
Cooling ranges	5-10°C //10-18°C
Operating instructions	Champagne bottle fit in between shelves
Heater	Yes
Installation requirements	Integrated ventillation system
Energy class	F
Power consumption	106 kWh/a
Rated power	220-240V, 50Hz, 0,6A
Gross dimensions (HxWxD) in mm	925x640x640
Product dimensions (HxWxD) in mm	886x590x571
Shelf	Telescopic wooden shelves
Noise level	36dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door U	V protected, 2 layers of glass + Low-E, reversible
Interior light	Multi LED light (white, amber, blue)
Wifi + Smart App	Yes

NOBLE-70.TO

Black full glass DVN-70.185DB.TO EAN: 5999558435592

















3 years parts and labour +2 years for compressor





















Multi LED light (white, amber, blue)

Fully integrated or undercounter

Soft closing Hettich hinge

Push-to-open

LCD touch screen

5-10°C //10-18°C

3 years parts and labour + 2 years for compressor



DUNAVOX HORIZON









Interior light


Wifi + Smart App

HORIZON-25.TO

Black full glass DVH-25.65DB.TO EAN: 5999558435387 Stainless steel DVH-25.65DSS.TO EAN: 5999558435394 Matt black DVH-25.65DMB.TO EAN: 5999558436087 RAL colour DVH-25.65DC.TO EAN: 5999558436124















Operating instructions	Champagne bottle littin between sherves
Heater	Yes
Installation requirements	Integrated ventillation system
Energy class	F
Power consumption	101 kWh/a
Rated power	220-240V, 50Hz, 0,6A
Gross dimensions (HxWxD) in mm	660x650x645
Product dimensions (HxWxD) in mm	596x590x571
Shelf	Telescopic wooden shelves
Noise level	36dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 2 layers of glass + Low-E, reversible
Interior light	Multi LED light (white, amber, blue)
Wifi + Smart App	Yes
Warranty	3 years parts and labour + 2 years for compressor

HORIZON-32.TO

Black full glass DAVG-32.80DB.TO EAN: 5999558434403 Stainless steel DAVG-32.80DSS.TO EAN: 5999558434410 Overlay pabel DAVG-32.80DOP.TO EAN: 5999558434991 Matt black DAVG-32.80DMB.TO EAN: 5999558436230 RAL colour DAVG-32.80DC.TO EAN: 5999558436247






























HORIZON-44.TO

Black full glass DVH-44.120DB.TO EAN: 5999558435400 Stainless steel DVH-44.120DSS.TO EAN: 5999558435417 Matt black DVH-44.120DMB.TO EAN: 5999558436094 RAL colour DVH-44.120DC.TO EAN: 5999558436131


















Integrated Ventilation
















DUNAVOX HORIZON

















Fully integrated

Integrated Ventilation



	Installation type	
•	Bottle capacity (750mL Bordeaux bottles)	
	Type of opening	
	Type of hinges	Soft closi
	Display type	L(
	Cooling zones	
	Cooling ranges	5-
	Operating instructions	Champagne bottle fit in b
	Heater	
	Installation requirements	Integrated ve
	Energy class	
	Power consumption	
	Rated power	220-2

Scan me to know
more:

(/
Type of opening	Push-to-open
Type of hinges	Soft closing Hettich hinge
Display type	LCD touch screen
Cooling zones	2
Cooling ranges	5-10°C //10-18°C
Operating instructions	Champagne bottle fit in between shelves
Heater	Yes
Installation requirements	Integrated ventillation system
Energy class	F
Power consumption	112 kWh/a
Rated power	220-240V, 50Hz, 0,6A
Gross dimensions (HxWxD) in mm	1275x650x660
Product dimensions (HxWxD) in mm	1233x590x571
Shelf	Telescopic wooden shelves
Noise level	36dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 2 layers of glass + Low-E, reversible
Interior light	Multi LED light (white, amber, blue)
Wifi + Smart App	Yes
Warranty	3 years parts and labour + 2 years for compressor
,	

HORIZON-114.TO

Black full glass DAVG-114.288DB.TO EAN: 5999558434465 Stainless steel DAVG-114.288DSS.TO EAN: 5999558434472 Overlay pabel DAVG-114.288DOP.TO EAN: 5999558435028 Matt black DAVG-114.288DMB.TO EAN: 5999558436254 RAL colour DAVG-114.288DC.TO EAN: 5999558436261
















√ ⁵⁵⁹ → 590	- III
	Installation type
	Bottle capacity (750mL Bordeaux bottles)
	Type of opening
	Type of hinges
100000	


Installation type	Fullyintegrated
Bottle capacity (750mL Bordeaux bottles)	114
Type of opening	Push-to-open
Type of hinges	Soft closing Hettich hinge
Display type	LED touch screen
Cooling zones	2
Cooling ranges	5-20° C // 5-20° C
Operating instructions	Same temperature can be set in both zones
Heater	Yes
Installation requirements	Integrated ventillation system
Energy class	G
Power consumption	167 kWh/a
Rated power	220-240V, 50Hz, 1,2A
Gross dimensions (HxWxD) in mm	1990x660x660
Product dimensions (HxWxD) in mm	1784x590x559
Shelf	Sliding wooden shelves
Noise level	36dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 3 layers of glass, reversible
Interior light	Multi LED light (white, amber, blue)
Wifi + Smart App	No

3 years parts and labour + 2 years for compressor




FULLY INTEGRATED

Thanks to integrated ventilation, the installation possibilities for wine coolers have never been seen before. Whether with handles handle-less wine coolers can be quickly and easily built into a kitchen cabinet or countertop.
(Only Horizon, Prime, Noble and Spirit product ranges)



UNDERCOUNTER


Thanks to integrated ventilation, the installation possibilities for wine coolers have never been seen before. Whether with handles handle-less wine coolers can be quickly and easily built into a kitchen cabinet or countertop. (Only Horizon, Prime, Noble and Spirit product ranges)





DUNAVOX | 17 16 | DUNAVOX







Installation type	Built-in onl
Bottle capacity (750mL Bordeaux bottles)	24
Type of opening	Push to oper
Type of hinges	Regular (Pivot
Display type	LED touch screen
Cooling zones	
Cooling ranges	5-20°(
Operating instructions	Champagne bottle fit in between shelve
Heater	N
Installation requirements	Front and rear ventillation is needed
Energy class	(
Power consumption	118 kWh/
Rated power	220-240V, 50Hz, 0,5/
Gross dimensions (HxWxD) in mm	550x660x670
Product dimensions (HxWxD) in mm	455x592x55
Shelf	Telescopic wooden shelve
Noise level	39df
Low vibration	Ye
Cooling type	Fan assisted cooling, compresso
Glass door	UV protected, 3 layers of glass, reversible
Interior light	Multi LED light (white, amber, blue
Wifi + Smart App	N



DUNAVOX BALANCE









BALANCE-26.TO

Black full glass DXB-26.69DB.TO EAN: 5999558435431
















3 years parts and labour + 2 years for compressor

Installation type	Built-in on
Bottle capacity (750mL Bordeaux bottle	es) 2
Type of opening	Push to ope
Type of hinges	Regular (Pivo
Display type	LED touch scree
Cooling zones	
Cooling ranges	10-20°C //5-12°
Operating instructions	Champagne bottle fit in between shelve
Heater	Y
Installation requirements	Front and rear ventillation is neede
Energy class	
Power consumption	124 kWh
Rated power	220-240V, 50Hz, 0,5
Gross dimensions (HxWxD) in mm	690x660x6
Product dimensions (HxWxD) in mm	598x590x50
Shelf	Telescopic wooden shelv
Noise level	380
Low vibration	Y
Cooling type	Fan assisted cooling, compress
Glass door	UV protected, 3 layers of glass, reversib
Interior light	Multi LED light (white, amber, blu
Wifi + Smart App	1
Warranty	3 years parts and labour + 2 years for compress

BALANCE-42.TO

Black full glass DXB-42.100DB.TO EAN: 5999558435448




















Installation type	Built-in only
Bottle capacity (750mL Bordeaux bottle	es) 42
Type of opening	Push to open
Type of hinges	Regular (Pivot)
Display type	LED touch screen
Cooling zones	2
Cooling ranges	5-20°C // 5-20°C
Operating instructions	Champagne bottle fit in between shelves
Heater	Yes
Installation requirements	Front and rear ventillation is needed
Energy class	G
Power consumption	126 kWh/a
Rated power	220-240V, 50Hz, 0,6A
Gross dimensions (HxWxD) in mm	980x660x670
Product dimensions (HxWxD) in mm	885x592x559
Shelf	Telescopic wooden shelves
Noise level	40dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 3 layers of glass, reversible
Interior light	Multi LED light (white, amber, blue)
Wifi + Smart App	No
Warranty	3 years parts and labour + 2 years for compressor

BALANCE-65.TO

Black full glass DXB-65.154DB.TO EAN: 5999558435455




















Installation type	
Bottle capacity (750mL Bordeaux bottles)	
Type of opening	
Type of hinges	
Display type	
Cooling zones	
Cooling ranges	
Operating instructions	Cha
Heater	
Installation requirements	
Energy class	
Power consumption	
Datad nausar	






Push to open Regular (Pivot) LED touch screen







FULLY INTEGRATED INSTALLATION

- 455 1788mm standard height models
- · width varies between 590-595mm



THREE YEAR WARRANTY


Parts & labour

+2 years for compressor

RAL colour

VARIOUS DOOR/ **FINISH OPTIONS**







Inox




Integrated ventillation system



45 CM HIGH

DVP-19 50B DVS-19.50B DVS-19.50SS



45 CM HIGH

DXJ-24.51B



Integrated ventillation system

60 CM HIGH

DVP-25.65DB DVS-25 65DB DVS-25.65DSS



60 CM HIGH

DXJ-26.69DB

KEY FEATURES

DOOR HANDLE

Black door with black handle, Inox door with stainless steel handle, the classic door opening method. The handle allows manual opening and closing of the door.



TFT TOUCH SCREEN

The latest technology in home appliances, swipe through the settings menu just like your mobile phone; change settings from your mobile phone and set the temperature with the full colour screen.

• DUNAVOX PRIME range



LCD TOUCH SCREEN


Smooth and detailed touch screen display that show various functions such as inner airflow and light colour.



LED TOUCH SCREEN

The LED display allows a quick and easy use to set and check the desired temperature or switch the lights on and off.

• DUNAVOX JOY range



WIFI + SMART APP

Experience unparalleled convenience and control with our wine fridge's advanced WiFi and smart app functionality. Whether you're at home, work, or on the go, stay connected to your wine collection like never before, ensuring every bottle is perfectly shilled and ready to enjoy who power the moment strikes. chilled and ready to enjoy whenever the moment strikes.

• DUNAVOX PRIME, SPIRIT range

INTEGRATED VENTILATION SYSTEM

Simple to install without a plinth vent; allowing integrated coolers to be installed undercounter, maintaining the lines of the kitchen.

• DUNAVOX PRIME, SPIRIT range



TELESCOPIC WOODEN SHELVES

Fully extendable, smooth sliding, telescopic shelves provide full visibility and access to all bottles of your collection. Access your wines easily with shelving that pulls all the way out.



MULTI LED LIGHT

A lighting option for every mood; choose between white, amber or blue, as well as multiple lighting mode.
• PRIME, SPIRIT, JOY range
*except DUNAVOX JOY-89







Integrated ventillation system



88 CM HIGH

DVP-44.120DB DVS-44.120DB DVS-44.120DSS



88 CM HIGH

DXJ-42.100DB



Integrated ventillation system

123 CM HIGH

DVP-70.185DB DVS-70 185DB DVS-70.185DSS



123 CM HIGH

DXJ-65.154DB




178 CM HIGH

DX-89.246TB DX-89.246TSS

20 | DUNAVOX

Black full glass DVP-19.50B EAN: 5999558435462



Integrated Ventilation

Fan assisted cooling, compressor


Multi LED light (white, amber, blue)

UV protected, 2 layers of glass + Low-E, reversible

3 years parts and labour + 2 years for compressor











Low vibration Cooling type

Glass door

Interior light Wifi + Smart App

PRIME-25

Black full glass DVP-25.65DB EAN: 5999558435479





25	36dE
----	------



Installation type	Fully integrated or undercounter
Bottle capacity (750mL Bordeaux bott	tles) 25
Type of opening	Handle
Type of hinges	Regular (Pivot)
Display type	TFT touch screen - same as a smart phone -
Cooling zones	2
Cooling ranges	5-10°C //10-18°C
Operating instructions	Champagne bottle fit in between shelves
Heater	Yes
Installation requirements	Integrated ventillation system
Energy class	F
Power consumption	101 kWh <i>j</i> a
Rated power	220-240V, 50Hz, 0,6A
Gross dimensions (HxWxD) in mm	660x650x645
Product dimensions (HxWxD) in mm	596x590x571
Shelf	Telescopic wooden shelves
Noise level	36dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 2 layers of glass + Low-E, reversible
Interior light	Multi LED light (white, amber, blue)
Wifi + Smart App	Yes
Warranty	3 years parts and labour +2 years for compressor

PRIME-44

Black full glass DVP-44.120DB EAN: 5999558435486





PRIME-70



Black full glass DVP-70.185DB EAN:5999558435622

70 36dB 5-10°C 10-18°C








4	
Installation type	Fully integrated or undercounter
Bottle capacity (750mL Bordeaux bott	des) 44
Type of opening	Handle
Type of hinges	Regular (Pivot)
Display type	TFT touch screen - same as a smart phone -
Cooling zones	2
Cooling ranges	5-10°C //10-18°C
Operating instructions	Champagne bottle fit in between shelves
Heater	yes
Installation requirements	Integrated ventillation system
Energy class	F
Power consumption	106 kWh/a
Rated power	220-240V, 50Hz, 0,6A
Gross dimensions (HxWxD) in mm	925x640x640
Product dimensions (HxWxD) in mm	886x590x571
Shelf	Telescopic wooden shelves
Noise level	36dB
Low vibration	yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 2 layers of glass + Low-E, reversible
Interior light	Multi LED light (white, amber, blue)
Wifi + Smart App	Yes
Warranty	3 years parts and labour +2 years for compressor














Caan	m	. +	lon	~	




Installation type	Fully integrated
Bottle capacity (750mL Bordeaux bott	des) 70
Type of opening	Handle
Type of hinges	Regular (Pivo
Display type	TFT touch screen - same as a smart phone
Cooling zones	:
Cooling ranges	5-10°C //10-18°C
Operating instructions	Champagne bottle fit in between shelve
Heater	Ye
Installation requirements	Integrated ventillation system
Energy class	I
Power consumption	112 kWh/
Rated power	220-240V, 50Hz, 0,6A
Gross dimensions (HxWxD) in mm	1275x650x66
Product dimensions (HxWxD) in mm	1233x590x57
Shelf	Telescopic wooden shelve
Noise level	36dE
Low vibration	Ye
Cooling type	Fan assisted cooling, compresso
Glass door	UV protected, 2 layers of glass + Low-E, reversible
Interior light	Multi LED light (white, amber, blue
Wifi + Smart App	Ye
Warranty	3 years parts and labour + 2 years for compresso




IIIOIC.













DUNAVOX SPIRIT






Wifi + Smart App

SPIRIT-25

Black full glass DVS-25.65DB EAN: 5999558435516 Stainless steel DVS-25.65DSS EAN: 5999558435523 Matt black DVS-25.65DMB EAN: 5999558436001 RAL colour DVS-25.65DC EAN: 5999558436049


















3 years parts and labour + 2 years for compressor

Installation type	Fully integrated or undercounter
Bottle capacity (750mL Bordeaux bott	tles) 25
Type of opening	Handle
Type of hinges	Regular (Pivot)
Display type	LCD touch screen
Cooling zones	2
Cooling ranges	5-10°C //10-18°C
Operating instructions	Champagne bottle fit in between shelves
Heater	Yes
Installation requirements	Integrated ventillation system
Energy class	F
Power consumption	101 kWh/a
Rated power	220-240V, 50Hz, 0,6A
Gross dimensions (HxWxD) in mm	660x650x645
Product dimensions (HxWxD) in mm	596x590x571
Shelf	Telescopic wooden shelves
Noise level	36dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 2 layers of glass + Low-E, reversible
Interior light	Multi LED light (white, amber, blue)
Wifi + Smart App	Yes
Warranty	3 years parts and labour + 2 years for compressor

SPIRIT-44

Black full glass DVS-44.120DB EAN: 5999558435530 Stainless steel DVS-44.120DSS EAN: 5999558435547 Matt black DVS-44.120DMB EAN: 5999558436018 RAL colour DVS-44.120DC EAN: 5999558436056











Installation type	Fully integrated or undercounter
Bottle capacity (750mL Bordeaux bott	les) 44
Type of opening	Handle
Type of hinges	Regular (Pivot)
Display type	LCD touch screen
Cooling zones	2
Cooling ranges	5-10°C //10-18°C
Operating instructions	Champagne bottle fit in between shelves
Heater	Yes
Installation requirements	Integrated ventillation system
Energy class	F
Power consumption	106 kWh <i>/</i> a
Rated power	220-240V, 50Hz, 0,6A
Gross dimensions (HxWxD) in mm	925x640x640
Product dimensions (HxWxD) in mm	886x590x571
Shelf	Telescopic wooden shelves
Noise level	36dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 2 layers of glass + Low-E, reversible
Interior light	Multi LED light (white, amber, blue)
Wifi + Smart App	Yes
Warranty	3 years parts and labour + 2 years for compressor

SPIRIT-70

Black full glass DVS-70.185DB EAN: 5999558435639 Stainless steel DVS-70.185DSS EAN: 5999558435646 Matt black DVS-70.185DMB EAN: 5999558436025 RAL colour DVS-70.185DC EAN: 5999558436063




















Installation type	Fully integrated
Bottle capacity (750mL Bordeaux bottle	es) 70
Type of opening	Handle
Type of hinges	Regular (Pivot)
Display type	LCD touch screen
Cooling zones	2
Cooling ranges	5-10°C // 10-18°C
Operating instructions	Champagne bottle fit in between shelves
Heater	Yes
Installation requirements	Integrated ventillation system
Energy class	F
Power consumption	112 kWh/a
Rated power	220-240V, 50Hz, 0,6A
Gross dimensions (HxWxD) in mm	1275x650x660
Product dimensions (HxWxD) in mm	1233x590x571
Shelf	Telescopic wooden shelves
Noise level	36dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 2 layers of glass + Low-E, reversible
Interior light	Multi LED light (white, amber, blue)
Wifi + Smart App	Yes

1233

3 years parts and labour + 2 years for compressor





30000	
000000	

Installation type	Built-in only
Bottle capacity (750mL Bordeaux bott	tles) 24
Type of opening	Handle
Type of hinges	Regular (Pivot
Display type	LED touch screer
Cooling zones	1
Cooling ranges	5-20°C
Operating instructions	Champagne bottle fit in between shelves
Heater	No
Installation requirements	Front and rear ventillation is needed
Energy class	G
Power consumption	118 kWh/a
Rated power	220-240V, 50Hz, 0,5A
Gross dimensions (HxWxD) in mm	550x660x670
Product dimensions (HxWxD) in mm	455x592x559
Shelf	Telescopic wooden shelves
Noise level	39dE
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 2 layers of glass + Low-E, reversible
Interior light	Multi LED light (white, amber, blue
Wifi + Smart App	No
Warranty	3 years parts and labour +2 years for compressor









J0Y-26

DUNAVOX JOY

Black full glass DXJ-26.69DB EAN: 5999558435561








	=	11.	
26		(1))	38dB





Installation type	Built-in only
Bottle capacity (750mL Bordeaux bott	tles) 26
Type of opening	Handle
Type of hinges	Regular (Pivot)
Display type	LED touch screen
Cooling zones	2
Cooling ranges	10-20°C // 5-12°C
Operating instructions	Champagne bottle fit in between shelves
Heater	Yes
Installation requirements	Front and rear ventillation is needed
Energy class	G
Power consumption	124 kWh/a
Rated power	220-240V, 50Hz, 0,5A
Gross dimensions (HxWxD) in mm	690x660x670
Product dimensions (HxWxD) in mm	598x590x565
Shelf	Telescopic wooden shelves
Noise level	38dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 2 layers of glass + Low-E, reversible
Interior light	Multi LED light (white, amber, blue)
Wifi + Smart App	No
Warranty	3 years parts and labour +2 years for compressor

J0Y-42

Black full glass DXJ-42.100DB EAN: 5999558435578





JOY-65



Black full glass DXJ-65.154DB EAN: 5999558435585









Low vibration Cooling type

Glass door

Interior light Wifi + Smart App














Fan assisted cooling, compressor

Multi LED light (white, amber, blue)

UV protected, 2 layers of glass + Low-E, reversible

3 years parts and labour + 2 years for compressor



oct.	990
on type	
apacity (750mL Bordeaux bottles)	
opening	
hinges	
type	
zones	
ranges	
g instructions	Champagne bottle fi
on requirements	Front and rear v



iristaliation type	Duiit-iii Ori
Bottle capacity (750mL Bordeaux bott	tles) 6
Type of opening	Hand
Type of hinges	Regular (Pivo
Display type	LED touch scree
Cooling zones	
Cooling ranges	5-20°C // 5-20°
Operating instructions	Champagne bottle fit in between shelve
Heater	Ye
Installation requirements	Front and rear ventillation is neede
Energy class	
Power consumption	149 kWh,
Rated power	220-240V, 50Hz, 0,7
Gross dimensions (HxWxD) in mm	1445x680x69
Product dimensions (HxWxD) in mm	1233x590x57
Shelf	Telescopic wooden shelve
Noise level	36d
Low vibration	Ye
Cooling type	Fan assisted cooling, compresso
Glass door	UV protected, 2 layers of glass + Low-E, reversible
Interior light	Multi LED light (white, amber, blue
Wifi + Smart App	N
Warranty	3 years parts and labour + 2 years for compresso






Black full glass DX-89.246TB EAN: 5999558433444 Stainless steel DX-89.246TSS EAN: 5999558432690 Matt black DX-89.246TMB EAN: 5999558436278 RAL colour DX-89.246TC EAN: 5999558436285








Installation type	Built-in only
Bottle capacity (750mL Bordeaux bott	les) 100
Type of opening	Handle
Type of hinges	Regular (Pivot)
Display type	LED touch screen
Cooling zones	3
Cooling ranges	5-18°C // 5-10°C // 10-18°C
Operating instructions	Champagne bottle fit in between shelves
Heater	Yes
Installation requirements	Front and rear ventillation is needed
Energy class	G
Power consumption	162 kWh/a
Rated power	220-240V, 50Hz, 0,8A
Gross dimensions (HxWxD) in mm	1865x655x660
Product dimensions (HxWxD) in mm	1788x595x557
Shelf	Telescopic wooden shelves
Noise level	38dE
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 2 layers of glass + Low-E, reversible
Interior light	White
Mifi + Smart Ann	No

3 years parts and labour + 2 years for compressor



FULLY INTEGRATED


Thanks to integrated ventilation, the installation possibilities for wine coolers have never been seen before. Whether with handles handle-less wine coolers can be quickly and easily built into a kitchen cabinet or countertop. (Only Horizon, Prime, Noble and Spirit product ranges)






UNDERCOUNTER


Thanks to integrated ventilation, the installation possibilities for wine coolers have never been seen before. Whether with handles handle-less wine coolers can be quickly and easily built into a kitchen cabinet or countertop. (Only Horizon, Prime, Noble and Spirit product ranges)





28 | DUNAVOX | 29





UNDERCOUNTER INSTALLATION

- 820 880mm standard height models
- width varies between 160-600mm



THREE YEAR WARRANTY

Parts & labour

+2 years for compressor


Front grille ventilation: MUST be plinth vented


















15 CM WIDE

DAUF-9.22B DAUF-9.22SS

DAUF-17.58DB DAUF-17.58DSS DAUF-17.58DBH DAUF-19.58B DAUF-19.58SS

30 CM WIDE

DAUF-32.83B DAUF-32.83SS DAUF-32.78DB DAUF-32.78DSS

40 CM WIDE

DAUF-38.100DB DAUF-38.100DSS DAUF-38.100DB.TO

KEY FEATURES


PUSH-TO-OPEN

Gently push the door to access the bottles inside, in keeping with the handleless kitchen trend.



LED TOUCH SCREEN

The LED display allows a quick and easy use to set and check the desired temperature or switch the lights on and off.



LCD TOUCH SCREEN

Smooth and detailed touch screen display that show various functions such as inner airflow and light colour.



FRONT GRILLE VENTILATION


The ventilation grille must be kept free; the warm air produced by the compressor is expelled through one side and the cooler air is drawn in on the other via a set of silent fans which enable the cooler to ventilate correctly

installed into the plinth itself to ensure adequate ventilation and any heat sources near to the cooler will likely reduce the life span of the fridge, namely the compressor itself.



VARIOUS DOOR/FINISH OPTIONS

Black full glass door, stainless steel door, matt black door, RAL colour door, overlay panel – a finish to match any kitchen style or colour.



HIDDEN HANDLE DOOR

Inkeeping with the latest design trends with undercounter wine coolers, a small range of our coolers are available with a recessed handle.



DOOR HANDLE

Black door with black handle, Inox door with stainless steel handle, the classic door opening method. The handle allows manual opening and closing of the door.







60 CM WIDE

DAUF-39.121DB

DAUF-39.121DSS











50 CM WIDE

60 CM WIDE

DAUF-39.119DB.TO DAUF-39.119.DOP.TO

60 CM WIDE

DAUF-45.125DB.TO DAUF-45.125DSS.TO DAUF-45.125DOP.TO 60 CM WIDE


DAUF-46.138B DAUF-46.138SS 60 CM WIDE

DAUF-46.145DB DAUF-46.145DSS

60 CM WIDE DAUF-46.145DBH







Bottle capacity (750m	L Bordeaux bottles)	9 (7 lying, 2 standing)
Type of opening		Handle
Type of hinges		Regular (Pivot)
Display type		LED touch screen
Cooling zones		1
Cooling ranges		5-20° C
Operating instructions	;	Only Bordeaux bottle fits to the unit
Heater		No
Installation requireme	nts	Front plinth ventilation
Energy class		G
Power consumption		106 kWh/a
Rated power		220-240V, 50hz, 0,4A
Gross dimensions (H	kWxD) in mm	845x185x580mm
Product dimensions (I	HxWxD) in mm	820x150x525mm
Feet	Adjustable between	10-70mm* height varies between models

Scan me to know more:				
9 By J 38dB J 5-20°C 2008	9	38dB	∫ 5-20°C	



Shelf

Noise level

Low vibration Cooling type

Glass door

Interior light

Installation type





FLOW-17

DUNAVOX FLOW

Black full glass DAUF-17.58DB EAN: 5999558434656 Stainless steel DAUF-17.58DSS EAN: 5999558434670 Matt black DAUF-17.58DMB EAN: 5999558435745 RAL colour DAUF-17.58DC EAN: 5999558435752















Bottle capacity (750mL Bordea	aux bottles) 17
Type of opening	Handle
Type of hinges	Regular (Pivot)
Display type	LED touch screen
Cooling zones	2
Cooling ranges	5-12°C //12-20°C
Operating instructions	Lower zone can store 2 standing bottles by shelf swap
Heater	Yes
Installation requirements	Front plinth ventilation
Energy class	G
Power consumption	135 kWh/a
Rated power	220-240V, 50Hz, 0,65A
Gross dimensions (HxWxD) in	mm 855x330x635
Product dimensions (HxWxD)	in mm 815x295x566
Feet A	djustable between 10-70mm* height varies between models
Shelf	Sliding wooden shelves
Noise level	39dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected + 3 layers, reversible
Interior light	Blue LED light
Warranty	3 years parts and labour + 2 years for compressor

FLOW-17H

Black full glass DAUF-17.58DBH EAN: 5999558435653





38dB Yes

Fixed wooden shelves


White LED light

Fan assisted cooling, compressor

UV protected + 3 layers, reversible


3 years parts and labour + 2 years for compressor













Installation type		Undercounte
Bottle capacity (750mL Bore	deaux bottles)	1
Type of opening		Hidden handl
Type of hinges		Regular (Pivo
Display type		LED touch scree
Cooling zones		
Cooling ranges		5-12°C //12-20°
Operating instructions	Lower	zone can store 2 standing bottles by shelf swa
Heater		Ye
Installation requirements		Front plinth ventilation
Energy class		
Power consumption		135 kWh,
Rated power		220-240V, 50Hz, 0,65
Gross dimensions (HxWxD) in mm	855x330x63
Product dimensions (HxWx	:D) in mm	815x295x56
Feet	Adjustable be	etween 10-70mm* height varies between mode
Shelf		Sliding wooden shelve
Noise level		39d
Low vibration		Ye
Cooling type		Fan assisted cooling, compresso
Glass door		UV protected + 3 layers, reversible







FLOW-19

Black full glass DAUF-19.58B EAN: 5999558434687 Stainless steel DAUF-19.58SS EAN: 5999558434694 Matt black DAUF-19.58MB EAN: 5999558435769 RAL colour DAUF-19.58C EAN: 5999558435776














Fan assisted cooling, compressor

UV protected +3 layers, reversible

3 years parts and labour + 2 years for compressor

Blue LED light





Low vibration Cooling type Glass door Interior light


Black full glass DAUF-32.83B EAN: 5999558434700 Stainless steel DAUF-32.83SS EAN: 5999558434717 Matt black DAUF-32.83MB EAN: 5999558435783 RAL colour DAUF-32.83C EAN: 5999558435790











	-
Installation type	Undercounter or freestanding
Bottle capacity (750mL Borde	eaux bottles) 32
Type of opening	Handle
Type of hinges	Regular (Pivot)
Display type	LED touch screen
Cooling zones	1
Cooling ranges	5-18°C
Operating instructions	-
Heater	No
Installation requirements	Front plinth ventilation
Energy class	F
Power consumption	100 kWh/a
Rated power	220-240V, 50Hz, 0,5A
Gross dimensions (HxWxD) is	n mm 845x415x625
Product dimensions (HxWxD)) in mm 825x380x563
Feet	Adjustable between 10-70mm* height varies between models
Shelf	Wooden shelves with rails
Noise level	39dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected + 2 layers and Low-E coating, reversible
Interior light	Multi LED light (white, amber, blue)
Warranty	3 years parts and labour + 2 years for compressor

FLOW-32D

Black full glass DAUF-32.78DB EAN: 5999558434861 Stainless steel DAUF-32.78DSS EAN: 5999558434878 Matt black DAUF-32.78DMB EAN: 5999558435806 RAL colour DAUF-32.78DC EAN: 5999558435813









Glass door

Interior light











FLOW-38


Black full glass DAUF-38.100DB EAN: 5999558435035 Stainless steel DAUF-38.100DSS EAN: 5999558435042 Matt black DAUF-38.100DMB EAN: 5999558435820 RAL colour DAUF-38.100DC EAN: 5999558435837












Installation type	Undercounter or freestanding
Bottle capacity (750mL Bordeaux bottles)	38
Type of opening	Handle
Type of hinges	Regular (Pivot
Display type	LED touch screen
Cooling zones	-
Cooling ranges	5-20°C // 5-20°C
Operating instructions	Same temperature can be set in both zone:
Heater	Ye:
Installation requirements	Front plinth ventilation
Energy class	(
Power consumption	141 kWh/a
Rated power	220-240V, 50Hz, 1.2A
Gross dimensions (HxWxD) in mm	880x560x660
Product dimensions (HxWxD) in mm	820x495x575
Feet Adjustable be	etween 10-70mm* height varies between model
Shelf	Sliding wooden shelve
Noise level	40dE
Low vibration	Ye
Cooling type	Fan assisted cooling, compresso
Glass door	UV protected + 3 layers, reversible
Interior light	Multi LED light (white, amber, blue

FL0W-38.T0

Black full glass DAUF-38.100DB.TO EAN: 5999558435059







3 years parts and labour + 2 years for compressor

3 years parts and labour + 2 years for compressor

Installation type	Undercounter or freestanding
Bottle capacity (750mL Bordeaux bottles)	38
Type of opening	Push to oper
Type of hinges	Soft closing Hettich hinge
Display type	LED touch screen
Cooling zones	:
Cooling ranges	5-20°C // 5-20°C
Operating instructions	Same temperature can be set in both zone:
Heater	Ye:
Installation requirements	Front plinth ventilation
Energy class	
Power consumption	141 kWh/a
Rated power	220-240V, 50Hz, 1.2/
Gross dimensions (HxWxD) in mm	940x560x660
Product dimensions (HxWxD) in mm	880x495x57
Feet Adjustable be	tween 10-70mm* height varies between model:
Shelf	Sliding wooden shell
Noise level	40dE
Low vibration	Ye:
Cooling type	Fan assisted cooling, compresso
Glass door	UV protected +3 layers, reversible
Interior light	Multi LED light (white, amber, blue



DUNAVOX | 35 34 | DUNAVOX

Handle

UV protected + 2 layers + Low-E coating Multi LED light (white, amber, blue)


3 years parts and labour + 2 years for compressor












	•
Installation type	Undercounter or freestanding
Bottle capacity (750mL Bordeaux bo	ottles) 39
Type of opening	Handle
Type of hinges	Regular (Pivot
Display type	LED touch screen
Cooling zones	:
Cooling ranges	5-10°C //10-18°C
Operating instructions	
Heater	Ye:
Installation requirements	Front plinth ventilation
Energy class	I
Power consumption	103 kWh/a
Rated power	220-240V, 50Hz, 0,6A
Gross dimensions (HxWxD) in mm	870x655x66
Product dimensions (HxWxD) in mn	n 822x595x560
Feet Adjusta	ble between 10-70mm* height varies between model:
Shelf	Wooden shelves with rail
Noise level	38 dE
Low vibration	Ye:
Cooling type	Fan assisted cooling, compresso
Glass door	UV protected + 2 layers + Low-E coating
Interior light	Multi LED light (white, amber, blue
Warranty	3 years parts and labour +2 years for compresso

FLOW-39.TO

DUNAVOX FLOW

Black full glass DAUF-39.119DB.TO EAN: 5999558435677 Overlay panel DAUF-39.119DOP.TO EAN: 5999558436315















822 560 595

Installation type		Undercounter or freestanding
Bottle capacity (750mL Bo	ordeaux bottles)	39
Type of opening		Push to open
Type of hinges		Regular (Pivot)
Display type		LED touch screen
Cooling zones		2
Cooling ranges		5-12°C //12-18°C
Operating instructions	The temperature of both zone:	s can be adjusted independently
Heater		Yes
Installation requirements		Front plinth ventilation
Energy class		G
Power consumption		127 kWh/a
Rated power		220-240V, 50Hz, 0,6A
Gross dimensions (HxWx	D) in mm	885x660x655
Product dimensions (HxW	/xD) in mm	822x595x560
Feet	Adjustable between 10-70mr	m* height varies between models
Shelf		Telescopic wooden shelves
Noise level		38dB
Low vibration		Yes
Cooling type	F	an assisted cooling, compressor
Glass door	UV protected, 2 la	ayers + Low-E coating, reversible
Interior light	M	ulti LED light (white, amber, blue)
Warranty	3 years parts and	l labour +2 years for compressor

FLOW-45

Black full glass DAUF-45.125DB.TO EAN: 5999558434540 Stainless steel DAUF-45.125DSS.TO EAN: 5999558434557 Overlay panel DAUF-45.125DOP.TO EAN: 5999558435011 Matt black DAUF-45.125DMB.TO EAN: 5999558436292 RAL colour DAUF-45.125DC.TO EAN: 5999558436308


















Installation type









Undercounter or freestanding

iristaliation type	Office Countries of incestalitating
Bottle capacity (750mL Bordeaux bottles)	45
Type of opening	Push to open
Type of hinges	Soft closing Hettich hinge
Display type	LED touch screen
Cooling zones	2
Cooling ranges	5-20°C // 5-20°C
Operating instructions	Same temperature can be set in both zones
Heater	Yes
Installation requirements	Front plinth ventilation
Energy class	F
Power consumption	115 kWh/a
Rated power	220-240V, 50Hz, 1,2A
Gross dimensions (HxWxD) in mm	940x660x660
Product dimensions (HxWxD) in mm	880x595x580
Feet Adjustable bet	ween 10-70mm* height varies between models
Shelf	Wooden shelves with rails
Noise level	36dB
Low vibration	yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected + 3 layers, reversible
Interior light	Multi LED light (white, amber, blue)
Warranty 3 y	ears parts and labour + 2 years for compressor

FLOW-46


Black full glass DAUF-46.138B EAN: 5999558434748 Stainless steel DAUF-46.138SS EAN: 5999558434885 Matt black DAUF-46.138MB EAN: 5999558435868 RAL colour DAUF-46.138C EAN: 5999558435875


















Installation type	Undercounter or freestanding
Bottle capacity (750mL Bordea	aux bottles) 46
Type of opening	Handle
Type of hinges	Regular (Pivot)
Display type	LED touch screen
Cooling zones	1
Cooling ranges	5-18°C
Operating instructions	-
Heater	No
Installation requirements	Front plinth ventilation
Energy class	G
Power consumption	130 kWh/a
Rated power	220-240V, 50Hz, 0,55A
Gross dimensions (HxWxD) in	mm 870x655x665
Product dimensions (HxWxD)	in mm 822x595x560
Feet A	djustable between 10-70mm* height varies between models
Shelf	Wooden shelves with rails
Noise level	39dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected + 2 layers + Low-E coating
Interior light	Multi LED light (white, amber, blue)
Warranty	3 years parts and labour + 2 years for compressor

DUNAVOX | 37 36 | DUNAVOX


Black full glass DAUF-46.145DB EAN: 5999558434892 Stainless steel DAUF-46.145DSS EAN: 5999558434908 Matt black DAUF-46.145DMB EAN: 5999558435264 RAL colour DAUF-46.145DC EAN: 5999558435882





Installation type

Gross dimensions (HxWxD) in mm Product dimensions (HxWxD) in mm



Undercounter or freestanding

Handle

820x595x585

39dB

Telescopic wooden shelves

UV protected +3 layers of glass, reversible

UV protected + 3 layers of glass, reversible Multi LED light (white, amber, blue)


3 years parts and labour + 2 years for compressor


3 years parts and labour +2 years for compressor

Multi LED light (white, amber, blue)

Adjustable between 10-70mm* height varies between models













Shelf


Noise level

e to know	



Black full glass DAUF-46.145DBH EAN: 5999558435660





















Scan me to know	



Interior light



DUNAVOX | 39 38 | DUNAVOX





120 CM HIGH

DX-94.270DBK

INTEGRATED INSTALLATION

- high storage capacity
- it can also be used free standing



THREE YEAR WARRANTY

Parts & labour

+2 years for compressor



120 CM HIGH

DX-94.270SDSK

167 CM HIGH

DX-108.330DB DX-166.428DBK DX-108.330DSS DX-166.428SDSK

177 CM HIGH

177 CM HIGH

DX-181.490DBK

DX-181.490SDSK

DX-194.490BK DX-194.490SSK

183 CM HIGH

KEY FEATURES

SINGLE AND DUAL TEMPERATURE ZONES

Dunavox wine coolers are available with one or two cooling zones. Configuring the desired temperature is easy at single, dual or even three cooling zone wine coolers.



TELESCOPIC WOODEN SHELVES

Fully extendable, smooth sliding, telescopic shelves provide full visibility and access to all bottles of your collection. Access your wines easily with shelving that pulls all the way out.



LED TOUCH SCREEN

The LED display allows a quick and easy use to set and check the desired temperature or switch the lights on and off.



FRONT GRILLE VENTILATION

The ventilation grille must be kept free; the warm air produced by the compressor is expelled through one side and the cooler air is drawn in on the other via a set of silent fans which enable the cooler to ventilate correctly.

If running a plinth in front of the wine cooler, a grille must be installed into the plinth itself to ensure adequate ventilation and any heat sources near to the cooler will likely reduce the life



VARIOUS DOOR/FINISH OPTIONS

Black full glass door, stainless steel door, matt black door, RAL colour door, overlay panel – a finish to match any kitchen style or colour.

RAL colour Matt black Black full glass

INTEGRATED DOOR LOCK

Child-safe lock prevents unauthorized access to contents and temperature controls; suitable for either home or commercial restaurant use. All lockable wine coolers will lock from the bottom (REMOVE and use regular padlock style keys to keep the wines secure). Most wine coolers will come with two keys and most wine cabinet owners will opt to carry one and keep another in a safe place in their home.



HIDDEN HANDLE DOOR

Inkeeping with the latest design trends with undercounter wine coolers, a small range of our coolers are available with a recessed handle.



DOOR HANDLE

Black door with black handle, Inox door with stainless steel handle, the classic door opening method. The handle allows manual opening and closing of the door.




















1220



Installation type	Freestanding or built-in
Bottle capacity (750mL Bordeaux bottles)	94
Type of opening	Hidden handle
Type of hinges	Regular (Pivot
Display type	LED touch screen
Cooling zones	2
Cooling ranges	5-12°C //12-20°C
Operating instructions	Can be built-in, do not cover front gril
Heater	Yes
Installation requirements	Front grille ventilation
Energy class	G
Power consumption	159 kWh/a
Rated power	220-240V, 50Hz, 0,86A
Gross dimensions (HxWxD) in mm	1260x660x760
Product dimensions (HxWxD) in mm	1220x595x680
Shelf	Telescopic wooden shelves
Noise level	39dE
Low vibration	Yes
Cooling type	Fan assisted cooling, compresso
Glass door	UV protected, 3 layers of glass, reversible
Interior light	Blue LED ligh
Wifi	No

3 years parts and labour + 2 years for compressor

3 years parts and labour +2 years for compressor

GRANDE-94

Stainless steel DX-94.270SDSK EAN: DX-94.270SDSK Matt black DX-94.270DMBK EAN: 5999558435899 RAL colour DX-94.270DCK EAN: 5999558435943
















GRANDE-108

Black full glass DX-108.330DB EAN: 5999558435684 Stainless steel DX-108.330DSS EAN: 5999558435691 Matt black DX-108.330DMB EAN: 5999558435905 RAL colour DX-108.330DC EAN: 5999558435950














Installation type




Freestanding or built-in


UV protected, 3 layers of glass, reversible

3 years parts and labour +2 years for compressor




















Scan me to know
more:

Installation type	Freestanding or built-in
Bottle capacity (750mL Bordeaux bottle	es) 166
Type of opening	Black: hidden handle, SS: handle
Type of hinges	Regular (Pivot
Display type	LED touch screen
Cooling zones	2
Cooling ranges	5-12°C //12-20°C
Operating instructions	Can be built-in, do not cover front gril
Heater	Yes
Installation requirements	Front grille ventilation
Energy class	
Power consumption	146 kWh/a
Rated power	220-240V, 50Hz, 1,3A
Gross dimensions (HxWxD) in mm	1905x660x745
Product dimensions (HxWxD) in mm	1770x595x680
Shelf	Telescopic wooden shelves
Noise level	39dE
Low vibration	Yes
Cooling type	Fan assisted cooling, compresso
Glass door	UV protected, 3 layers of glass, reversible
Interior light	Blue LED ligh
Wifi	No
Warranty	3 years parts and labour +2 years for compresso



Black full glass DX-166.428DBK EAN: 5999558431648 Stainless steel DX-166.428SDSK EAN: 5999558432034 Matt black DX-166.428DMBK EAN: 5999558435912 RAL colour DX-166.428DCK EAN: 5999558435967

2
000000
000000
00000
$\bigcirc \bigcirc $
000000
DUNAVOX 6 0 0 1 II 0 0 0
$\bigcirc \bigcirc $
$\bigcirc \bigcirc \bigcirc$
000000
<u> </u>
000000
36666








Black full glass DX-181.490DBK EAN: 5999558431631 Stainless steel DX-181.490SDSK EAN: 5999558431969 Matt black DX-181.490DMBK EAN: 5999558435929 RAL colour DX-181.490DCK EAN: 5999558435974











3 years parts and labour +2 years for compressor

3 years parts and labour + 2 years for compressor











GRANDE-194

Black full glass DX-194.490BK EAN: 5999558431945 Stainless steel DX-194.490SSK EAN: 5999558431952 Matt black DX-194.490MBK EAN: 5999558435936 RAL colour DX-194.490CK EAN: 5999558435981









Installation type	Freestanding or built-in
Bottle capacity (750mL Bordeaux bottles)	183
Type of opening	Handle
Type of hinges	Regular (Pivot
Display type	LED touch screer
Cooling zones	1
Cooling ranges	5-20°C
Operating instructions	Can be built-in, do not cover front gril
Heater	Yes
Installation requirements	Front grille ventilation
Energy class	(
Power consumption	179 kWh/a
Rated power	220-240V, 50Hz, 1,1 A
Gross dimensions (HxWxD) in mm	1970x700x745
Product dimensions (HxWxD) in mm	1835x655x680
Shelf	Telescopic wooden shelves
Noise level	40dE
Low vibration	Yes
Cooling type	Fan assisted cooling, compresso
Glass door	UV protected, 3 layers of glass, reversible
Interior light	Blue LED ligh

















THREE YEAR WARRANTY Parts & labour +2 year for compressor





DAUF-40.138B DAUF-40.138SS



120 CM HIGH

DX-58.258DB DX-58.258DSS



120 CM HIGH

DX-70.258B DX-70.258SS



180 CM HIGH

DX-143.468B DX-143.468SS

KEY FEATURES

SINGLE AND DUAL TEMPERATURE ZONES

Dunavox wine coolers are available with one or two cooling zones. Configuring the desired temperature is easy at single, dual or even three cooling zone wine coolers.



LABEL VIEW SHELVES

Designed specifically for larger bottles, the optimal distance between the shelves fits comfortably with the champagne & prosecco bottles. Bottles are supported on patented display shelves. Bottle capacity and shelf distance is based on standard shaped champagne bottles, dimensions listed above (750ml 210x95mm)



YACHT & SHIP INSTALLATIONS

Indulge in the luxury of perfectly chilled wines at sea with our state-of-the-art wine fridges aboard cruise ships. Designed to preserve the delicate flavors and aromas of your favorite vintages, our sleek and efficient wine fridges ensure that every sip is as delightful as the first. Elevate your onboard experience with the convenience and sophistication of expertly stored wines, enhancing every moment of your voyage.



VARIOUS DOOR/FINISH OPTIONS

Black full glass door, stainless steel door, matt black door, RAL colour door, overlay panel – a finish to match any kitchen style or colour.

Matt black Black full glass

MULTI LED LIGHT

A lighting option for every mood; choose between white, amber or blue, as well as multiple lighting mode.



LED TOUCH SCREEN

LED display allows a quick and easy use to set and check the desired temperature.



HIDDEN HANDLE DOOR

Inkeeping with the latest design trends with undercounter wine coolers, a small range of our coolers are available with a recessed handle.




FRONT GRILLE VENTILATION

The ventilation grille must be kept free; the warm air produced by the compressor is expelled through one side and the cooler air is drawn in on the other via a set of silent fans which enable the cooler to ventilate correctly

If running a plinth in front of the wine cooler, a grille must be installed into the plinth itself to ensure adequate ventilation and any heat sources near to the cooler will likely reduce the life span of the fridge, namely the compressor itself.














40 38dB 5-20°C



	`
Installation type	Undercounter onl
Bottle capacity (750mL Bordeaux b	ottles) 4
Unique bottle placement	Champagne, cava, prosecci
Type of opening	Black: hidden handle, SS: handle
Type of hinges	Regular (Pivo
Display type	LED toch screen
Cooling zones	
Cooling ranges	5-20°(
Operating instructions	Unit must be fixed to the counter otherwise it tips over
Heater	N
Installation requirements	Front grille ventilatio
Energy class	
Power consumption	83 kWh/
Rated power	220-240V, 50Hz 0,85/
Gross dimensions (HxWxD) in mm	880x660x62
Product dimensions (HxWxD) in mr	m 813x595x57
Shelf	Telescopic metal shelve
Noise level	38df
Low vibration	Ye
Cooling type	Fan assisted cooling, compresso
Glass door	UV protected, 3 layers of glass, reversible
Interior light	Multi LED light (white, amber, blue
Warranty	3 years parts and labour + 2 years for compresso

SERA-58

DUNAVOX SERA

Black full glass DX-58.258DB EAN: 5999558435158 Stainless steel DX-58.258DSS EAN: 5999558435165 Matt black DX-58.258DMB EAN: 5999558436162 RAL colour DX-58.258DC EAN: 5999558436209











	-
Installation type	Freestanding or built-in
Bottle capacity (750mL Bordeaux bottl	les) 58
Unique bottle placement	Champagne, cava, prosecco
Type of opening	Black: hidden handle, SS: handle
Type of hinges	Regular (Pivot)
Display type	LED touch screen
Cooling zones	2
Cooling ranges	5-12°C //12-20°C
Operating instructions	Can be built-in, do not cover front grill
Heater	No
Installation requirements	Front grille ventilation
Energy class	G
Power consumption	128 kWh/a
Rated power	220-240V, 50Hz 0,85A
Gross dimensions (HxWxD) in mm	1260x660x745
Product dimensions (HxWxD) in mm	1220x595x680
Shelf	Telescopic metal shelves
Noise level	40dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 3 layers of glass, reversible
Interior light	Multi LED light (white, amber, blue)
Warranty	3 years parts and labour + 2 years for compressor

SERA-70


Black full glass DX-70.258B EAN: 5999558435172 Stainless steel DX-70.258SS EAN: 5999558435189 Matt black DX-70.258MB EAN: 5999558436179 RAL colour DX-70.258C EAN: 5999558436216











installation type	Freestanding or built-in
Bottle capacity (750mL Bordeaux bottle	les) 70
Unique bottle placement	Champagne, cava, prosecco
Type of opening	Black: hidden handle, SS: handle
Type of hinges	Regular (Pivot)
Display type	LED toch screen
Cooling zones	1
Cooling ranges	5-20°C
Operating instructions	Can be built-in, do not cover front grill
Heater	No
Installation requirements	Front grille ventilation
Energy class	F
Power consumption	111 kWh <i>/</i> a
Rated power	220-240V, 50Hz 0,85A
Gross dimensions (HxWxD) in mm	1260x660x745
Product dimensions (HxWxD) in mm	1220x595x680
Shelf	Telescopic metal shelves
Noise level	38dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 3 layers of glass, reversible
Interior light	Multi LED light (white, amber, blue)
Warranty	3 years parts and labour +2 years for compressor

SERA-143

Black full glass DX-143.468B EAN: 5999558432645 Stainless steel DX-143.468SS EAN: 5999558432638 Matt black DX-143.468MB EAN: 5999558436186 RAL colour DX-143.468C EAN: 5999558436223







	2 11
Installation type	Freestanding or built-in
Bottle capacity (750mL Bordeaux bottle	es) 70
Unique bottle placement	Champagne, cava, prosecco
Type of opening	Black: hidden handle, SS: handle
Type of hinges	Regular (Pivot)
Display type	LED toch screen
Cooling zones	1
Cooling ranges	5-20° C
Operating instructions	Can be built-in, do not cover front grill
Heater	No
Installation requirements	Front grille ventilation
Energy class	G
Power consumption	162 kWh/a
Rated power	220-240V, 50Hz 1,3A
Gross dimensions (HxWxD) in mm	1970x700x745
Product dimensions (HxWxD) in mm	1835x655x680
Shelf	Telescopic metal shelves
Noise level	40dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	UV protected, 3 layers of glass, reversible
Interior light	Multi LED light (white, amber, blue)
Warranty	3 years parts and labour + 2 years for compressor









FREESTANDING

- standard door opening
- door is NOT REVERSIBLE





50 CM HIGH DXFH-16.46



65 CM HIGH DXFH-20.62



83 CM HIGH DXFH-28.88

KEY FEATURES

HIDDEN HANDLE DOOR

Sleek handle-less design with a discreetly installed hidden handle



LED TOUCH SCREEN

The built-in display is easy to use and provides quick feedback on the temperature of the wines.

* except HOME-48



OUTDOOR PLACEMENT

Dunavox wine coolers are intended to use indoor, however if you follow a few conditions the units can also be used outdoors. Keep the fridge out of direct sunlight, and install it in a covered area protected from rain. Do not keep the unit outside when the ambient mperature fall below 18°C. (Lets cover ourselves, heating wise)



OPENED BOTTLES STORAGE

Home series offers a unique feature to store opened bottles in the wine fridges in standing position. The front part of the unit is designed for standing bottle storage.



INSTALLATION/ PLACEMENT

It's an easy to handle range. The capacity is on a wide scale from 16 to 50 bottles. These coolers can't be built-in or place under a counter. Only the freestanding installation is allowed because these coolers don't have a regular front grid where the ventillation can be done. For proper functioning the units require free space around them.

The condenser is installed inside the corpus, this means the heat extraction happens at the sides and at the top of the cooler. That's why it's crucial to let these units stand freely.






84 CM HIGH DXFH-30.80



84 CM HIGH DXFH-48.130



130 CM HIGH DXFH-50.142

50 | DUNAVOX

DUNAVOX HOME



FREESTANDING

Top hinge

4-18° C

40dB

Blue LED light


Direct cooling, compressor

2 layers of glass, not reversible

FREESTANDING

3 years parts and labour +2 years for compressor





Noise level

Glass door

Interior light

Low vibration Cooling type











HOME-20

Black full glass DXFH-20.62 EAN: 5999558434793











Installation type Freestanding installation only Bottle capacity (750mL Bordeaux bottles) Hidden handle Type of opening Type of hinges Top hinge Display type LED touch screen Cooling zones Cooling ranges 4-18° C Operating instructions Suitable for storing bottles upright Heater No Installation requirements Freestanding Energy class 136 kWh/a Power consumption 220-240V. 50Hz. 0.55A Rated power Gross dimensions (HxWxD) in mm 710x555x505 640x430x480 Product dimensions (HxWxD) in mm Shelf Wooden sliding shelves 40dB Noise level Low vibration Direct cooling, compressor Cooling type 2 layers of glass, not reversible Interior light Blue LED light

HOME-28

Black full glass DXFH-28.88 EAN: 5999558434809







HOME-30



Black full glass DXFH-30.80 EAN: 5999558434830

 \bullet \bullet \bullet \bullet

29 41dB







FREESTANDING



Installation type	Freestanding installation only
Bottle capacity (750mL Bordeaux bottle	s) 28
Type of opening	Hidden handle
Type of hinges	Top hinge
Display type	LED touch screen
Cooling zones	1
Cooling ranges	4-18°C
Operating instructions	Suitable for storing bottles upright
Heater	No
Installation requirements	Freestanding
Energy class	G
Power consumption	139 kWh/a
Rated power	220-240V, 50Hz, 0,55A
Gross dimensions (HxWxD) in mm	895x570x505
Product dimensions (HxWxD) in mm	825x430x480
Shelf	Wooden sliding shelves
Noise level	40dB
Low vibration	Yes
Cooling type	Direct cooling, compressor
Glass door	2 layers of glass, not reversible
Interior light	Blue LED light
Wifi	No
Warranty	3 years parts and labour +2 years for compressor




FREESTANDING









Cooling ranges 4-18°C // 4-18°C Operating instructions Temperature difference cannot exceed 6°C Suitable for storing bottles upright Freestanding 138 kWh/a 220-240V, 50Hz, 0,5A 905x555x545 840x430x490





Cooling zones

Heater Installation requirements Energy class Power consumption Rated power Gross dimensions (HxWxD) in mm Product dimensions (HxWxD) in mm Shelf Wooden sliding shelves Noise level Low vibration Cooling type Fan assited cooling, compressor Glass door 2 layers of glass, not reversible Interior light Blue LED light Wifi 3 years parts and labour + 2 years for compressor

3 years parts and labour + 2 years for compressor

41 dB

Black full glass DXFH-48.130 EAN: 5999558434847







FREESTANDING

Installation type	Freestanding installation only
Bottle capacity (750mL Bordeaux bottle	es) 48
Type of opening	Hidden handle
Type of hinges	Top hinge
Display type	Manual thermosta
Cooling zones	1
Cooling ranges	4-18°C
Operating instructions	There is no LED display
	Temperature can be set with a manual thermosta
Heater	No
Installation requirements	Freestanding
Energy class	C
Power consumption	144 kWh/a
Rated power	220-240V, 50Hz, 0,55A
Gross dimensions (HxWxD) in mm	855x590x580
Product dimensions (HxWxD) in mm	830x550x570
Shelf	Wooden sliding shelves
Noise level	40dE
Low vibration	Yes
Cooling type	Direct cooling, compresso
Glass door	2 layers of glass, not reversible
Interior light	Blue LED ligh
\\/ifi	N













HOME-50

Black full glass DXFH-50.142 EAN: 5999558435714















FREESTANDING

3 years parts and labour + 2 years for compressor

ALSO CAN BE **BUILT-IN**

THE RESERVE THE PARTY OF THE PA	
Installation type	Freestanding with a service channel
Bottle capacity (750mL Bordeaux bottles	s) 50
Type of opening	Hidden handle
Type of hinges	Top hinge
Display type	LED touch screen
Cooling zones	2
Cooling ranges	4-18° C // 4-18° C
Operating instructions	Proper ventilation above and around
	The unit provides possibility to built-in
Heater	Yes
Installation requirements	Freestanding with a service channel
Energy class	G
Power consumption	146 kWh/a
Rated power	220-240V, 50Hz, 0,5A
Gross dimensions (HxWxD) in mm	1370x555x545
Product dimensions (HxWxD) in mm	1295x480x470
Shelf	Wooden sliding shelves
Noise level	41 dB
Low vibration	Yes
Cooling type	Fan assisted cooling, compressor
Glass door	2 layers of glass, not reversible
Interior light	Blue LED light
Wifi	No
Warranty	3 years parts and labour + 2 years for compressor

TERMS AND CONDITIONS

Warrantv:

All Dunavox products for domestic use are covered by a 24-month warranty, plus an additional oneyear warranty and an additional 2-year warranty on the compressor. To obtain the additional warranty, you must register your purchase at www.dunavox.com within 30 days from the date of purchase.

Assistance:

Technical interventions under warranty are always piloted by Dunavox, which will organise them using the contracted technical assistance. In case of technical assistance fill the service registry form on your country specific Dunavox website. www.dunavox.com

General Terms and Conditions of Sale:

Prices: The displayed prices are recommended and non-binding. Taxes and transport are excluded. Illustrations and descriptions: All measurements, prices and descriptions published in this catalogue may be changed or cancelled at any time and without notice, according to the technical and commercial needs of Dunavox without the possibility of claims by the purchaser.

Payments: Payments are only recognised as valid if made directly to the supplier. *Also in the case old appropriate dispute, however, payments may not be suspended.

In case of delayed payments default interest based on local legislation rules is applicable.

Bank collection fees: Over due invoices, bank collection charges will be debited.

Transport: All units must be checked upon delivery. Any complaints about the quantity or quality of goods will only be accepted if made at the time of unloading and noted on the Transport Document.

Delivery terms: Delivery terms are purely indicative, no penalties for late delivery will be accepted. Some products may be temporarily out of stock, in which case it will be notified of the approximate date of delivery and/or the immediate availability of similar products.

Exchanges and returns: Returns of goods not previously authorised in writing by the supplier are not permitted.

If the defective goods are installed, no reimbursement will be made for the costs incurred for installation

Deliveries: The supplier reserves the right to suspend deliveries in any case of non-compliance, including partial, of the purchaser to its obligations.

Place of Jurisdiction: The exclusive place of jurisdiction for all disputes is the supplier.

Manufacturer's Warranty: All products on sale are covered by the official manufacturer's warranty under the regulations, to the extent applicable. This warranty shall apply to product presenting conformity defects and/or malfunctions that could not be detected at the time of purchase. The warranty is personal and will therefore only apply to the original purchaser, being reserved for direct customers and not for traders and retailers. The warranty is 24 months from the actual date of purchase. Registering the product at www.dunavox.com within 30 days from the date of purchase will entitle you to an additional year's warranty and a total of 5 years' warranty on the compressor.

In any case, and therefore also for events for which any warranty shall be recognised. Dunayox shall not be liable for any damage suffered by the products contained in the wine cellars or the surrounding materials.

Read the instruction manual carefully and pay attention to the installation sheets.

Important:

WARNINGS: For the correct functioning of the built-in wine cellars in column (not self-ventilated), it is necessary to provide a front ventilation grille, a sanitary vacuum at the bottom of the cabinet and an outlet at the top of the cabinet for expelling hot air, in under-shelf wine cellars only a grille is required adequately sized ventilation front. In any case, always refer to the technical installation diagrams. Pay attention to the correct closing of the door in the cabinet and adjustment of the hinges. Adjusting the feet to level the cellar. Product measurements are in mm.

Dunavox disclaims all liability for any inaccuracies due to transcription errors or printing of this price list, which cancels and replaces the previous ones.

BUNAVOX | 34 54 | DUNAVOX