


# **VIRTUOSITY**

# AS DEFINED BY LA MAISON DE DIETRICH:

"Transforming raw materials to add elegance and emotion using a high level of technical control and the utmost precision. Demonstrating the very essence of our talent, boldness and creativity in constantly reinventing products that have excellence and emotion ingrained in them, as well as being outstanding culinary products."

# **De Dietrich**

# LA MAISON DE DIETRICH



It all started in Jaegerthal, a valley to the north of Strasbourg, with a tremendous gamble.

In 1684, Johann Dietrich decided to invest in the forging industry. He stamped all his creations with a hunting horn and, in doing so, created the first logo in industrial history.

La Maison De Dietrich entered into a new era under the leadership of Jean de Dietrich, the successor who was given a peerage by Louis XV, and subsequently with Amélie de Dietrich, who was the first woman in industry to bring the importance of design and appearance into industrial production.

With this strong momentum behind it, the brand has never ceased to develop its approach towards innovation, ground-breaking ideas, and the French art of living.




# OUR SAVOIR-FAIRE

Few French manufacturers can boast over 300 years of history as La Maison De Dietrich can.

Since its creation at the end of the 17th century, the company has provided a constant stream of creations, innovations and unique technology, such as the first domestic cooker, the pyrolytic oven, and the saturated steam oven.

In 1990, De Dietrich invented the first induction hobs. In 2010, it created Piano, the first zoneless induction hob, and in 2013 it launched the horiZone Chef induction hob, which counts four different cooking modes among its innovative new features.

Expertise is passed on from one generation to another, allowing us to offer today a level of excellence that is very rarely achieved. Inspired by its legacy, and its inherited knowledge, the new De Dietrich design is just as much a signature look as it is the personification of the French art of living.



De Dietrich provides a physical representation of the Art de vivre, or the French art of living, and is part of French culinary heritage.

Driven by a never-ending quest for perfection and creativity, the brand focuses on elevating raw, high-quality materials, and arousing pure emotion.

The gamble was successful for this virtuoso range, who has managed to combine pure design, innovation, and top-quality material. An unparalleled expertise which immediately awakens desire. Its historical partnership with the 3 Michelin star Chef Pierre Gagnaire also sums it up perfectly.

"With De Dietrich, we share the same desire to share culinary emotions. From basic moves to the most sophisticated techniques, everyone can unleash their creativity thanks to state-of-the-art equipment."



# **OUR MANUFACTURERS**

De Dietrich fosters its love of excellence across all its manufacturers in France, creating the most wonderful harmonies. For over 300 years, exceptional execution has meant that its virtuosity and capacity for orchestration have set De Dietrich apart.

La Maison De Dietrich continues this quest for perfection by way of in-depth understanding, an exceptional level of expertise and precise actions.

Just as musicians tirelessly repeat their scales, each of our engineers proudly ensures that each model is perfectly in tune with the brand's age-old reputation.





# A PHILOSOPHY OF EXCELLENCE

The brand is proud to be able to attach a 'Origine France Garantie' label to its products.

This label was created out of a Ministry of Industry initiative in 2011, and represents transparency and accuracy of information regarding the origin and manufacturing procedures for the majority of De Dietrich products. It is a point of reference for consumers with exacting standards, who are looking for outstanding, prestigious, top-quality products.







# PHILHARMONIE NEW COLLECTION



The new Philharmonie Collection allows lovers of the French Art of Living to showcase their culinary talents and display their virtuosity. Embodying the perfect blend of innovation and aesthetic research, the collection enables everyone to achieve their highest level of excellence.

Heir to more than 350 years of history, this new
De Dietrich collection brings to life the age-old
expertise of a great French Maison, whose creations
combine precise cooking, attractive design and noble
materials. More than ever, with the Philharmonie
collection, culinary arts take the stage.

The talent either of perfectly roasting a meat that can only be enjoyed medium rare, or of giving a perfect pearly finish to salmon flesh, or of making the palate feel the silky subtlety of a cream or the fragile crunch of a macaroon.

The Philharmonie Collection by De Dietrich gives the power to transcend a simple recipe, and transform it into pure emotion.





# TABLE OF CONTENT

16
• OVENS

666
• HOBS

138
• HOODS

178
• WASHING

208
• cooling

248
• TECHNICAL BOOKLET












# OVENS



- 18 Ovens
- 60cm Connected Oven Smart Control
- 28 60cm Ovens
- 38 60cm Combi Steam Ovens
- 41 45cm Ovens
- 45 45cm Microwaves
- 49 38cm Microwaves
- 53 45cm Coffee Machines
- 54 Sous Vide Drawers
- 57 Warming Drawers





# **60CM OVENS**

A perfect harmony between technology and aesthetics, our ovens transcend every recipe to transform them into pure emotion. With over 350 years of expertise, they combine precise cooking, attractive design, and noble materials. Do you wish to cook a beef Wellington?

A perfectly cooked sea bass? Crunchy macarons? More than ever, Philharmonie ovens make culinary arts resonate. With them, lovers of gastronomy and the French art of living can fully showcase their virtuosity.





# Design: the art of being a maverick.

For all lovers of contemporary design, our ovens boast a distinctly new style and intuitive use. Noble materials and delicate finishes bear witness to

the quest for perfect balance between elegance and high technology. The new ergonomic design has been thought to ensure a seamless experience. The full-width handle with bevelled edges creates a new sensory experience with its robust grip. The selector's off-centre location and the large display give its harmonious aesthetics to the whole. As a testimony, the fine edging underlining our iconic hunting horn illustrates the attention to detail borne by De Dietrich. A stripped-down vision serving cutting-edge engineering.



# Sensory selector: a browsing gem.

A centrepiece to Philharmonie ovens, the selector helps you browse seamlessly among all functionalities. Its design beckons the touch as much as the sight.

The large-diameter selector, echoing the world of hi-fi, enables highly precise settings. Its notched, diamond-cut contour offers perfect grip as well as a pleasant feeling of control

Designed like a piece of jewellery, depending on the collection, it comes in sophisticated and contrasted matt or shiny finish, with accents of copper or stainless steel.

Slightly off-center on the upper band, its positioning and proportions are eye-catching and a sign of a personality that leaves no aesthete indifferent.

## Ai Smart Browsing. An intuitive way to manage your cooking.

Use the large TFT screen to interact with your oven as you would with a kitchen team. Combining high definition text and images, it displays each interaction with De Dietrich Artificial Intelligence, as well as the cooking parameters. In Automatic mode, simply choose a recipe and the screen will intuitively guide you to the desired cooking method. And then, as a virtuoso soloist, the oven manages everything. In Manual mode, the screen displays instructions then recommends the optimal settings.

And while magic is happening behind the oven door, you can check the progress of your cooking with a glance on the screen. With the selector, the Ai Smart browse can be controlled very intuitively. Now everyone can be a virtuoso cook!



## Ai Talent Sensor. Intelligence and virtuosity of a top chef.

Taste excellence without no false note. Rely on Ai Talent Sensor, an intelligent system that manages autonomously the cooking of your recipes. Choose one of the 150 recipes on offer and Ai Talent Sensor will play the score without you needing to do anything. Temperature, duration, cooking method... The Perfect Sensor moisture sensor and powerful algorithms synchronise cooking parameters and match them in real time to meet the most demanding taste requirements. Combining precision and intelligence, the Ai Talent Sensor interface gives everyone the ability to create enchanting tastes



Ai Talent Probe. Absolute control of the core temperature.

For creative people who imagine their own recipes and those who like to personalize their cooking, the wireless probe is the ultimate precision tool. In Manual mode, simply enter the ideal core temperature. Inserted in the preparation, the probe precisely measures the internal heat: the oven rises in temperature and stops as soon as the result has been reached. Totally autonomous, the probe pairs with the oven via Bluetooth and can be recharged using its box.

A prodigious performer to serve your culinary creations.



Ai Talent. Virtuosity accessible to all.

#### Up to 122 recipes available.

To ensure perfect cooking quality, leave it to the chef! Simply select one of the pre-programmed recipes and the oven will take care of everything. It automatically determines the appropriate cooking parameters: the right cooking method, the ideal temperature and the required cooking time, down to the minute. You just have to enter the size or weight of your dish, and the oven will interpret all your culinary renditions.



## Multiforation Plus: the art of successfully preparing all meals as they should be prepared.

Fan Heat and Combined Heat, exclusive to De Dietrich. Like a virtuoso, you know all your recipes inside out, and the exact way to make them a success. Fan Heat turns out to be the ultimate cooking mode to reveal your culinary talents. This unique process distributes the heat evenly, preserving the delicate flesh of white meats, the flavour of papillotes, or cooking different dishes on three levels simultaneously, without mixing odours whilst preserving the authentic taste of each dish... Combined Heat by De Dietrich is unbeatable for providing an airy lightness to your pies or puff pastries. The Combined Heat system distributes evenly the heat produced by a resistance located around the fan, and is specially designed for moist cooking such as pies, quiches or pizzas Energy saving is another benefit of this technique: the temperature rise is ultrafast, thus eliminating the preheating

The Fan Cooking function is the only process that preserves the delicate texture of white meat and the aroma and flavour of foods cooked "en papillote", and that allows different dishes to be cooked on three levels at the same time whilst preserving the individual aromas of each.



# Desserts: excelling in a globally recognized art.

28 recipes offered in automatic cooking including an exclusive selection dedicated to French pastries. To create the greatest pastry classics with confidence and delight, from the simplest dessert to the most sophisticated, rely on the ingenuity and talent of the De Dietrich ovens. Macaroons, canelés or chocolate fondant, pavlova or tarte Tatin... Compete with French top pastry chefs: among the 28 desserts available in automatic baking, you have the choice between 14 exclusive French pastry recipes, to celebrate this major discipline in culinary arts.



# Low temperature: 17 recipes proposed in automatic cooking.

Presenting tender, juicy meat, or a tasty, delicate and fragrant leg of lamb is no longer exclusive to top chefs. Choose your menu from the 17 pre-programmed dishes and let your Philharmonie oven work for your greatest pleasure. It features low temperature below 100°C: gentle and regular, perfectly controlled cooking over several hours. A unique cooking method in the world of Haute Cuisine.

To bring you the very best in cooking

meat, fish and other dishes, and bring

out all their flavours.



World Recipes: an exclusive culinary journey!

# 38 sweet or savoury dishes, with automatic cooking.

De Dietrich invites you on a tour of world flavours! Delicious culinary stops in over twenty countries are on the menu of the new Philharmonie ovens.

Easter bread, baklava, orange blossom
Ourabiya, pastáis de nata cannelloni

Qurabiya, pastéis de nata, cannelloni, chicken tikka... Essentials of international cuisine, no less than 38 recipes - 22 sweet desserts and 16 savoury dishes - have been developed to offer you automatic cooking, with guaranteed results and success.

Discover them also on the Smart Control app of the connected ovens, which with each update, will allow you to expand your culinary horizon.



Sabbath function. Inventive and functional.

De Dietrich is breaking new ground in offering three new ovens equipped with a special Sabbath function. This programmable mode allows the oven to function completely independently for 25 hours, or up to 75 hours if required. A flow of electricity maintains a constant temperature of 90°C in the cavity, so that dishes may be cooked or kept warm without needing to use a thermostat. The interior light remains on all the time, even when the door is closed.



Drying function. Enhancing the flavours of all your meals.

De Dietrich has equipped its new ovens with a function that nowadays it would be difficult to do without. This dehydration process allows you to dry a large number of different foods at a perfectly controlled temperature of between 60°C and 80°C, including aromatic herbs, fruit and vegetables. By preventing the growth of bacteria, it allows you to preserve the produce for several months and use it whenever you like; it also preserves essential elements such as vitamins and minerals.



# Air Fry function. A revolution in the art of fat-free cooking.

How would you like to guilt-free enjoy golden-brown potato chips as often as you wish?

De Dietrich invites you to discover Air Fry and the unsuspected extent of its capabilities, so that you can prepare and share delicious gourmet cooking with no restraint. Roasted cauliflower with pesto, breaded chicken with pistachio and sesame seeds, light and crispy sweet potato fries, lovely slices of dried citrus fruits... Air Fry helps you cook and brown all kinds of dishes in the oven, with very little or no added fat.

To awaken your senses and enhance the taste of your roasted winter vegetables, simply spray them with a few drops of olive oil, preferably flavoured with truffle or thyme for example.

A perforated cooking plate specially dedicated to this function will optimize the circulation of heat around the food without having to turn it over, guaranteeing results that are as perfect as they are delicious.

# Variable Grill function: up to 4 power settings.

Some of the apparently simplest recipes - such as meringues - actually require high skills - on work to achieve perfection

By modulating the heat of the grill between 1 and 4, this function helps you to achieve culinary feats on a daily basis.

# Crispy - Keep warm -Add 5 min - Favourites: transform the culinary experience... And bring out the chef in you!

Because your oven understands your cooking habits better than anyone else, it provides three options that you simply select at the start and/or end of cooking in order to perfect your dishes: bring a crispier & more golden finish, keep your dish at the right temperature without the risk of overcooking, and extend the cooking time by 5 minutes without having to change the settings. The 'Preferred dishes' feature allows you to memorize up to 6 dishes - 3 in manual cooking mode and 3 in automatic cooking mode - so as to instantly retrieve the programmed parameters when preparing your favourite recipes.



# New connected ovens. Cutting-edge technology and heritage.

To keep up with the times and cook like a talented future chef, rely on the new connected Philharmonie ovens' smartness. Like a virtuoso musician facing their score, compose, perform or improvise your greatest culinary renditions via the Smart Control mobile application.

#### Dedicated to culinary excellence.

Using the Smart Control application on your WiFi-connected smartphone and/ or tablet, you can control and schedule all the oven's functions remotely, and prepare the countless recipes available in assisted or automatic cooking with all due precision. It also features customisable alerts and notifications: open door, pyrolysis, programme start and end, completed preheating, etc. Thanks to Smart Control, the recommended temperature can be adjusted to the nearest degree.

be adjusted to the nearest degree.
Demanding gourmets, cooks and pastry chefs particularly appreciate this precision.

#### 3 steps to controlling your oven.

1/ Download the Smart Control app on Android or IOS.

2/ Connect your oven using the QR code located on the rear of the door.3/ Enjoy the convenience of a connected oven

# A real new gem for faultlessly executing all your greatest culinary classics.

# Optimised 73-litre volume and outstanding energy performance.

De Dietrich ovens stand out due to their large 73-litre cavity volume. This space makes it as easy as can be to prepare large or wide dishes, with six different shelf levels easily identifiable on the sides of the oven so that you can follow its recommendations and place your cooking dish at the ideal height. The carefully thought-out cavity design and the reinforced wall insulation make for a shorter preheating time and perfect temperature control at the lowest possible price, as demonstrated by its A+ energy label.



# A complete equipment, with great functionality.

- ♦ The racks on which you place your dishes rest are designed to be safely moved up to three quarters of their depth out of the oven. They are equipped with two legs and a hoop at the back preventing the dishes from tipping over.
- ♦ The outgoing rail system, depending on the model, allows you to slide racks and dishes out of the oven with the greatest comfort.
- ◆ A multiuse baking tray equips all the ovens. It is fitted with a handle on the front for easy operation. Its 45mm depth enables juices and fats to be collected and it can be used half-filled with water for double-boiler cooking. On some models, this dish is provided with two removable and adjustable half-grids.
- ♦ The special 8mm baking tray can be recognized by its angled plane. Its non-stick surface provides extreme comfort of use and makes it easier to bake puff pastry, cookies or shortbread, for example.
- ◆ These accessories are complemented with a perforated tray specially designed for the Air Fry feature. It is also recommended for cooking pizzas and pastries and for drying food in dehydration mode.



# Soft Close Door: the ultimate comfort of soft closure.

This patented system, exclusive to De Dietrich, enables the oven door to close smoothly.

#### Halogen lighting.

Halogen lighting provides the perfect light - natural, powerful and even. It gives excellent visibility on all levels of the cavity, even when there are several dishes being cooked at once.

# De Dietrich Hydrolysis and Pyrolysis cleaning modes: the art of maintaining uncompromising excellence

To satisfy and reconcile users' requirements regarding cleaning efficiency, energy consumption and respect for the environment, De Dietrich has developed a rich collection of ovens offering the choice between various processes such as hydrolysis or pyrolysis, or even both... Optimum cleaning in all circumstances.

#### Oven walls on which nothing sticks.

The interior of the ovens is lined with 'enamelite', exclusive to De Dietrich. This highly resistant enamel provides exceptional shine and durability. This ultra-smooth vitrified surface reduces the adhesion of greasy spills, and cuts down on maintenance.



# Pyrolysis: bespoke automatic cleaning for optimum efficiency.

To ensure that your oven is always immaculate, its interactive screen will automatically send you a signal when it's time to start one of its three available pyrolysis cycles. The Pyro 2H feature ensures that cleaning is carried out in depth, for two hours. The Pyro Express mode cleans the cavity in 59 minutes using the residual heat from previous cooking.

As far as the exclusive Pyro Auto system is concerned, the oven automatically manages the time necessary for perfect cleaning, between 1h30 and 2h15, depending on the degree of dirtiness detected.

#### Hydrolysis: Simple, quick, and ecofriendly for daily use.

This "natural" cleaning method allows you to maintain your oven after each cooking session if needed. Simply spray 300 ml of water into the cavity to perform an effortless steam cleaning. A 35-minute cycle is enough to loosen the grease, which can then be wiped away with a sponge.

# Ovens combining Hydrolysis and Pyrolysis: an Innovative solution.

The new DOPH375B/X ovens are revolutionary and versatile: on the same interface, a hybrid solution allows you to choose between the two cleaning technologies - Hydrolysis and Pyrolysis.



# Exceptionally high safety levels.

#### Cool door with 4 glass panels.

Thanks to a ventilation system that is exclusive to De Dietrich and the use of four glass panels, the oven door remains below the burn threshold at all points.

# Control Lock and Auto-Stop safety features.

The first allows you to lock the control panel to avoid switching on the oven accidentally; the second switches the oven off automatically after 23 hours if you forget it.

# **60CM CONNECTED OVENS**

# Three new interfaces provide intuitive access to all functions.

De Dietrich has always based its oven designs on one intangible value: precision. Here, beneath a simply beautiful design, the electronics reigns supreme with three different programming modes, all controlled by a unique dial that is a rare combination of sophistication and functionality. It turns smoothly to provide an on-screen display of all functions and cooking methods available: then all you have to do is make your selection by lightly touching the centre of the controller.



#### Programmer with 4.3" TFT Color Screen.

The interface features a wide, high-resolution colour screen that is simple and intuitive, allowing you to browse through modes, categories, and submenus. Each option is illustrated with striking realism and uniqueness. Stunning photos appear on the screen when presenting the numerous predefined dishes and recipes in Auto Mode, Low-Temperature Cooking, Desserts, or World Recipes, as well as in manual functions like Air Fry or Drying.



#### Programmer with LCD Screen.

Similar to the previous programmer, this one offers equally logical access. You browse through submenus and categories of cooked dishes using the selector. Each function or recipe is illustrated accurately and with attention to detail, simplifying reading and understanding.



#### Programmer with white LED Screen.

After selecting one of the functions or preprogrammed dishes, the screen precisely displays the main functions and cooking parameters. It provides perfectly readable recommendations on the rack level, the appropriate temperature, and guides you through the proper execution of the programmed cooking process.

# DOP4756H AI TALENT SENSOR



- ◆ Colour TFT Screen
- Cavity volume 73L
- Energy efficiency class A+
- Smart control: connected oven
- Multifunction Plus
- Pyrolytic cleaning
- 16 cooking functions
- ◆ Ai Mode Chef: 28 recipes
- ◆ Ai Culinary Guide: 53 recipes
- ◆ Ai Low temperature : 17 recipes
- ♦ Ai French desserts : 14 recipes
- ◆ Ai World recipes : 38 recipes

Drying function

- 100 % Telescopic sliding system
- ◆ Cold door 4 glasses
- Door opening: Soft Close
- 3 levels of pyrolysis: Pyro Express Pyro Auto Pyro 2h
- 6 levels of chrome wire racks
- 2 flat safety grids, 2 half-grids
- ◆ 1 drip tray 45mm, 1 perforated tray 20mm, 1 tray 8mm
- Built-in dimensions: H 585 mm x W 560 mm x D 550 mm



DOP4756H | HERITAGE





#### Culinary assistant at your side.

The Smart Control application is designed like a culinary guide and easy to get familiarized with. It is designed with keywords and pictograms, and all the commands can be accessed from the central screen. The Smart Control application is more ergonomic than a manual, and it helps you discover all the functionalities and programs that come with the oven.







DOP4756B | INFINITE BLACK







DOP4756X | **STELLAR STEEL** 



DOP4756W | ETERNAL WHITE

**60CM OVENS 60CM OVENS** 



DOP4755MB | MASTER BLACK



# **DOP4755MB** AI TALENT SENSOR

- ◆ Colour TFT Screen
- Cavity volume 73L
- Energy efficiency class A+
- Multifunction Plus
- Pyrolytic cleaning
- 17 cooking functions
- ◆ Ai Mode Chef: 28 recipes
- ◆ Ai Culinary Guide: 53 recipes
- ◆ Ai Low temperature : 17 recipes
- ◆ Ai French desserts : 14 recipes
- ◆ Ai World recipes : 38 recipes
- Drying function
- Shabbat function
- 100 % telescopic sliding system
- ◆ Cold door 4 glasses
- ◆ Door opening: Soft Close
- 3 levels of pyrolysis: Pyro Express Pyro Auto Pyro 2h
- 6 levels of chrome wire racks
- 2 flat safety grids, 2 half-grids
- 1 drip tray 45mm, 1 perforated tray 20mm
- Built-in dimensions: H 585 mm x W 560 mm x D 550 mm

# **DOP4746BT** AI TALENT PROBE

- ◆ Colour TFT Screen
- Cavity volume 73L
- Energy efficiency class A+
- Multifunction Plus
- Pyrolytic cleaning
- 17 cooking functions
- ◆ Ai Culinary Guide: 53 recipes
- ◆ Ai Low temperature : 17 recipes
- ◆ Ai French desserts : 14 recipes
- ◆ Ai World recipes : 38 recipes
- Wireless Probe
- Drying function
- Shabbat function
- Partial telescopic sliding system
- Cold door 4 glasses
- Door opening: Soft Close
- 3 levels of pyrolysis: Pyro Express Pyro Auto Pyro 2h
- 6 levels of chrome wire rack
- 2 flat safety grids, 2 half-grids
- ◆ 1 drip tray 45mm, 1 perforated tray 20mm, 1 tray 8mm
- ◆ Built-in dimensions: H 585 mm x W 560 mm x D 550 mm



DOP4746BT | INFINITE BLACK



DOP4746XT | STELLAR STEEL

DOP4746WT | ETERNAL WHITE




cooking demands to ensure your preparations achieve excellence: core temperature precisely controlled to the degree, perfect cooking time, enhanced texture, and sublime taste.





DOP4746HT | HERITAGE







#### Ai Talent Sensor.

Thanks to the Ai Talent Sensor, the oven autonomously adjusts the cooking time, mode, and temperature based on the moisture level of the preparation detected by the Sensor.






60CM OVENS



DOP4741X | STELLAR STEEL



# DOP4741X AI TALENT

- ◆ Colour TFT Screen
- Cavity volume 73L
- Energy efficiency class A+
- Multifunction Plus
- Pyrolytic cleaning
- 17 cooking functions
- ◆ Ai Culinary Guide: 53 recipes
- Ai Low temperature : 17 recipes
- ◆ Ai French desserts: 14 recipes
- · / (i i reneri desserts : i i recipe
- Ai World recipes : 38 recipes
- Drying function
- Shabbat function
- Partial telescopic sliding system
- ◆ Cold door 4 glasses
- Door opening: Soft Close
- 3 levels of pyrolysis: Pyro Express Pyro Auto Pyro 2h
- 6 levels of chrome wire racks
- 2 flat safety grids, 2 half-grids
- ◆ 1 drip tray 45mm
- ◆ Built-in dimensions: H 585 mm x W 560 mm x D 550 mm

# DOP4556H AI TALENT SENSOR

- White LCD Screen
- Cavity volume 73L
- Energy efficiency class A+
- Multifunction Plus
- Pyrolytic cleaning
- 16 cooking functions
- ◆ Ai Chef Mode: 28 recipes
- ◆ Ai Low temperature : 17 recipes
- ◆ Ai Culinary guide: 53 recipes
- Drying function
- Shabbat function
- Partial telescopic sliding system
- Cold door 4 glasses
- Door opening: Soft Close
- 2 levels of pyrolysis: Pyro Express Pyro 2h
- 6 levels of chrome wire racks
- 2 flat safety grids, 2 half-grids
- 1 drip tray 45mm, 1 perforated tray 20mm, 1 tray 8mm
- Built-in dimensions: H 585 mm x W 560 mm x D 550 mm



DOP4556H | HERITAGE





DOP4741H | HERITAGE



DOP4741B | INFINITE BLACK

#### **TFT Smart Navigation Screen.**

The interface features a large 4.3" high-definition TFT screen, enriched with innovative functionalities. Stunning photos showcase the predefined dishes and recipes in automatic cooking mode, with surprising and unique realism.





#### Al Low Temperature.

This exclusive automatic function cooks meat, poultry, fish, gratins, or yogurts evenly, consistently, and gently. This perfectly controlled cooking produces juicy dishes with unparalleled tenderness.







DOP4556B | INFINITE BLACK



DOP4556X | **STELLAR STEEL** 



DOP4556W | ETERNAL WHITE

**60CM OVENS 60CM OVENS** 



DOP4546HT | STELLAR STEEL



# **DOP4546HT** AI TALENT PROBE

- ◆ White LCD Screen
- Cavity volume 73L
- Energy efficiency class A+
- Multifunction Plus
- Pyrolytic cleaning
- 16 cooking functions
- ◆ Ai Culinary guide: 53 recipes
- ◆ Ai Low temperature : 17 recipes
- Wireless Probe
- Drying function
- Shabbat function
- Partial telescopic sliding system
- ◆ Cold door 4 glasses
- Door opening: Soft Close
- 2 levels of pyrolysis: Pyro Express Pyro 2h
- 6 levels of chrome wire racks
- ◆ 1 flat safety grid, 2 half-grids
- 1 drip tray 45mm, 1 perforated tray 20mm
- Built-in dimensions: H 585 mm x W 560 mm x D 550 mm

# DOP4543B AI TALENT

- ◆ White LCD Screen
- Cavity volume 73L
- Energy efficiency class A+
- Multifunction Plus
- Pyrolytic cleaning
- 16 cooking functions
- ◆ Ai Low temperature : 17 recipes
- ◆ Ai Culinary guide: 53 recipes
- Drying function
- Shabbat function
- Partial telescopic sliding system
- Cold door 4 glasses
- Door opening: Soft Close
- 2 levels of pyrolysis: Pyro Express Pyro 2h
- 6 levels of chrome wire racks
- ◆ 1 flat safety grid, 2 half-grids
- 1 drip tray 45mm, 1 tray 8mm
- Built-in dimensions: H 585 mm x W 560 mm x D 550 mm



DOP4543B | INFINITE BLACK





DOP4546BT | INFINITE BLACK



The "Ai Talent Probe" wireless probe meets the highest cooking demands to ensure your preparations achieve excellence: core temperature precisely controlled to the degree, perfect cooking time, enhanced texture, and sublime taste.







DOP4543X | STELLAR STEEL



DOP4543H | HERITAGE

Select one of the dishes and the oven will determine the cooking parameters. For greater accuracy, it will ask for the size or weight of your dish, proving to be a true expert in assisting you with your culinary creations.





60CM OVENS



DOH4541B | INFINITE BLACK



# DOH4541B AI TALENT

- ◆ White LCD Screen
- Cavity volume 73L
- Energy efficiency class A+
- Multifunction Plus
- Hydrolytic cleaning
- 14 cooking functions
- ◆ Ai Culinary guide: 53 recipes
- ◆ Ai Low temperature : 17 recipes
- Drying function
- Shabbat function
- Partial telescopic sliding system
- ◆ Door opening: Soft Close
- 6 levels of chrome wire racks
- 1 flat safety grid, 2 half-grids
- ♦ 1 drip tray 45mm
- Built-in dimensions: H 585 mm x W 560 mm x D 550 mm

# DOP4335H MULTIFUNCTION PLUS

- ♦ White LED Screen
- Cavity volume 73L
- Energy efficiency class A+
- Multifunction Plus
- Pyrolytic cleaning
- 11 cooking functions
- Steam cooking «Fish», «Poultry», «White meat»
- Partial telescopic sliding system
- Cold door 4 glasses
- Door opening: Soft Close
- 6 levels of chrome wire racks
- 1 flat safety grid
- 1 drip tray 45mm, 1 tray 8mm
- ◆ Built-in dimensions: H 585 mm x W 560 mm x D 550 mm



DOP4335H | HERITAGE





DOH4541X | **STELLAR STEEL** 



DOH4541H | HERITAGE

**Auto Mode** can control the oven and program a multitude of dishes. Based on the selected recipe, the oven will automatically suggest the best way to cook your dish for an excellent result.







Steam Cooking Poultry / Fish / White Meats.

Steam cooking allows you to cook your food at the optimal temperatures to ensure the quality of nutrients and preserve your health, while keeping your dishes always.





34

!B□°~

60CM OVENS





DOPH375B | INFINITE BLACK



# DOPH375B MULTIFUNCTION PLUS

- ◆ White LED Screen
- Cavity volume 73L
- Energy efficiency class A+
- Multifunction Plus
- Pyrolytic & Hydrolytic cleaning
- 11 cooking functions
- Steam cooking «Fish», «Poultry», «White meat»
- Cold door 4 glasses
- Door opening: Soft Close
- 1 flat safety grid
- 1 drip tray 45mm
- Built-in dimensions: H 585 mm x W 560 mm x D 550 mm

# DOH4334B MULTIFUNCTION PLUS

- White LED Screen
- Cavity volume 73L
- Energy efficiency class A
- Multifunction
- Hydrolytic cleaning
- 11 cooking functions
- 6 levels of chrome wire racks
- 1 flat safety grid
- ♦ 1 drip tray 45mm
- Built-in dimensions: H 585 mm x W 560 mm x D 550 mm



DOH4334B | INFINITE BLACK





DOPH375X | STELLAR STEEL

#### **Dual Cleaning Function Pyrolysis and Hydrolysis.**

For maintenance, this oven offers two cleaning methods: pyrolysis and hydrolysis. Hydrolysis ensures regular, economical, and environmentally friendly cleaning on high-quality pyrolytic enamel. Pyrolysis, on the other hand, guarantees deep cleaning.





#### Hydrolysis Steam Cleaning.

Simple and eco-friendly, this system allows for effortless steam cleaning by spraying 300 ml of water into the cavity.





# **60CM COMBI STEAM OVENS**

# **STEAM OVEN**



## Ai Talent CombiSteam Oven. A unique culinary experience to tantalise your taste buds!

#### Reveal the virtuoso cook in you!

A true showcase for your success, the Ai Talent Combisteam De Dietrich oven reveals the brand's know-how and talent in the world of cuisine. Multifunction Plus, Combined Steam or 100% Steam... Air Fry, Crispy Finish, Sous vide functions... Like top chefs, you now have the best instruments of traditional cooking and modern cuisine: you can develop your own recipes by the rulebook in manual mode, or achieve culinary perfection with the countless recipes on offer in automatic cooking (Auto Mode).

#### Combined steam cooking: tasty, healthy and dietary cooking.

An essential partner for gourmet and light dishes, with preserved vitamins and mineral salts, the De Dietrich Ai Talent Combi steam modes oven brings together up to 135 predefined recipes including 31 in Combined Steam and 29 in 100% Steam. With great skill and extreme precision, your oven combines all the ingredients for controlled cooking to the nearest degree and automatically sets all parameters: traditional or steam cooking mode, ideal temperature, including the appropriate cooking time, adjusted to the minute using sensors embedded in the oven control system.

#### Sous vide cooking. a symphony of tastes.

Will you be tempted by a new and unique culinary experience? Discover the benefits of sous vide cooking in your new De Dietrich combined steam oven. This gentle, respectful cooking process for vacuum-packed food, so popular with top chefs, is unrivalled when it comes to preserving the texture and nutritional qualities of dishes, or enhancing the flavour of meat, poultry and fish, as well as fruit and vegetables. It's also an ideal way of preserving your preparations over a longer period of time. Cooked or semi-cooked foie gras, salmon steak, etc. Execute your own sous vide recipes in 100% Steam Manual mode or indulge in the excellence of the 5 pre-programmed Automatic cooking recipes. Stability and precision of temperatures, cooking times... Your oven controls every essential parameter for an exceptional culinary result.

#### Extreme ease to use and remarkable comfort.

Its pyrolytic cleaning mode combines efficiency and economy ensuring that you always have a spotless oven.

The strain cooking process does not require any special

The steam cooking process does not require any special installation. The water tank is located on the front for easy access. Opening and emptying are automatic.

Equipped with the Soft Close system and designed with 4 layers of glass, the oven door remains cold during cooking and pyrolysis.

# DOR4747MB AI TALENT COMBI STEAM

- ◆ Colour TFT Screen
- Cavity volume 73L
- Energy efficiency class A+
- Combi Steam
- Pyrolytic cleaning
- 24 cooking functions
- ◆ Ai Culinary Guide: 53 recipes
- ◆ Ai Low temperature : 17 recipes
- Ai Combi steam cooking: 31 recipes
- Ai 100% steam cooking: 29 recipes
- ◆ Ai sous vide cooking : 5 recipes
- Drying function
- Shabbat function
- 100 % Telescopic sliding system
- Cold door 4 glasses
- Door opening: Soft Close
- 3 levels of pyrolysis: Pyro Express Pyro Auto Pyro 2h
- 6 levels of chrome wire racks
- 2 flat safety grids, 2 half-grids
- 1 drip tray 45mm, 1 inox steam tray, 1 perforated tray 20mm, 1 tray 8mm
- Built-in dimensions: H 585 mm x W 560 mm x D 550 mm



DOR4747MB | MASTER BLACK





DOR4747H | HERITAGE



DOR4747B | INFINITE BLACK

Ai Talent Combi Steam Mastering healthy and flavourful cooking, the Ai Talent Combi steam oven unveils its savoirfaire. Endowed with the latest advancements in both traditional and modern cooking, it offers a variety of options: combined or 100% steam cooking, sous vide cooking. Thanks to its integrated intelligence, the oven automatically suggests a preset cooking mode or allows you to choose from several alternatives through an intuitive navigation interface





## 60CM COMBI STEAM OVENS





#### DOR4546B | INFINITE BLACK

# **DOR4546B** AI TALENT COMBI STEAM

- White LCD screen
- Cavity volume 73L
- Energy efficiency class A+
- Combi Steam
- Pyrolytic cleaning
- 24 cooking functions
- ◆ Ai Culinary Guide: 53 recipes
- ◆ Ai Low temperature: 17 recipes
- ◆ Ai Combi steam cooking: 31 recipes
- ◆ Ai 100% steam cooking: 29 recipes
- Ai sous vide cooking: 5 recipes
- Drying function
- Shabbat function
- 100 % Telescopic sliding system
- Cold door 4 glasses
- Door opening: Soft Close
- 3 levels of pyrolysis: Pyro Express Pyro Auto Pyro 2h
- 6 levels of chrome wire racks
- 2 flat safety grids, 2 half-grids
- ◆ 1 drip tray 45mm, 1 inox steam tray, 1 perforated tray 20mm
- Built-in dimensions: H 585 mm x W 560 mm x D 550 mm



DOR4546X | STELLAR STEEL



DOR4546H / DOR4546HE | HERITAGE

#### AIR FRY.

Enjoy healthy and delicious dishes thanks to the Air Fry function combined with the extra-wide perforated tray specially designed for ultra-crispy results.





# **45CM OVENS**

Noble materials, quality of finishes, refined colours, technical mastery and sensoriality... Like the different instruments in an orchestra, the Philharmonie Collection 45cm ovens play their part in a perfect ensemble, harmonizing their design with the 60cm ovens to adapt perfectly to all kitchen configurations. Both complementary and independent, they bring together a wealth of talent to perform your best culinary standards, to bring out the aromas of contemporary cuisine, or to play your recipes at a faster tempo.





#### New 100% Combi Steam oven.

This gives you the choice between Multifunction Plus, combination steam or 100% steam, with technology inspired by professional kitchens. The process does not require any special installation to take place, thanks to the water tank located on the front. There are two cooking applications offered within the Combined Steam setting: a three-setting Expert Mode and a Cooking Guide. In Expert Mode, the oven manages all selected settings electronically. With the Cooking Guide, all you have to do is make your choice and enter the weight of the food. The oven will automatically determine and manage all settings required to successfully create a healthy and nutritional dish.



#### Multifunction Plus Pyrolytic Oven.

With a 40-litre volume, this oven can do everything that traditional-sized ovens can do. Included in the ten highly distinctive functions offered by the Multifunction Plus is a "Bread" mode, enabling you to lay your table with soft, golden and crusty bread whenever you like. 15 preprogrammed recipes are also provided in the Cooking Guide so you can be sure to succeed, whatever type you are cooking.



Preserving the vitamins, minerals, flavour, consistency and colour of food, using steam has created an entirely new way of cooking. This Steam oven means you can use this unique, gentle, healthy and delicate cooking method, which is widely acknowledged and appreciated, with the utmost precision.



Nothing beats a microwave when it comes to defrosting food in record time, or reheating or cooking two large dishes simultaneously whilst still managing to preserve their flavour and nutritional properties. Combining a folding grill with four different power settings and Fan cooking, De Dietrich microwaves offer ten different preprogrammed dishes for an entirely automatic cooking process.

45CM OVENS

# 45CM OVENS



DKR4741B | **INFINITE BLACK** 



# DKR4741B AI TALENT COMBI STEAM

- ◆ Colour TFT Screen
- Cavity volume 40L
- Energy efficiency class A
- Multifunction Plus
- Pyrolytic cleaning
- 18 cooking functions
- ◆ Ai Culinary Guide: 46 recipes
- ◆ Ai Combi Steam cooking: 31 recipes
- ◆ Ai 100% Steam cooking: 29 recipes
- Drying function
- ◆ Cold door 4 glasses
- 2 levels of pyrolysis: Pyro Eco Pyro 2h
- 3 levels of enamelled wire racks
- ◆ 1 flat safety grid
- ◆ 1 drip tray 45mm, 1 inox steam tray
- Built-in dimensions: H 450 mm x W 560 mm x D 550 mm

# DKP4531H MULTIFUNCTION PLUS

- White LCD Screen
- Cavity volume 40L
- Energy efficiency class A
- Multifunction Plus
- Pyrolytic cleaning
- 11 cooking functions
- ◆ Ai Culinary Guide: 46 recipes
- Drying function
- Cold door 4 glasses
- 2 levels of pyrolysis: Pyro Eco Pyro 2h
- 3 levels of enamelled wire racks
- 1 flat safety grid
- ♦ 1 drip tray 45mm
- Built-in dimensions: H 450 mm x W 560 mm x D 550 mm



DKP4531H | HERITAGE





DKR4741H | HERITAGE



DKP4531B | **INFINITE BLACK** 



DKP4531X | STELLAR STEEL

# Auto Combi Steam Mode: Programming of 106 Recipes.

With its built-in sensors, the cooking parameters are automatically set.





#### A Concentration of Technology in 45 cm.

This oven incorporates all the technologies of a standard oven. With a capacity of 40 liters, it can be installed in a limited space.





45CM OVENS

# **45CM MICROWAVES**



DKV4530H | HERITAGE



# **DKV4530H STEAM OVEN**

- ◆ White LCD Screen
- Cavity volume 29L
- Energy efficiency class A
- Manual cleaning
- 4 cooking functions : steam, reheating, defrosting and steam guide
- Auto mode: steam, reheating, defrosting
- ◆ Ai 100% Steam cooking: 32 recipes
- ◆ 1 steam grid
- ♦ 1 inox steam tray
- Built-in dimensions: H 450 mm x W 560 mm x D 550 mm

# **DKC4756MB COMBINED MICROWAVES**

- ◆ Colour TFT Screen
- Cavity volume 40L
- Power 1,000W
- 10 power levels
- 3 combined microwave functions
- 3 traditional cooking functions
- Ai Defrosting guide: 5 recipes ◆ Ai Auto cook MW: 15 recipes
- 3 levels of chrome wire racks Disengageable 36cm turntable
- 1 safety grid
- 1 enamelled drip tray 45mm
- Built-in dimensions: H 450 mm x W 560 mm x D 550 mm



DKC4756MB | MASTER BLACK





DKV4530B | INFINITE BLACK



DKV4530X | **STELLAR STEEL** 

#### Removable and Independent water tank.

Conveniently, the oven does not require an external water supply connection.





The Express Cooking function, available in Manual mode or combined with Auto recipes, allows you to save valuable time by cleverly combining microwave cooking with convection heat or grilling.







#### DKC4756X | STELLAR STEEL



#### DKC4756W | ETERNAL WHITE



DKC4756H | HERITAGE



DKC4756B | INFINITE BLACK

45

**45CM MICROWAVES 45CM MICROWAVES** 



DKC4536H | HERITAGE



# DKC4536H **COMBINED MICROWAVES**

- ◆ White LCD Screen
- Cavity volume 40L
- Power 1,000W
- ♦ 10 power levels
- 3 combined microwave functions
- 3 traditional cooking functions
- Ai Defrosting guide: 5 recipes
- Ai Auto cook MW: 15 recipes
- 3 levels of chrome wire racks
- Disengageable 36cm turntable
- ◆ 1 safety grid
- 1 enamelled drip tray 45mm
- Built-in dimensions: H 450 mm x W 560 mm x D 550 mm

# **DKE4535B SOLO MICROWAVES**

- White LCD Screen
- Cavity volume 40L
- Power 1,000W
- 10 power levels
- ◆ Ai Defrosting guide : 5 recipes
- ◆ Ai Auto cook MW: 5 recipes
- Removable 36cm turntable
- ◆ Built-in dimensions: H 450 mm x W 560 mm x D 550 mm



DKE4535B | INFINITE BLACK





DKC4536B | INFINITE BLACK



DKC4536X | STELLAR STEEL



DKC4536W | ETERNAL WHITE

Auto Mode.

This mode includes cooking programs for a variety of dishes. Depending on the selected recipe, the oven will automatically suggest the best cooking mode for excellent results.











DKE4535X | STELLAR STEEL



DKE4535H | HERITAGE

# **45CM MICROWAVES**

# 38CM INTEGRATRED MICROWAVES



DKE4220B | INFINITE BLACK



# DKE4220B SOLO MICROWAVES

- White LED Screen
- Cavity volume 40L
- Power 1,000W
- 5 power levels
- 6 automatic functions
- Removable 36cm turntable
- Built-in dimensions: H 450 mm x W 560 mm x D 550 mm

# DMG2122A COMBINED MICROWAVES

- White LCD Screen
- Cavity volume 25 L
- MW and Grill
- Power 900W
- 5 power levels
- ◆ 3 cooking functions: Autocook, Auto defrosting, Grill
- 8 automatic cooking programmes
- Removable 31.5cm turntable
- Built-in dimensions: H 380 mm x W 560 mm x D 500 mm



DMG2122A | BLACK





DKE4220X | STELLAR STEEL



DKE4220H | HERITAGE



48



#### Combined grill and microwave function.

Our appliance features a 100% grill function, perfect for adding crispiness to your gratins, pies, and pizzas. Additionally, it offers two combined grill and microwave functions, allowing you to heat and grill your dishes simultaneously.





DMG2122W WHITE

# 38CM INTEGRATRED MICROWAVES

# 38CM INTEGRATRED MICROWAVES



DMG4210H | HERITAGE

# 

DMG4210B INFINITE BLACK

# DMG4210H COMBINED MICROWAVES

- ◆ White LED Screen
- Cavity volume 25 L
- MW and Grill
- ◆ Power 900W
- 5 power levels
- 3 cooking functions: Autocook, Auto defrosting, Grill
- 8 automatic cooking programmes
- Removable 31.5cm turntable
- Built-in dimensions: H 380 mm x W 560 mm x D 500 mm

# DME4310X SOLO MICROWAVES

- White LED screen
- Cavity volume 26 L
- Power 900W
- 5 power levels
- 11 cooking functions including Autocook: 2 automatic cooking programmes (Fresh Vegetables, Fish) and Automatic Defrosting
- Memo function
- Removable 30cm turntable
- Built-in dimensions: H 380 mm x W 560 mm x D 550 mm



DME4310X | INOX









DME4310H HERITAGE



DME4310B INFINITE BLACK







## 38CM INTEGRATRED MICROWAVES

# **COFFEE MACHINES**



DME4320B | INFINITE BLACK



# DME4320B SOLO MICROWAVES

- ◆ White LED screen
- ◆ Cavity volume 26 L
- Power 900W
- 4 power levels
- 3 cooking functions: Defrosting, Autocook, Auto defrosting
- Autocook: 2 Automatic Cooking programmes (Fresh Vegetables, Fish)
- Automatic Defrosting by Weight and/or Time: Poultry, Meat, Prepared Meals
- Removable 30cm turntable
- Built-in dimensions: H 380 mm x W 560 mm x D 550 mm

# DKD7400A BUILT IN ESPRESSO COFFEE MACHINE

- ◆ TFT Colour Display
- Fully automatic
- Touch sensitive controls
- Adjustable grinding thinness, water quantity, coffee quantity,
- temperature, water level indicator
- Selection of 3 types of coffee (Espresso, regular, tall)
- Cappucino and Macchiato functions
- Steam production
- Simultaneous preparation of 2 cups
- Water tank, capacity 1.8L
- 200gr coffee bean container
- Pump pressure 15 bars
- Coffee grinds drawer
- Mounted on telescopic rails
- Built-in dimensions: H 450mm x W 560mm x D 550mm



DKD7400A | ABSOLUTE BLACK





DKD4820B | **INFINITE BLACK** | AVAILABLE Q1 2025



DKD4810B | **INFINITE BLACK** | AVAILABLE Q1 2025

DKD4810H | HERITAGE | AVAILABLE Q1 2025

DKD4810X | **STELLAR STEEL** | AVAILABLE Q1 2025

Thanks to the **automatic cooking programmes** the oven combines all of its functionalities to provide fast cooking.





The built-in coffee machine is an indispensable element in any kitchen. Not only does it offer unparalleled functionality, but it also creates a strong emotional connection. Whether it's to start the day or to beautifully conclude a meal, the coffee machine transforms every moment into a memorable experience.



## **SOUS VIDE DRAWERS**

# **HEATING AND SOUS VIDE DRAWERS**

De Dietrich has enriched its collection with three independent drawers, in perfect harmony with the design and functional spirit of Philharmonie ovens. Endowed with multiple advantages, they settle in your kitchen to keep your dishes warm or to cook with this extremely effective and qualitative preservation technique: sous vide cooking.

As part of a new art of living a harmonious, refined and ingenious kitchen, they adapt to your aesthetic and culinary requirements with the greatest comfort, to orchestrate all your culinary renditions.





#### Warming drawer.

Its interior volume, lined with non-slip material, can accommodate a full service of 6 place settings in total confidence. To preheat plates, bowls or coffee cups or reheat cooked dishes without drying them out, the temperature - between 30° and 80°C - is controlled electronically, i.e. with great precision. Thanks to its flexible settings, even the most delicate dishes can be defrosted or cooked at low temperature. By setting a timer or a delayed start, you can be sure that you'll be on time to share with your guests these moments of pure conviviality.



#### Professional sous vide packing drawer.

Top chefs find it essential and De Dietrich makes it more refined and tasty: the drawer is able to vacuum-pack and seal by the rulebook the most varied dishes before or after cooking. While its functionalities are inspired by the professional world, like its stainless steel lifting tray for easy storing and vacuum packing foodstuffs, this model above all deploys a variety of applications which will provide increased pleasure to all your senses. Its digital control panel gives access to numerous programs and three pre-set cycles dedicated to marinating and maturing dishes to match starred recipes, and to vacuum-packing liquids so that you can enjoy this delicious Sunday vegetable soup or that excellent side sauce more often.



#### Multifunction sous vide drawer.

De Dietrich sous vide is the ideal conditioning method for preserving, freezing or sous vide cooking meat, fish and any other food whose taste qualities you want to preserve. This new drawer ingenious features will allow you to wrap the food and hermetically seal the bags in which they are stored for even greater enjoyment.

With its attention to detail and perfection, De Dietrich equips it with LED lighting providing the interior space with maximum visibility and fits it with two storage systems for aluminium/plastic film rolls, and a digital kitchen scale to help divide dishes into portions

With these sous vide packed dishes, this drawer will quickly become the essential partner for orchestrating the cooking of your future recipes in your Combisteam or on your Philharmonie induction hob.

#### Design and functionality: the perfect match.

Their dimensions and their stripped-down 14cm-high front glass, have been designed to elegantly find their place in a column, below the 45 or 60 ovens, in perfect alignment. Fitted with telescopic rails with integrated brakes, they open and close smoothly, without the risk of colliding or destabilizing their contents for greater ease and confidence of use

# DWD4830B PROFESSIONAL SOUS VIDE DRAWER

- Height 14 cm
- Standard programmes, Special Maturation, Special Marination, Special Liquids
- Electronic control with touch-sensitive controls
- ◆ Telescopic Rails
- Suction power up to 99.9%
- Vacuum pump power: 3 m³/h
- 4 sous vide levels
- 3 Sealing levels (minimum, medium, maximum)
- Included accessories: 50 sous vide bags (200 x 250 mm and 250 x 300 mm) + 1 sous vide Line (for connection to an external sous vide container)
- Built-in dimensions: H 140 mm x W 560 mm x D 550 mm



DWD4830B | INFINITE BLACK



#### Professional sous vide drawer.


Inspired by professional equipment, this drawer features a lifting platform to place and sous vide seal food. It offers three predefined cycles: one for marinating, one for aging dishes, and one for sous vide sealing liquids.



SOUS VIDE DRAWERS

# WARMING DRAWERS

DWD4820B | INFINITE BLACK





# DWD4820B MULTIFUNCTION SOUS VIDE DRAWER

- Height 14 cm
- Sous vide packaging, sealing + cutting
- Buttons and indicators: Push Pull System
- Telescopic rails with integrated brakes
- Integrated scale
- 2 possible roll holders: aluminum or cellophane
- LED lighting
- Accessories included: 25 sous vide bags
- Built-in dimensions: H 140 mm x W 560 mm x D 550 mm

# DWD4810B WARMING DRAWER

- Height 14 cm
- Keep warm function: plates and dishes
- Opening/Closing: Push Pull System
- Volume: 24 litres, holding approximately: 20 large plates, 30 bowls, or 80 coffee cups
- Audible timer and power cut-off
- ◆ Adjustable Thermostat from 30°C to 80°C
- Delayed start
- Operation indicator light
- Glass interior coating
- Quadro rails system
- ◆ Built-in dimensions: H 140 mm x W 560 mm x D 550 mm



DWD4810B | INFINITE BLACK



DWD4810W | ETERNAL WHITE

#### Sous vide drawer

This multifunctional sous vide drawer offers an optimal packaging mode to preserve, freeze, or sous vide cook meats, fish, and any other dishes whose organoleptic qualities you wish to maintain.



#### Electronic warming drawer.


Thanks to its flexibility in adjusting operating duration, setting a delayed start, and electronically managing temperatures between 30°C and 80°C, this drawer ensures it meets the standards of top chefs, always on time.




60CM OVENS 73 LITERS (PYROLYSIC MODE)

DOP4756 / DOP4755 / DOP4746 / DOP4741 / DOP4556 / DOP4546 / DOP4543 /


DOH4541 / DOP4335 / DOPH375 / DOH4334 / DOR4747 / DOR4546




45CM OVENS DKR4741 / DKP4531 / DKV4530



45CM MICROWAVES DKC4756 / DKC4536 / DKE4535 / DKE4220




38CM MICROWAVES - 26 LITERS DMG2122 / DMG4210 / DME4310 / DME4320




## SOUS VIDE AND WARMING DRAWERS BUILT-IN DIAGRAMS

# ACCESSORIES FROM THE DE DIETRICH OVEN COLLECTION


SOUS VIDE DRAWERS DWD4830 / DWD4820



# WARMING DRAWERS AND SOUS VIDE DRAWERS DWD4810



#### REFERENCES FOR 60CM OVENS



# **COMPATIBILITY OF OVENS WITH MICROWAVES**

## REFERENCES FOR 45CM OVENS AND MICROWAVES

	DKR4ZA	DKP452	DKV452	DKC47E	DKC47E	DKC47E	DKE4220
1 safety grid	<b>~</b>	<b>~</b>	<b>~</b>	<b>&gt;</b>	<b>~</b>	<b>~</b>	<b>~</b>
1 steam dish	<b>~</b>		<b>~</b>				
1 45 mm enamelled drip tray max.	<b>~</b>	<b>~</b>		<b>~</b>	<b>~</b>	<b>~</b>	~

# TABLE OF COMPATIBILITY: 60CM OVENS WITH 45CM OVENS AND MICROWAVES

Collection	Master Black	Master Black	Heritage	Heritage	Heritage	Eternal White	Eternal White
Type of screen	TFT 4,3"	White LCD	TFT 4,3"	White LCD	White LED	White LCD	White LED
OVEN NICHE: 60CM	DOR4747MB		DOR4747H				
	DOP4756MB		DOP4756H				
	DOP4755MB						
			DOP4746HT			DOP4746WT	DOP4746WT
			DOP4741H				
				DOR4546H			
				DOP4556H		DOP4556W	DOP4556W
				DOP4546HT			
				DOP4543H			
				DOH4541H			
				DOP4335H			
			DKR4741H				
	DKC4756MB		DKC4756H			DKC4756W	DKC4756W
MO/OVEN NICHE: 45CM				DKV4530H			
				DKP4531H			
				DKC4536H		DKC4536W	DKC4536W
				DKE4535H			
					DKE4220H		
MO/OVEN NICHE: 36CM						DMG2122W	
		DMG4210MB		DMG4210H			
					DME4310H		DME4310W

# **COMPATIBILITY OF OVENS WITH MICROWAVES**

# TABLE OF COMPATIBILITY: 60CM OVENS WITH 45CM OVENS AND MICROWAVES

Collection	Infinite Black	Infinite Black	Infinite Black	Stellar Steel	Stellar Steel	Stellar Steel
Type of screen	TFT 4,3"	White LCD	TFT 4,3"	White LCD	White LED	White LCD
OVEN NICHE: 60CM	DOR4747B					
	DOP4756B			DOP4756X		
	DOP4746BT			DOP4746XT		
	DOP4741B			DOP4741X		
		DOR4546B			DOR4546X	
		DOP4556B			DOP4556X	
		DOP4546BT				
		DOP4543B			DOP4543X	
		DOH4541B			DOH4541X	
			DOP4335B			
			DOPH375B			DOPH375X
			DOP4334B			DOP4334X
			DOH4335B			
			DOH4334B			
	DKR4741B					
	DKC4756B			DKC4756X		
		DKV4530B			DKV4530X	
MO/OVEN NICHE: 45CM		DKP4531B			DKP4531X	
		DKC4536B			DKC4536X	
		DKE4535B			DKE4535X	
			DKE4220B			DKE4220X
MO/OVEN NICHE: 36CM				DMG2122A		
		DMG4210B				
			DME4310B			DME4310X
			DME4320B			

# HOBS

68 • Induction Hobs

78 • Induction Hobs with Probe

85 • 90cm Induction Hobs

87 • 80cm Induction Hob with Extractor

88 • 80cm Induction Hob

92 • 65cm Induction Hobs

107 • 65cm Gas Induction Hob

108 • Vitroceramic Hobs


116 • Extra-wide Gas on Glass Hobs

118 • Gas on Glass Hobs

121 • Inox Gas Hobs

124 • Enamel Gas Hobs

127 • Domino Hobs







# **INDUCTION HOBS**

Our induction hobs take the bold step of turning your recipes into perfection while freeing you from cooking constraints. Made from noble materials, they offer a stripped-down design that leaves plenty of room for your culinary talent.

A sauce reduction, a veal stew, pan-fried scallops... The Philharmonie induction hobs enable perfect cooking results thanks to the precise indications displayed on the dialogue screen.

Never before has your cuisine been interpreted with such brilliance and ease

 $\Diamond$ 




## Design: the ultimate culinary art.

creations take shape.

Our induction hobs contemporary design is in tune with intuitive use. From sleek surfaces to high-end finishes, every detail is carefully considered to create precision cooking. The backlighting subtle colours, the screen printing finesse, the control panel animations fluidity, the understated brand signature with its edging and hunting horn...

More than ever, our hobs are the mirror in which your finest

Adopt the wide panoramic TFT screen, exclusive to the high-



Be inspired by Michelin-starred recipes. Our different interfaces provide you with intuitive guidance and reveal their

De Dietrich

end hobs, to enjoy a unique culinary experience. When a cooking zone has been selected, the touch screen opens to allow one-finger control of the parameters. If you prefer the LCD interface and its backlit keys offering clear and precise text display, you may also opt for elegant screenprinted controls. Whatever your choice, the display gives access to a Culinary Guide of 84 dishes and Step-by-Step Recipes from Michelin-starred chefs. The top Chefs' technical skills will no longer hold any secrets for you.







## Ai Talent and Ai Talent Chef: cutting-edge technology by De Dietrich, to orchestrate your future success!

Sharing its commitment for excellence with you, De Dietrich and its Philharmonie hobs give you access to over a hundred pre-programmed recipes, all created by top chefs. Thanks to Ai Talent and Ai Talent Chef, get ready for an exceptional culinary recital!

#### ♦ Ai Talent: guiding you to success.

This autonomous technology will assist you in preparing your dishes and supervising their cooking. Choose from the 84 recipes displayed in the Culinary Guide and follow Al's instructions: It tells you what type of pan and which hob to use, and adjusts the power and cooking time to ensure perfect results.

#### ♦ Ai Talent Chef: step-by-step excellence.

Thanks to our embedded technology and Step-by-Step Recipe mode, you can successfully prepare one of the 25 French and international emblematic dishes. Ingredients and quantities, steps to follow and procedures to perform... Each phase is as detailed as in a cookbook, so you'll never be short of precision, inspiration or talent.







# Motion Control: your contactless controlled recipes.

Touching the controls on a hob after you've 'done the work' is bound to get messy. How about avoiding this by directing your cooking with a simple hand wave?

Contactless Motion Control technology means you can interact with our hobs without touching them. A sensor detects and interprets the hand motion to browse the menu, adjust the settings of dishes in progress and precisely set the cooking temperature or time, with a high level of reliability and precision.

To master the gestures, follow the on-screen tutorial. There's nothing like the clean, fingerprint-free surface of your hob to showcase the refined presentation of a dish.



## Ai Talent Probe. At the heart of culinary excellence.

Our new collection of induction hobs can be fitted with a wireless temperature probe and its holder. Ai Talent Probe enables precise control of the food core temperature. The probe gives the information in real time to the control panel to help you control your cooking to the nearest degree, or let the hob control all parameters automatically. From the meticulous tempering of chocolate to the delicate cooking of sous-vide food, you're always assured of perfect results.

Three operating modes are available, so that you can follow your score according to your culinary expertise, or your desires.

♦ By entering the **Culinary Guide**, you will discover that your probe is your best ally for performing by the rulebook one of the 10 sous-vide recipes proposed by Al Talent. Vegetables, fish steak, filet mignon, roast beef... and foie gras! A masterful cooking, to the exact degree, to enhance the flavours and allow the virtuoso in you to express fully their talent.





♦ In assisted mode, seven preprogrammed functions are proposed with direct access to the control panel of your hob: melting chocolate, sousvide cooking, warming dishes, stewing or boiling, frying or searing... Depending on the type of cooking you choose, the pre-set temperature is automatically displayed, with the option of adjusting it to your recipes, with a high degree of precision and the assurance of a perfectly controlled cooking.



♦ In manual mode, prepare your recipe as you are used to, but with the utmost precision. You set the desired temperature to the nearest degree, which is displayed on the digital screen. Once the set temperature has been reached, the hob emits a beep.



Melting 50°C by default, adjustable from 40 to 70°C



Sous vide cooking



Warming

70°C, adjustable from 65 to 80°C



Slow cooking 80°C, adjustable from 80 to 90°C




Boiling

180°C. adjustable from 130 to 190°C



60°C, adjustable from 40 to 85°C



# horiZone. The culmination of revolutionary technology.

This  $40 \times 23$ cm modular cooking zone is the most complete available on the market and the culmination of De Dietrich French engineers' technological know-how.

It can accommodate all types of large, oval, or rectangular containers, including the 23cm frying pan or the 40cm oval casserole dish.

It provides a wide range of configurations for unlimited cooking, allowing you to arrange a number of small saucepans or a single large dish as you wish on this clear space.

De Dietrich offers a wide range of horiZone induction hobs to meet every need.



# Grill function: A new take on summer classics.

Recreate your finest summer renditions on your induction hob and rediscover the authentic taste and unrivalled flavour of barbecue cooking...

Grilled lamb chops, beef steak or red mullet with anise...

To give free rein to your desires whatever the season,

De Dietrich offers you the option of a cast iron grill, ideally
designed to complement your Philharmonie hob and fit
onto one of the horiZone cooking zones. A cooking function
is associated with it to sear and sizzle your meat and fish by
the rulebook. A fine marinade will bring out the best of
their flavour and tenderness.



# Induction hob, hood & Autolink. Cooking and suction in tune.

If you want to live your passion even more intensely, imagine a hood that blows in tune with your culinary performances, before you even think about it... The combination of aesthetic harmony, performance and exclusive processes is the daring marriage of this De Dietrich hob and extractor hood set, divinely sealed by Autolink technology: the extractor hood's suction system and lighting are triggered spontaneously from the moment the induction hob is switched on, by a simple infrared link; it adjusts its suction flow independently according to the set power of the cooking in progress, then switches off automatically at the end of the cooking. So all you have to do is focus on your culinary preparations with all due attention.



Optional grill: DAIG001B



# Fonction Eco. Uncompromising cooking results.

With its finger on the pulse of trends, De Dietrich offers a new way of cooking to all those who wish to reconcile energy sobriety and culinary delight.

The Eco function uses the residual heat from boiling to continue cooking with the cooking zone off. All you have to do is cover the utensil, choose your Eco recipe in the culinary guide and let the hob run until the final note. A passive cooking in a way, full of promise and attention.

# Power Management. When energy meets your needs.

The new De Dietrich induction hobs can be installed without any concern for electrical constraints. Their redesigned design - via new algorithms and electronic systems - now offers four different power levels and connections: 7,400W - 32A / 5,700W - 25A / 4,600W - 20A / 3,600W - 16A. The option of limiting the maximum power delivered by the hob (set to 7400W by default) ensures optimum use and performance, whatever your living environment and the electrical standards in force. No more limits to your culinary imagination and installation constraints!



# Tenor 5500W Inductor. to unleash one's virtuoso power.

Top chefs are unanimous: if precision determines the success of any recipe, speed of temperature rise and heating power are equally decisive... These qualities are those of the new Tenor inductor, equipped with a double burner and a power injection system optimized for greater performance. This 30cm diameter cooking zone can reach 5,500W in record time (time saving of 25% compared to a 4,600W cooking zone for similar power consumption) to boil up ultra-fast and sear your meat with astonishing virtuosity for an exceptional result.



# Backlight. An ode to ultimate refinement.

A fusion of materials and textures, quality of finishes, attention to detail... This collection of induction hobs in intense and deep black glass, is particularly dedicated to lovers of unusual objects wishing to combine perfection and harmony.

This new Backlight feature means that nothing is visible from the control panel so that, once turned off, the hob can blend seamlessly into the surrounding environment. The epitome of refinement for the most elegant living spaces.



# The most wonderful culinary creations are at your command.

# Unrivalled flexibility, power & precise adjustment...

Some preparations, such as chocolate fondue, require very gentle cooking. While others require a quick, strong boil...

To orchestrate all your recipes with talent, De Dietrich achieves the miracle of adjusting to all temperatures, from the mildest to the most intense, with unrivalled responsiveness. Any change in power, among the 20 cooking settings offered (including Boost), is instantaneous indeed.

Its cooking zones reach record powers: up to 3,700W on classic cooking zones, 4,800W on horiZone and 5,500W for the new Tenor cooking zone.

Available in different diameters, they bring together round, rectangular or oval, small and large containers, to beat the tempo with an innate sense of time.

# Increasingly high-performance features to achieve excellence.

- ♦ ICS: recommends the best-suited zone for any given pan so that you get maximum efficiency.
- ◆ Elapsed time: the time since the last heat adjustment was made is displayed on the keypad. This function is perfect for keeping an eye on dishes, and is essential for when you forget to set the timer.
- ♦ Recall: programmed settings (for heat and time) are saved so that you can retrieve them should the cooking zone turn off unexpectedly.
- ◆ Switch settings tracker: with this function, you can move your pan from one zone to another and keep the same settings (cooking style and timer).
- Automatic pan detection:
  once it is turned on, the hob automatically recognises a pan placed on any of its zones and displays it on the keypad.

# When time is scarce: functionality and precision are here to help.

- ◆ **Boil function:** for pushing the physical limitations of time, with the ability to boil 2 litres of water in record time.
- ◆ Four direct access controls for added efficiency: with a simple touch on the dedicated button, De Dietrich induction hobs provide you with instant access to power settings for searing, simmering, or keeping your dishes warm.
- ◆ **Timers:** each zone is equipped with its own timer, for you to programme the cooking time.

# Blanching function. Mastering the elements.

a beautiful and authentic quince jam or a pan of crunchy, firm green beans?... To peel your fruits and vegetables more easily, preserve their colour and texture, while keeping their flavour intact, there's nothing like blanching them first. You can rely on De Dietrich to master this technique with talent. Simply place your food to be blanched in a saucepan with cold water and start the dedicated function. Your hob will almost take care of the rest: once the water has boiled - the temperature will not exceed the required 100°C and will remain at this level - the hob will automatically switch off after five minutes of cooking, with a beep. Then it's up to you to plunge your fruit or vegetables into a bath of ice water, for a chef's result and a cooking pleasure for the eye and the palate.

How about a sous-chef to help you cook

## The most exacting safety standards.

To keep the hob completely safe whilst the zones are being cleaned, the **Clean Lock** feature allows you to temporarily block all commands for one minute. What is more, all hobs are fitted with ten security levels which guarantee you trouble-free cooking at all times:



- ◆ Anti-Overheating safety feature: exclusive to De Dietrich, it limits the temperature under the zone to 300°C. Oil, for example, then stays at a constant temperature, and there is no risk of
- Anti-Overspill safety feature: if liquid spills over onto the control panel, the hob turns itself off automatically.
- ♦ Keyboard Lock: this function prevents anyone - particularly children - from turning the hob on accidentally.
- Residual heat indicators: after a long cooking period, the zone surface may remain hot. A light showing the letter "H" appears on the keypad while the temperature remains above 65°C.
- ◆ Automatic-stop system: should you leave a dish untouched for a long time during cooking, the hob will switch off.

- ◆ Cookware Detection: if no container is placed on the induction hob, LEDs flash until it is started properly, and the system will turn itself off after one minute.
- ◆ Small Utensils safety feature: Cutlery or small utensils placed on the hob during operation are not likely to heat up; induction is only triggered by contact with metal surfaces larger than 10cm in diameter.
- ♦ Voltage: the hob is able to detect low voltages\*.
- ◆ Connection: a beep is emitted and electrical circuits are protected in the event of an incorrect connection\*.
- ◆ Overvoltage: this valuable safety feature prevents damage to electrical circuits, particularly in the event of lightning\*.

\*Within limits of tolerance of the French network



# **INDUCTION HOBS WITH HOOD**

A new De Dietrich creation and the stuff of dreams,

Allure hobs reflect the brand's authentic passion for design and pursuit of excellence,

with a constant focus on quality and performance.

 $\Diamond$ 



# A design to match your inspiration.

Available in a Noir infini version with unprecedented depth and velvety shades that beckon the touch, these unique compositions with their pure design combine intuitive use of a cutting-edge induction hob with a powerful and refined integrated cooker hood.

A collection at the forefront of trends. Available in 60 cm or 80 cm, these new De Dietrich creations give full rein to their talents, and play their perfect part in the most contemporary kitchen spaces.

# $A\ collection\ at\ the\ forefront\ of\ trends.$

Available in 60 cm or 80 cm, these new De Dietrich creations give full rein to their talents, and play their perfect part in the most contemporary kitchen spaces.



# A culinary virtuosity in tune with the times.

At the cutting edge of trends and technology, Allure brings together the very best in cooking and extraction. For truly virtuoso cooking, you can take advantage of the unrivalled modularity provided by the two horiZone areas and its extremely flexible digital interface. With fine-tuned control, a dedicated keypad for each cooking zone and twenty power settings, including Boost, will suit all your recipes. At the heart of this wide cooking area, the extraction system is elegantly placed to deliver its full power. As close as possible to your cooking, it instantly captures the fumes and odours released during cooking. Controlled by a central keyboard, its Brushless motor, as powerful as it is silent, comes with four suction speeds to match your requirements and culinary inspirations. The grease filter, easily accessible for cleaning once saturated in your dishwasher, conceals a receptacle to deal with any liquid spillage from cooking utensils... The ultimate sign of cleverness and practicality in this new creation of excellence.

## 80CM INDUCTION HOBS WITH PROBE

# 65CM INDUCTION HOBS WITH PROBE



DPH4840BT | INFINITE BLACK





DAIGO01B | BLACK GRILL

# DPH4840BT AI TALENT PROBE

- 4 independent zones with 2 horiZone cooking spaces of 40 cm x 23 cm of 3,800 W
- ♦ White LCD Screen
- ◆ Touch-sensitive buttons
- 20 cooking positions
- 4 Boosters / 4 timers
- ◆ 3 direct access controls including Boost
- 6 functions: Clean lock, Automatic pan recognition, Recall, Boost, Grill/Plancha, ICS
- 8 probe functions: Sear, Heat up, Expert mode, Fry, Melt, Slow cooking, Sous vide, Boil
- Grill Mode (sold as an optional accessory, reference: DAIG001B)
- ◆ Total hob power of 7,400W
- 10 safety features including residual heat indicator on keypad and central locking
- Built-in dimensions H 60 mm x W 800 mm x D 515 mm
- Built-in extractor hood :
- ◆ Horizontal extraction with valve De Dietrich grid
- Speed setting slider
- Maximum airflow of 500m³/h
- Sound level (Standard re1 pW/DIN/EN 60704-2-13) mini: 54dB(A), maxi: 58dB(A)
- Electronic touch sensitive controls
- 4 power levels including boost
- Energy labelling: A++
- Filters saturation indicator
- ◆ Hand washable aluminium grease filter
- Accessories : carbon filter AKF55
- Installation for use in recycling mode



probe and its base delivered with the hob

#### AI TALENT PROBE

The hob automatically and expertly adjusts the power and cooking time according to your choice among 84 foods. It recommends the most suitable cooking zone and utensil for exceptional results.





# DPI4451GT AI TALENT PROBE

- 4 independent zones with 2 horiZone cooking spaces of 40 cm x 23 cm of 3,700 W
- ◆ TFT Screen
- Tactile control
- 20 cooking positions
- ◆ Ai Culinary Guide: 84 options
- ◆ Ai Recipes: 25 options
- 4 Boosters / 4 timers
- 5 direct access controls including Boost
- 16 functions: Auto link, Blanch, Boil, Boost, Clean lock, Sous vide cooking, Automatic pan recognition, Elapsed time, Grill, Hob to hood, ICS, Motion control, Power management, Recall, Switch, lock
- 8 probe functions: Sear, Heat up, Expert mode, Fry, Melt, Slow cooking, Sous vide, Boil
- Grill Mode (sold as an optional accessory, reference: DAIG001B)
- Total hob power of 7,400W
- 10 safety features including residual heat indicator on keypad and central locking
- Built-in dimensions: H 60 mm x W 650 mm x D 510 mm



Perfect sensor probe and its base delivered with the hob



DPI4451GT | DARK GREY





DAIGOO1B | BLACK GRILL

#### **Motion Control:**

With simple hand gestures, control the power and cooking time settings like an orchestra conductor, without touching the control panel. No more fingerprints on your surface.





## 65CM INDUCTION HOBS WITH PROBE

# 80CM INDUCTION HOBS WITH PROBE



DPI4441BT | INFINITE BLACK





DAIGO01B | BLACK GRILL

# DPI4441BT AI TALENT PROBE

- 4 independent zones with 2 horiZone cooking spaces of 40 cm x 23 cm of 3,700 W
- ◆ White LCD Screen
- Backlit buttons
- Backlight
- 20 cooking positions
- ◆ Ai Culinary Guide: 84 options
- 4 Boosters / 4 timers
- 4 direct access controls including Boost
- 16 functions: Auto link, Blanch, Boil, Boost, Clean lock, Sous vide cooking, Automatic pan recognition, Elapsed time, Grill, ICS, Power management, Recall, Switch, lock
- ◆ 8 probe functions: Sear, Heat up, Expert mode, Fry, Melt, Slow cooking, Sous vide, Boil
- Grill Mode (sold as an optional accessory, reference: DAIG001B)
- ◆ Total hob power of 7,400W
- 10 safety features including residual heat indicator on keypad and central locking
- Built-in dimensions: H 60 mm x W 650 mm x D 515 mm



delivered with the hob

# AI TALENT PROBE

- 4 independent zones with 1 horiZone cooking space of 40 cm x 23 cm of 3,700 W
- Center 28 cm/3,700W
- Front right 16cm/2,400W
- ◆ White LCD Screen

**DPI4831BT** 

- Backlit buttons
- Backlight
- 20 cooking positions
- 4 Boosters / 4 timers
- ◆ 4 direct access controls including Boost
- 3 functions: Auto link, Power management, Grill/Plancha
  8 probe functions: Sear, Heat up, Expert mode, Fry, Melt,
- Slow cooking, Sous vide, Boil
- Grill Mode (sold as an optional accessory, reference: DAIGO01B)
- Total hob power of 7,400W
- 10 safety features including residual heat indicator on keypad and central locking
- Built-in dimensions: H 60 mm x W 800 mm x D 515 mm





DPI4831BT | INFINITE BLACK





DAIGOO1B | BLACK GRILL

#### y Probe:

With its connected probe, the table allows you to set a temperature, access 10 intelligent sous vide recipes, and utilize 7 cooking functions to melt, cook sous-vide, reheat, simmer, boil, fry, and sear.





## **Backlight Touch Controls:**

Discover the perfection of minimalist design with our invisible keyboard, offering a sleek and modern aesthetic. When the hob is turned off, its design remains simple and discreet. Upon activation, the touch controls light up, revealing a total backlighting system that combines elegance and functionality.





## 65CM INDUCTION HOBS WITH PROBE

# 65CM INDUCTION HOBS WITH PROBE



DPI4431BT | INFINITE BLACK





DAIGOO1B | BLACK GRILL



DPI4431XT | **STELLAR STEEL** 

# DPI4431BT AI TALENT PROBE


- 4 independent cooking zone with 2 Horizone of 40 cm x 23 cm of 3,700 W
- Front right: 16cm/2,400WRear right: 23cm/3,700W
- ◆ White LCD Screen
- ◆ Touch sensitive buttons
- 20 cooking positions
- Ai Culinary Guide: 84 options
- 4 Boosters / 4 timers
- 4 direct access controls including Boost
- 14 functions: AutoLink, Blanch, Boil, Boost, Clean lock, Sous vide cooking, Automatic pan recognition, Elapsed time, Grill, ICS, Power management, Recall, Switch, Lock»
- 8 probe functions: Sear, Heat up, Expert mode, Fry, Melt, Slow cooking, Sous vide, Boil
- Grill Mode (sold as an optional accessory, reference: DAIGO01B)
- ◆ Total hob power of 7,400W
- 10 safety features including residual heat indicator on keypad and central locking
- Built-in dimensions: H 60 mm x W 650 mm x D 515 mm



# DPI4320XT AI TALENT PROBE

- 3 independent cooking zone:
- Front left 16cm / 2,400W
- Rear left and right 23cm / 3,700W
- Center right 28cm / 3,700W
- White LCD Screen
- ◆ Touch-sensitive buttons
- 20 cooking positions
- ◆ Ai Culinary Guide: 84 options
- 12 functions: Blanch, Boil, Boost, Clean lock, Automatic pan recognition, Elapsed time, ICS, Power management, Recall, Switch, Lock, Sous vide cooking
- ◆ 8 probe functions: Sear, Heat up, Expert mode, Fry, Melt, Slow cooking, Sous vide, Boil
- Total hob power of 7,400W
- 10 safety features including residual heat indicator on keypad and central locking
- Built-in dimensions: H 60 mm x W 650 mm x D 515 mm





DPI4320XT | STELLAR STEEL





DPI4320BT | **INFINITE BLACK** 

#### LCD Screen

Discover a new ergonomic and intuitive screen for perfect readability. The text display allows you to navigate and access more features, including the Culinary Guide, Boil, and Blanch functions.





#### Ai Talent

The hob automatically adjusts the power and cooking time with precision based on your choice from 74 different foods. It recommends the ideal cooking zone and utensil to ensure exceptional results.





## 38CM INDUCTION DOMINO WITH PROBE

DPI4230HT | HERITAGE



# DPI4230HT AI TALENT PROBE

- 2 independent zones with 1 horiZone cooking space of 40 cm x 23 cm of 4,800 W
- White LCD Screen
- Touch-sensitive buttons
- 20 cooking positions
- Ai Culinary Guide: 74 options
- ◆ 2 Boosters / 2 timers
- ◆ 4 direct access controls including Boost
- 8 functions: Lock, ICS, Elapsed time, Automatic pan recognition, Clean lock, Boil, Boost, Blanch
- 8 probe functions: Sear, Heat up, Expert mode, Fry, Melt, Slow cooking, Sous vide, Boil
- Total hob power of 4, 800W
- 10 safety features including residual heat indicator on keypad and central locking
- Built-in dimensions: H 60 mm x W 380 mm x D 515 mm



# DPI4942B INDUCTION HOB

- 6 independent zones with 3 horiZone cooking spaces of 40 cm x 23 cm of 3,700 W
- White LCD Screen
- Backlit buttons
- Backlight
- 20 cooking positions
- 6 Boosters / 6 timers
- 4 direct access controls including Boost
- 4 functions: Auto link, Power management, Grill/Plancha, Boost
- Grill Mode (sold as an optional accessory, reference: DAIG001B)
- Total hob power of 11,100W
- 10 safety features including residual heat indicator on keypad and central locking
- Built-in dimensions: H 60 mm x W 930 mm x D 515 mm





DPI4942B | INFINITE BLACK





85

#### **Power Management:**

Thanks to a new technology, it is possible to limit the maximum power delivered by the table, thus ensuring optimized use and performance regardless of your electrical installation.





\_\_\_\_\_\_ 84

# 80CM INDUCTION HOBS WITH EXTRACTOR

DPI4932BP | INFINITE BLACK





DAIGOO1B | BLACK GRILL

# DPI4932BP AI TALENT

- 5 independent zones including 1 Tenor inductor and 1 horiZone cooking space of 40 cm x 23 cm of 3,700 W
- Center 30cm/5,500W (Tenor inductor)
- Rear right 23cm/3,700W
- Front right 16cm/2,400W
- ◆ White LCD Screen
- Backlit buttons
- Backlight
- 20 cooking positions
- 5 Boosters / 5 timers
- ◆ 4 direct access controls including Boost
- 4 functions : Auto link, Power management, Grill/Plancha,
- Grill Mode (sold as an optional accessory, reference: DAIG001B)
- ◆ Total hob power of 11,100W
- 10 safety features including residual heat indicator on keypad and central locking
- Built-in dimensions: H 60 mm x W 930 mm x D 515 mm

# DPH4840B AI TALENT

- 4 independent zones with 2 horiZone cooking spaces of 40 cm x 23 cm of 3,700 W
- White LCD Screen
- ◆ Touch-sensitive buttons
- 20 cooking positions
- 4 Boosters / 4 timers
- 3 direct access controls including Boost
- 2 functions : Grill/plancha, Boost
- Total hob power of 7,400W
- 10 safety features including residual heat indicator on keypad and central locking
- Built-in dimensions: H 60 mm x W 800 mm x D 515 mm
- Built-in extractor hood :
- ◆ Horizontal extraction with valve De Dietrich grid
- Speed setting slider
- Maximum airflow of 500m³/h
- Sound level (Standard re1 pW/DIN/EN 60704-2-13) mini: 54dB(A), maxi: 58dB(A)
- Electronic touch-sensitive controls
- 4 power levels including boost
- Energy labelling: A++
- Filters saturation indicator
- Hand washable aluminium grease filter
- Accessories : carbon filter AKF55
- Installation for use in recycling mode



DPH4840B | INFINITE BLACK



#### **Culinary Assistant Function:**

Under this function, you'll find: Recipes / Boil / Blanch. Your hob features a culinary guide offering a selection of recipes. This cooking mode automatically selects the appropriate cooking parameters based on the food you are preparing.






#### Ai Talent:

The hob automatically adjusts the power and cooking time with precision based on your choice from 74 different foods. It recommends the ideal cooking zone and utensil to ensure exceptional results.





# **80CM INDUCTION HOBS**



DPI4832B | INFINITE BLACK



# DPI4832B AI TALENT

- ◆ 5 independent zones including 1 horiZone cooking space of 40 cm x 23 cm of 3,700 W
- Center 28cm/3,700W
- Rear left 16cm/2,400W
- Front left 18cm/2,800W
- ◆ White LCD Screen
- Backlit buttons
- Backlight
- 20 cooking positions
- ◆ 4 Boosters / 4 timers
- 4 direct access controls including Boost
- 4 functions: Auto link, Power management, Grill/Plancha, Boost
- Total hob power of 7,400W
- 10 safety features including residual heat indicator on keypad and central locking
- Built-in dimensions: H 60 mm x W 800 mm x D 515 mm

# DPI4830B AI TALENT

- 4 independent zones including 1 horiZone cooking space of 40 cm x 23 cm of 3,700 W
- Center 28cm/3,700W
- Front right 16cm/2,400W
- ◆ White LCD Screen
- Backlit buttons
- Backlight
- 20 cooking positions
- 4 Boosters / 4 timers
- 4 direct access controls including Boost
- 3 functions: Autolink, Power management, Grill/Plancha
- Grill Mode (sold as an optional accessory, reference: DAIGO01B)
- Total hob power of 7,400W
- 10 safety features including residual heat indicator on keypad and central locking
- Built-in dimensions: H 60 mm x W 800 mm x D 515 mm



DPI4830B | INFINITE BLACK





DAIGOO1B | BLACK GRILL

89

#### LCD screen:

Discover a new ergonomic and intuitive screen for perfect readability. The text display allows you to navigate and access more features, including the Culinary Guide, Boil, and Blanch functions.





# **80CM INDUCTION HOBS**



DPI4820X | STELLAR STEEL



# DPI4820X AI TALENT

- 4 independent zones including
- Front left and right 16cm / 2,400W
- Rear left 23 cm/ 3,700W
- Rear right 28cm / 3,700W
- White LCD Screen
- Capacitive buttons
- 20 cooking positions
- 4 Boosters / 4 timers
- ◆ 4 direct access controls including Boost
- Power management
- ◆ Total hob power of 7,400W
- 10 safety features including residual heat indicator on keypad and central locking
- Built-in dimensions: H 60 mm x W 800 mm x D 515 mm

# DPI4810B INDUCTION HOB

- 4 independent zones including 1 horiZone cooking space of 40 cm x 23 cm of 3,700 W
- Rear right 28cm/3,700W
- Front right 16cm/2,400W
- Red led screen
- Touch-sensitive buttons
- 15 cooking positions
- 4 Boosters / 4 timers
- 4 direct access controls including Boost
- 7 functions: Elapsed time, Boil, Automatic pan recognition, ICS, Recall, Switch, Boost
- ◆ Total hob power of 7,400W
- 10 safety features including residual heat indicator on keypad and central locking
- Built-in dimensions: H 60 mm x W 800 mm x D 515 mm



DPI4810B | BLACK



#### Power Management:

Thanks to a new technology, it is possible to limit the maximum power delivered by the table, thus ensuring optimized use and performance regardless of your electrical installation.





#### **Clever functions:**

ICS: Instant identification of the most appropriate cooking

**Elapsed Time:** Displays on the control panel the time elapsed since the last power adjustment of a cooking zone

**Recall:** Saves the settings (power and timer) of the cooking zone in case of an unexpected power cut

**Boil:** Brings 0.5 to 6 litres of water to a boil without overflow and without cooking adjustment





## 65CM INDUCTION HOBS



DPI4450G | DARK GREY





DAIGOO1B | BLACK GRILL

# DPI4450G AI TALENT CHEF

- 4 independent zones including 2 horiZone cooking spaces of 40 cm x 23 cm of 3,700 W
- ◆ TFT Colour
- ◆ Tactile control
- 20 cooking positions
- Ai Culinary Guide: 74 options
- Ai Recipes: 25 options
- 4 Boosters / 4 timers
- 5 direct access controls including Boost
- 15 functions: AutoLink, Blanch, Boil, Boost, Clean lock, Automatic pan recognition, Elapsed time, Grill, ICS, Motion control, Power management, Recall, Switch, Lock
- Grill Mode (sold as an optional accessory, reference: DAIG001B)
- ◆ Total hob power of 7,400W
- 10 safety features including residual heat indicator on keypad and central locking
- Built-in dimensions: H 60 mm x W 650 mm x D 510 mm

# DPI4442B AI TALENT

- 4 independent zones including 2 horiZone cooking spaces of 40 cm x 23 cm of 3,700 W
- White LCD Screen
- Backlit buttons
- Backlight
- 20 cooking positions
- Ai Culinary Guide: 74 options
- 4 Boosters / 4 timers
- 4 direct access controls including Boost
- 15 functions: AutoLink, Blanch, Boil, Boost, Clean lock, Automatic pan recognition, Elapsed time, Grill, ICS, Motion control, Power management, Recall, Switch, Lock
- Grill Mode (sold as an optional accessory, reference: DAIG001B)
- Total hob power of 7,400W
- 10 safety features including residual heat indicator on keypad and central locking
- ◆ Built-in dimensions: H 60 mm x W 650 mm x D 515 mm



DPI4442B | INFINITE BLACK





DAIGOO1B | BLACK GRILL

#### Ai Recipes:

Let yourself be guided step by step towards exceptional culinary horizons through 25 recipes developed by our 3-star chef, thanks to our artificial intelligence and a high-resolution colour TFT touch screen.





#### **Backlight Touch Controls:**

A sleek design when the hob is off. The touch controls light up when the hob is switched on  $\,$ 





# 65CM INDUCTION HOBS



DPI4432B | INFINITE BLACK





DAIGO01B | BLACK GRILL

# DPI4432B AI TALENT

- 4 independent zones including 1 horiZone cooking space of 40 cm x 23 cm of 3,700 W
- Front right 16cm/2,400W
- Rear right 23cm/3,700W
- ◆ White LCD Screen
- Backlit buttons
- Backlight
- 20 cooking positions
- Ai Culinary Guide: 74 options
- 4 Boosters / 4 timers
- 4 direct access controls including Boost
- 14 functions: AutoLink, Blanch, Boil, Boost, Clean lock, Automatic pan recognition, Elapsed time, Grill, ICS, Power management, Recall, Switch, Lock
- Grill Mode (sold as an optional accessory, reference: DAIG001B)
- ◆ Total hob power of 7,400W
- 10 safety features including residual heat indicator on keypad and central locking
- Built-in dimensions: H 60 mm x W 650 mm x D 515 mm

# DPI4431B AI TALENT

- 4 independent zones including 1 horiZone cooking space of 40 cm x 23 cm of 3,700 W
- Front right 16cm/2,400W
- Rear right 23cm/3,700W
- ◆ White LCD Screen
- ◆ Touch-sensitive buttons
- 20 cooking positions
- Ai Culinary Guide: 74 options
- 4 Boosters / 4 timers
- 4 direct access controls including Boost
- 13 functions: Blanch, Boil, Boost, Clean lock, Automatic pan recognition, Elapsed time, Grill, ICS, Power management, Recall, Switch, Lock
- Grill Mode (sold as an optional accessory, reference: DAIGO01B)
- Total hob power of 7,400W
- 10 safety features including residual heat indicator on keypad and central locking
- Built-in dimensions: H 60 mm x W 650 mm x D 515 mm



DPI4431B | INFINITE BLACK





DAIGOO1B | BLACK GRILL





DPI4431W | ETERNAL WHITE



DPI4431H | HERITAGE

#### Ai talent:

The hob automatically adjusts the power and cooking time with precision based on your choice from 74 different foods. It recommends the ideal cooking zone and utensil to ensure exceptional results.





#### **Power Management:**

Thanks to innovative electronics, it is now possible to limit the maximum power output of the table with four possible levels. This ensures optimal use and performance, regardless of your electrical installation.









DPI4420W | ETERNAL WHITE



# DPI4420W AI TALENT

- 4 independent zones including
- Front left and rear left 18cm / 2,800W
- Front right 16cm / 2,400W
- Rear left 23 cm/ 3,700W
- White LCD Screen
- ◆ Touch-sensitive buttons
- 20 cooking positions
- ◆ Ai Culinary Guide: 74 options
- ◆ 4 Boosters / 4 timers
- 4 direct access controls including Boost
- 11 functions: Blanch, Boil, Boost, Clean lock, Automatic pan recognition, Elapsed time, ICS, Power management, Recall, Switch, Lock
- Total hob power of 7,400W
- 10 safety features including residual heat indicator on keypad and central locking
- Built-in dimensions: H 60 mm x W 650 mm x D 515 mm

# DPI4411B INDUCTION HOB

- 4 independent zones including 1 horiZone cooking space of 40 cm x 23 cm of 3,700 W
- Front right 16cm/2,400W
- Rear right 23cm/3,700W
- ◆ Red led Screen
- ◆ Touch-sensitive buttons
- 20 cooking positions
- 4 Boosters / 4 timers
- 4 direct access controls including Boost
- 9 functions: Boil, Boost, Clean lock, Automatic pan recognition, ICS, Recall, Switch, Lock, Elapsed time
- ◆ Total hob power of 7,400W
- 10 safety features including residual heat indicator on keypad and central locking
- Built-in dimensions: H 60 mm x W 650 mm x D 515 mm



DPI4411B | BLACK





DPI4420X | STELLAR STEEL



DPI4420B | INFINITE BLACK



DPI4420H | HERITAGE

#### LCD Screen:

Discover a new ergonomic and intuitive screen for perfect readability. The text display allows you to navigate and access more features, including the Culinary Guide, Boil, and Blanch functions.





#### **Clever functions:**

 $\ensuremath{\text{ICS:}}$  Instant identification of the most appropriate cooking zone

**Elapsed Time:** Displays on the control panel the time elapsed since the last power adjustment of a cooking zone


**Recall:** Saves the settings (power and timer) of the cooking zone in case of an unexpected power cut

**Boil:** Brings 0.5 to 6 litres of water to a boil without overflow and without cooking adjustment





# 65CM INDUCTION HOBS



DPI4410B | BLACK




# DPI4410B INDUCTION HOB

- 4 independent zones including 1 duoZone cooking space of 18 cm x 37 cm of 3,700 W
- Front right 16cm/2,000W
- Rear right 23cm/3,100W
- ◆ Red led Screen
- ◆ Touch-sensitive buttons
- 20 cooking positions
- ◆ 4 Boosters / 4 timers
- ◆ 4 direct access controls including Boost
- 9 functions: Boil, Boost, Clean lock, Automatic pan recognition, ICS, Recall, Switch, Lock, Elapsed time
- ◆ Total hob power of 7,400W
- 10 safety features including residual heat indicator on keypad and central locking
- Built-in dimensions: H 60 mm x W 650 mm x D 515 mm

# DPI4400B INDUCTION HOB

- 4 independent zones including
- Front left and rear left 18cm / 2,800W
- Front right 16cm / 2,000W
- Rear left 23 cm/ 3,100W
- ◆ Red led Screen
- Touch-sensitive buttons
- 15 cooking positions
- 4 Boosters / 4 timers
- 4 direct access controls including Boost
- ◆ 9 functions: Boil, Boost, Clean lock, Automatic pan recognition, ICS, Recall, Switch, Lock, Elapsed time
- Total hob power of 7,400W
- 10 safety features including residual heat indicator on keypad and central locking
- Built-in dimensions: H 60 mm x W 650 mm x D 515 mm



DPI4400B | BLACK



#### **Clever functions:**

 $\ensuremath{\text{\textbf{ICS:}}}$  Instant identification of the most appropriate cooking zone

**Elapsed Time:** Displays on the control panel the time elapsed since the last power adjustment of a cooking zone

**Recall:** Saves the settings (power and timer) of the cooking zone in case of an unexpected power cut

**Boil:** Brings 0.5 to 6 litres of water to a boil without overflow and without cooking adjustment










## 65CM INDUCTION HOBS



DPI4332HP | HERITAGE



# DPI4332HP AI TALENT

- 3 independent zones including 1 horiZone cooking space of 40 cm x 23 cm of 3,700 W
- Center right 30cm/5,500W
- ◆ White LCD Screen
- Backlit buttons
- Backlight
- 20 cooking positions
- ◆ Ai Culinary Guide: 74 options
- 3 Boosters / 3 timers
- ◆ 4 direct access controls including Boost
- 11 functions: Blanch, Boil, Boost, Clean lock, Automatic pan recognition, ICS, Power management, Recall, Switch, Lock, Elapsed time
- ◆ Total hob power of 7,400W
- 10 safety features including residual heat indicator on keypad and central locking
- Built-in dimensions: H 60 mm x W 650 mm x D 515 mm

# DPI4330B AI TALENT

- 3 independent zones including 1 horiZone cooking space of 40 cm x 23 cm of 3,700 W
- Center right 28cm/3,700W
- ♦ White LCD screen
- Touch-sensitive buttons
- 20 cooking positions
- Ai Culinary Guide: 74 options
- 3 Boosters / 3 timers
- 4 direct access controls including Boost
- 11 functions: Blanch, Boil, Boost, Clean lock, Automatic pan recognition, Elapsed time, ICS, Power management, Recall, Switch, Lock
- Total hob power of 7,400W
- 10 safety features including residual heat indicator on keypad and central locking
- Built-in dimensions: H 60 mm x W 650 mm x D 515 mm



DPI4330B | INFINITE BLACK





DPI4332BP | INFINITE BLACK

#### **Backlight Touch Controls:**

A sleek design when the hob is off. The touch controls light up when the hob is switched on.









# 65CM INDUCTION HOBS



DPI4322XP | STELLAR STEEL



# DPI4322XP AI TALENT

- 3 independent zones including
- Front left 16cm / 2,400W
- Rear left 23 cm/ 3,700W
- Center right 30cm / 5,500W
- White LCD screen
- Touch-sensitive buttons
- 20 cooking positions
- ◆ Ai Culinary Guide: 74 options
- 3 Boosters / 3 timers
- 4 direct access controls including Boost
- 11 functions: Blanch, Boil, Boost, Clean lock, Automatic pan recognition, Elapsed time, ICS, Power management, Recall, Switch, Lock
- Total hob power of 7,400W
- 10 safety features including residual heat indicator on keypad and central locking
- Built-in dimensions: H 60 mm x W 650 mm x D 515 mm

# DPI4321W AI TALENT

- 3 independent zones including
- Front left 16cm / 2,400W
- Rear left 23 cm/ 3,700W
- Center right 28cm / 4,600W
- White LCD screen
- Touch-sensitive buttons
- 20 cooking positions
- ◆ Ai Culinary Guide: 74 options
- 3 Boosters / 3 timers
- 4 direct access controls including Boost
- 11 functions: Blanch, Boil, Boost, Clean lock, Automatic pan recognition, Elapsed time, ICS, Power management, Recall, Switch, Lock
- Total hob power of 7,400W
- 10 safety features including residual heat indicator on keypad and central locking
- Built-in dimensions: H 60 mm x W 650 mm x D 515 mm



DPI4321W | ETERNAL WHITE



#### Tenor Inductor 5,500 W:

The most powerful and fastest double crown inductor on the market! Sear your meats to release their flavours and bring water to a boil at unprecedented speed (25% time savings compared to 4,600 W), with the same energy consumption.





#### **Clever functions:**

ICS: Instant identification of the most appropriate cooking

**Elapsed Time:** Displays on the control panel the time elapsed since the last power adjustment of a cooking zone

**Recall:** Saves the settings (power and timer) of the cooking zone in case of an unexpected power cut

**Boil:** Brings 0.5 to 6 litres of water to a boil without overflow and without cooking adjustment









DPI4321B | INFINITE BLACK



DPI4321H | HERITAGE

# **65CM INDUCTION HOBS**



DPI4320H | HERITAGE




# **DPI4320H** AI TALENT

- 3 independent zones including
- Front left 16cm / 2,400WRear left 23 cm/ 3,700W
- Center right 28cm / 3,700W
- White LCD screen
- Touch-sensitive buttons
- 20 cooking positions
- ◆ Ai Culinary Guide: 74 options
- 3 Boosters / 3 timers
- ◆ 4 direct access controls including Boost
- 11 functions : Blanch, Boil, Boost, Clean lock, Automatic pan recognition, Elapsed time, ICS, Power management, Recall, Switch, Lock
- Total hob power of 7,400W
- ◆ 10 safety features including residual heat indicator on keypad and central locking
- Built-in dimensions: H 60 mm x W 650 mm x D 515 mm

# **DPI4301BP INDUCTION HOB**

- 3 independent zones including
- Front left 16cm / 2,400W
- Rear left 23 cm/ 3,700W
- Center right 30cm / 5,500W
- Red led Screen
- Touch-sensitive buttons
- 20 cooking positions
- 3 Boosters / 3 timers
- 4 direct access controls including Boost
- 9 functions : Boil, Boost, Clean lock, Automatic pan recognition, Elapsed time, ICS, Recall, Switch, Lock
- Total hob power of 7,400W
- 10 safety features including residual heat indicator on keypad and central locking
- Built-in dimensions: H 60 mm x W 650 mm x D 515 mm



DPI4301BP | BLACK





DPI4320X | **STELLAR STEEL** 



DPI4320B | INFINITE BLACK









# 65CM GAS INDUCTION HOB

# a | D 0 0 0 = 820 | 16 3 -+ \* \* \* \* \* \* \* \* \* \* \* De Dietrich ⊕

DPI4300B | BLACK




# DPI4300B INDUCTION HOB

- 3 independent zones :
- Front left 16cm / 2,400W
- Rear left 23 cm/ 3,700W
- Center right 28cm / 3,700W
- ◆ Red led Screen
- ◆ Touch-sensitive buttons
- 20 cooking positions
- 3 Boosters / 3 timers
- 4 direct access controls including Boost
- 9 functions: Boil, Boost, Clean lock, Automatic pan recognition, Elapsed time, ICS, Recall, Switch, Lock
- Total hob power of 7,400W
- 10 safety features including residual heat indicator on keypad and central locking
- Built-in dimensions: H 60 mm x W 650 mm x D 515 mm

# DPI4602HM GAS INDUCTION HOB

- 2 induction zones:
- Front left 16cm / 2,200W
- Front right 21cm / 3,100W
- Touch sensitive buttons
- 15 cooking positions
- 2 timers
- Electric power of 3,200W
- 2 gas burners:
- Rear left very fast 10.6cm/3,100W
- Rear right semi rapid 7.2cm/1,500W.
- ♦ Knobs
- Gas power of 4,600W
- 10 safety features including residual heat indicator on keypad and central locking
- Integrated ignition
- Thermocouple safety cut off (gas)
- ◆ Built-in dimensions: H 58 mm x W 555 mm x D 478 mm



DPI4602HM | HERITAGE



#### Clever functions:

ICS: Instant identification of the most appropriate cooking zone

Elapsed Time: Displays on the control panel the time elapsed

since the last power adjustment of a cooking zone **Recall:** Saves the settings (power and timer) of the cooking

zone in case of an unexpected power cut

**Boil:** Brings 0.5 to 6 litres of water to a boil without overflow and without cooking adjustment












# VITROCERAMIC HOBS

The vitroceramic hobs brought to you by De Dietrich highlight a 65cm full glass surface finished with a stainless steel front frame. Their clean lines and sleek finishings combine elegance and sophistication with the ultimate functionalities, allowing you to realise your full culinary potential.







# High-performance radiant zones.

#### Speedring Radiant Zones.

From the most intense cooking to the gentlest simmer, Speedring radiant zones ensure a constantly even distribution of heat, helping you to cook dishes that require long simmering, or bring large volumes of liquid rapidly up to the boil.

#### **Extendible Speedring Radiant Zones.**

The Double and Triple Crown extendible zones enable you to adjust their respective power levels to adapt to the size of the pan in use. This ensures that optimum heat is delivered for each type of cooking method.

#### VitroTech. Gives more flexibility to your culinary interpretations.

De Dietrich has equipped the DPV4605HB hob with a new feature, for you to cook with a sense of moderation and efficiency: VitroTech allows you to combine two independent cooking zones to create a larger cooking surface for all types of containers, a fish pan or an oval casserole for instance. The heat is ideally distributed over the entire zone to ensure even cooking, and perfect culinary results.



## Touch-sensitive commands for each cooking zone.

These remain visible and easy to read even when multiple dishes are being cooked at the same time, with all power and time indicators displayed at once. The 17 different cooking positions allow for a wide range of power adjustments, and making temperature selections is quick and easy thanks to two direct access keys. Finally, a separate electronic timer is provided for each zone for a greater degree of accuracy.

# Safety: a De Dietrich guiding principle.

♦ An Anti-Overspill safety feature automatically turns the hob off in the event of any pillages.

#### ♦ An Automatic-Stop

System turns the hob off if you leave a dish alone for an extended period of time.

# **♦ Residual Heat Indicators**

are displayed while the surface temperature remains above 60°C.

#### **♦ A Keyboard Lock feature**

prevents the hob being turned on accidentally, especially by children or while the cooking surface is being cleaned.

# **60CM VITROCERAMIC HOBS**

DPV4605HB | BLACK




# DPV4605HB VITROCERAMIC HOB

- 4 independent speedring zones with:
- 1 flexible zone «Vitro Tech» (180mm x 415mm) of 4,000W
- Rear Left 18cm / 1,800W
- Front Left 14.5cm / 1,200W
- Rear right 18cm / 1,800W
- Front right 18cm / 1,800W
- Touch sensitive buttons
- 9 cooking positions
- ♦ 1 timer per zone
- Clean Lock function
- ◆ Total power of 7,000W
- 4 safety features including residual heat indicator on keypad and central locking
- Built-in dimensions: H 63 mm x W 600 mm x D 510 mm

# **DPV4601B**

## VITROCERAMIC HOB

- 4 independent speedring zones with:
- Rear Left 21cm / 2,100W
- Front Left and front right 14.5cm / 1,200W
- Rear right 18cm / 1,800W
- Touch sensitive buttons
- 9 cooking positions
- ♦ 1 timer per zone
- Clean Lock function
- Total power of 6,300W
- 4 safety features including residual heat indicator on keypad and central locking
- Built-in dimensions: H 55 mm x W 650 mm x D 552 mm



**65CM VITROCERAMIC HOBS** 

DPV4601B | BLACK




#### VitroTech:

This revolutionary function, dependent on both zones, provides a larger cooking surface (180x415mm) to accommodate all types of cookware. It offers better heat distribution and ensures even cooking.





# 65CM VITROCERAMIC HOBS



DPV4502B | BLACK



## **DPV4502B**

# VITROCERAMIC HOB

- 3 independent speedring zones with:
  Rear Left 18cm / 1,800W
  Front Left 14.5cm / 1,200W

- Center right 21-27cm / 1,500-2,400W
- Touch sensitive buttons
- 9 cooking positions
- 1 timer per zone
- Clean Lock function
- Total power of 5,400W
- 4 safety features including residual heat indicator double ring on keypad and central locking
- ◆ Built-in dimensions: H 63 mm x W 650 mm x D 553 mm





# GAS ON GLASS, STAINLESS STEEL AND ENAMEL GAS HOBS

The collection of gas and mixed gas and electric hobs brought to you by De Dietrich reflects its commitment to offering excellence in its designs, giving you total control over the energy you use.

The highest quality materials are combined with the utmost sophistication, contributing to both the stunning appearance and top-level functionality of all De Dietrich ovens and hoods.



# A wide-ranging collection to suit everyone's tastes.

There is something to suit everyone's requirements in the most diverse collection designed by De Dietrich to date, with a wide variety of shades and sizes available. Available in 60cm, 65cm, 75cm and 90cm-wide models, all gas hobs are compatible with each other so that you can create the ideal cooking space you were dreaming of.

# Stainless steel gas hobs. The elegance of flush integration.

Designed in a distinctly contemporary style, the De Dietrich collection of gas hobs embodies a tradition of excellence that encourages the perpetuation of culinary art with grace. The refined surface of some stainless steel hobs allows for seamless flush installation into the countertop, creating a cooking space that is both refined and functional.



# Guaranteed performance.

The gas burners provided with De Dietrich hobs offer various cooking options and a wide range of heat settings. Leaving pans to simmer on the auxiliary burner or searing meats to perfection on the 3,800W Triple Crown burner are just two of the many ways that you can use them, with an even distribution of heat consistently ensured throughout the cooking process.

# Gas cooking in complete safety across the entire collection.


A thermocouple safety system, located against the burner, is activated as soon as you press the knob to light the fire. If necessary, this thermocouple instantly and automatically cuts off the gas supply to prevent any leakage occurring should the flame accidentally be extinguished.

# Ergonomically-designed knobs.

All knobs have been specially designed to offer the highest levels of ease and comfort during use. Adjusting the heat of the burners is an easy and accurate process.

# 90CM EXTRA-WIDE GAS ON GLASS HOB

# **75**CM EXTRA-WIDE GAS ON GLASS HOB



DPG4950B | BLACK




# DPG4950B GAS HOB

- 5 gas burners:
- Left Double ring 15cm/4,000W
- Front Center Auxiliary 7.4cm / 1,000W
- Rear Right rapid 12.4cm/3,000WRear Center, Front right semi rapid 9.4cm/1,750W
- Knobs
- Total power of 11,500W
- Integrated ignition
- Cast-iron single-burner grates
- Thermocouple safety system
- Built-in dimensions: H 103 mm x W 890 mm x D 510 mm

# DPG4750B GAS HOB

- 5 gas burners:
- Left Double ring 15cm/4,000W
- Front center Auxiliary 7.4cm / 1,000W
- Rear Right rapid 12.4cm/3,000W
- Rear Center, Front right semi rapid 9.4cm/1,750W
- Knobs
- Total power of 11,500W
- Integrated ignition
- Cast-iron single-burner grates
- ◆ Thermocouple safety system
- Built-in dimensions: H 103 mm x W 750 mm x D 510 mm




DPG4750B | BLACK







# 65CM GAS ON GLASS HOBS



DPG4640H | BLACK



# **DPG4640H GAS HOB**

- 4 gas burners:
- Front Left Very fast 10.6cm/3,100W
- Rear Left Semi-rapid 7.2cm/1,500W
- Front Right Auxiliary 4.4cm/850W Rear Right Rapid 9.3cm/2,250W

- Total power of 7,700W
- Integrated ignition
- Mat enamelled steel-burner grates
- Thermocouple safety system
- Built-in dimensions: H 51 mm x W 550 mm x D 470 mm

# **60CM GAS ON GLASS HOBS**

# **DPG3620B GAS HOB**

- 4 gas burners:
- Rear Left Semi Rapid 6.8cm/1,750W
  Rear Right Semi Rapid 6.8cm/1,750W
- Front Right Auxiliary 4.7cm/1,000W Front Left Rapid 9.3cm/3,000W
- Knobs
- Total power of 7,500W
- Integrated ignition
- Mat enamelled steel-burner grates
- Thermocouple safety system
- Built-in dimensions: H 117 mm x W 510 mm x D 600 mm



DPG3620B | BLACK







# 65CM GAS ELECTRIC ON GLASS HOB

# 90CM INOX GAS HOB



DPG4640HM | BLACK

# DPG4640HM GAS ELECTRIC HOB

- ◆ 1 electric zone
- Rear Left 14.5cm/1,500W
- Knobs
- Electric power of 1,500W
- 3 gas burners :
- Front Left Very fast 10.6cm/3,100W
- Front Right Auxiliary 4.4cm/850W
- Rear Right Rapid 9.3cm/2,250W
- Knobs
- Gas power of 6,200W
- Thermocouple safety cut off (gas)
- Built-in dimensions: H 51 mm x W 550 mm x D 470 mm



# DPE4929XF GAS HOB

- 5 gas burners:
- Left Double Ring 15cm/4,000W
- Front center Auxiliary 7.4cm/1,000W
- Rear center, Front Right 9.4cm/1,750W
   Rear Right Rapid 12.4cm/3,000W
- ◆ Knobs
- Total power of 11,500W
- Integrated ignition
- Cast-iron single-burner grates
- Thermocouple safety system
- Flush integration
- Built-in dimensions: H 84 mm x W 860 mm x D 480 mm



DPE4929XF | BLACK









**75CM INOX GAS HOB** 

# **60CM INOX GAS HOB**



DPE4729XF | BLACK



# **DPE4729XF** GAS HOB

- 5 gas burners:
- Left Double Ring 15cm/4,000W
- Front center Auxiliary 7.4cm/1,000W
- Rear center, Front Right 9.4cm/1,750W
   Rear Right Rapid 12.4cm/3,000W
- Total power of 11,500W
- Integrated ignition
- Cast-iron single-burner grates
- Thermocouple safety system
- Flush integration
- Built-in dimensions: H 84 mm x W 720 mm x D 480 mm

# **DPE4620XF GAS HOB**

- 4 gas burners:
- Front Left Rapid 9.5cm/3,000W
- Rear Left, Rear Right Semi-rapid 7cm/1,750W
- Front Right Auxiliary 5cm/1,000W
- Knobs
- Total power of 7,500W
- Integrated ignition
- Cast-iron single-burner grates
- Thermocouple safety system
- Flush integration
- ◆ Built-in dimensions: H 65 mm x W 560 mm x D 480 mm



DPE4620XF | BLACK







## **60CM ENAMEL GAS HOBS**

# **60CM ENAMEL GAS HOBS**



DPE3601W | WHITE




# DPE3601W GAS HOB

- 4 gas burners:
- Rear left Rapid 9.5cm/3,000W
- Rear right, Front right Semi-rapid 7cm/1,750W
- Front left Auxiliary 5cm/1,000W
- Knobs
- ◆ Total power of 7,500W
- Integrated ignition
- Cast-iron single-burner grates
- Thermocouple safety system
- Built-in dimensions: H 50 mm x W 560 mm x D 480 mm

# DPE4610W GAS HOB

- 4 gas burners:
- Front Left Very fast 10.6cm/3,050W
- Rear Left Semi-rapid 7.2cm/1,500W
- Front Right Auxiliary 4.4cm/850W
- Rear Right Rapid 9.3cm/2,350W
- Knobs
- ◆ Total power of 7,750W
- Integrated ignition
- Enamelled steel-burner grates
- Thermocouple safety system
- Built-in dimensions: H 34 mm x W 560 mm x D 480 mm











DPE3601X | INOX



DPE4610X | INOX

#### Prestige:


With its cast iron grates, a material known for its excellence, this hob provides elegance and prestige.








## **60CM ENAMEL GAS ELECTRIC HOBS**



# DPE4610WM GAS ELECTRIC HOB

- ◆ 1 electric zone
- Rear Left 14.5cm/1,500W
- Knobs
- Electric power of 1,500W
- 3 gas burners :
- Front Left Very fast 10.6cm/3,050W
- Front Right Auxiliary 4.4cm/850W
- Rear Right Rapid 9.3cm/2,350W
- Knobs
- Gas power of 6,250W
- Thermocouple safety cut off (gas)
- Built-in dimensions: H 34 mm x W 560 mm x D 480 mm







DPE4610BM | BLACK



DPE4610XM | INOX

#### Prestige:

With its cast iron grates, a material known for its excellence, this hob provides elegance and prestige.





# **DOMINO HOBS**

The range of domino hobs in the new De Dietrich collection is one of pure excellence,

with each offering the utmost in sophistication and technical innovation.

Combine them to create a cooking space that is both unique and original.

 $\Diamond$ 



# A collection of 38cm domino hobs with a unique design.

Just like the different instruments of an orchestra. Each one of the elements of the 38cm collection have their own part to play in creating a perfect ensemble. These appliances can be used either on their own or in conjunction with another. The design and dimensions of the 38cm horiZone Induction domino hobs, available in both gas on glass and Teppan yaki types, are a harmonious combination, and will fit beautifully into any set up, in any number of possible arrangements and combinations. They are also available in a classic 30cm size.

# horiZone, a creative innovation from De Dietrich.

This cooking zone, already one of the largest and most powerful around, adds yet another dimension to the outstanding performance that is expected from an induction hob: freedom. This modular space enables you to work with one or two classic cooking zones at the front and back of the domino, as well as a wide single zone perfectly designed to accommodate large pans and dishes, all whilst guaranteeing a perfectly even distribution of heat.

# Gas domino hobs. Expressing every talent.

Gleaming glass surfaces are crowned with single-burner castiron grills.

# **38CM INDUCTION DOMINO**



DPI4230X | STELLAR STEEL



# DPI4230X AI TALENT

- ◆ 2 independent zones with 1 horiZone cooking space 40cm x 23cm of 4,600W
- White LCD Screen
- Touch sensitives buttons
- 20 cooking positions
- ◆ Ai Culinary Guide: 74 options
- 2 Boosters / 2 timers
- 4 direct access controls including Boost
- 9 functions: Lock, Recall, ICS, Elapsed time, Automatic pan recognition, Clean lock, Boil, Boost, Blanch
- Total power of the hob 3,700W
- 10 safety features including residual heat indicator on keypad and central locking
- Built-in dimensions: H 53 mm x W 263 mm x D 488 mm

# DPE4400X TEPPAN YAKI DOMINO

- Adjustable thermostat from 0°C to 250°C
- Positions per knob
- Total power of 2,500W
- Power and residual heat indicator on keypad
- ◆ Built-in dimensions: H 80 mm x W 490 mm x D 340 mm



38CM TEPPAN YAKI DOMINO

DPE4400X | INOX



#### Ai talent:

The hob automatically adjusts the power and cooking time with precision based on your choice from 74 different foods. It recommends the ideal cooking zone and utensil to ensure exceptional results.








**30CM INDUCTION DOMINO** 

## **INDUCTION HOB DIAGRAMS**



DPI4220H | HERITAGE



# DPI4220H AI TALENT

- 2 independent zones :
- Front 16cm/2,400W
- Rear 23cm/3,700W
- ◆ White LCD Screen
- Touch control
- 20 cooking positions
- ◆ Ai Culinary Guide: 74 options
- 2 Boosters / 2 timers
- ◆ 4 direct access controls including Boost
- 8 functions: Blanch, Boil, Clean lock, Automatic pan recognition, Elapsed time, ICS, Recall, Lock
- Total power of the hob 3,700W
- 10 safety features including residual heat indicator on keypad and central locking
- Built-in dimensions: H 56 mm x W 263 mm x D 488 mm


#### **Boil function:**


Allows boiling from 0.5 L to 6 L of water without the risk of overflow and without requiring adjustments to cooking settings (time and power). The hob takes care of it for you. Simply define the quantity of water and confirm.





## 80 CM INDUCTION HOB WITH EXTRACTOR DPI4831BH / DPH4840BT / DPH4840B / DPI480BH / DPI2847BH






**INDUCTION HOB DIAGRAMS** 


# **INDUCTION HOB DIAGRAMS**

## 93CM INDUCTION HOBS DPI595ABT / DPI595AB / DPI4942B / DPI4932BP




# 80CM INDUCTION HOBS DPI4831BT / DPI4832B / DPI4830B / DPI4820X / DPI4810B

Encastrement sur plan table 800




Encastrement à fleur table 800




#### **65CM INDUCTION HOBS**


DPI4451GT / DPI4441BT / / DPI4470G / DPI5652AB / DPI5650AB / DPI4450G / DPI4442B / DPI4432B / DPI4431 / DPI4431BT/XT / DPI4420 / DPI4411 / DPI4410 / DPI4400 / DPI4332 / DPI4330B / DPI4322 / DPI4321 / DPI4320 / DPI4320XT/BT / DPI4301BP / DPI4300B




# 65 CM MIX INDUCTION HOB DPI4602HM




VITROCERAMIC HOBS DPV4605HB / DPV4601B / DPV4502B




90 CM GAS ON GLASS HOB DPG4950B




65 & 60 CM GAS ON GLASS HOBS DPG4549H / DPG3620B / DPG4729B / DPG4620B




**75 CM GAS ON GLASS HOB** DPG4750B




65 CM GAS ON GLASS HOB DPG4640H




60 CM GAS ELECTRIC ON GLASS HOB DPG4640HM




90 CM GAS HOB DPE4929XF




**75 CM GAS HOB** DPE4729XF




38 CM INDUCTION & GAS DOMINO DPI4230X / DPI4230HT / DPG4312B




30 CM INDUCTION DOMINO DPI4220H




60 CM GAS HOBS DPE4620XF / DPE4610W/B/X / DPE3601X/B/W




60 CM GAS ELECTRIC HOBS DPE4610WM/BM/XM



38 CM TEPPAN YAKI DOMINO DPE4400X



30 CM GAS DOMINO DPG4340H



# HOODS

 $140 \bullet \mathsf{Hoods}$ 

146 • Motion Control Hoods

150 • Auto Link Hoods

153 • Vertical Hoods with Plasma filter

 $154\,$  • Vertical Hoods with Hepa filter

155 • Vertical Hoods

157 • Downdraft Hoods

159 • Box Hoods


164 • Island Box Hood


165 • Ceiling Hood

166 • Pyramid Hood

167 • Telescopic Hoods

169 • Canopy Hood







# **HOODS**

Developed and designed to fit with elegance, strength and discretion into the contemporary kitchen trend, this new collection dedicated to suction is like no other.

Decorative, island, worktop or ceiling hoods, filtering units... At the cutting edge of technology, they adopt the highly aesthetic approach of Philharmonie ovens and hobs to create the ultimate prestige ensemble.



## A+ rated box decorative hood. Top-class performance.

De Dietrich engineers have achieved major technological success in this sophisticated new collection of decorative hoods. Recognised as having an A+ energy rating, they offer the best possible performance both in terms of energy savings and efficiency.

This excellent perfectly engineered design that combines the efficiency of three stainless steel filters with a highly effective motor and LED lighting: two key elements for significantly limiting noise levels and energy consumption.



# Motion Control. Masterful contactless suction.

Touching the controls of your hood when you are preparing food is bound to get messy. How about avoiding this by controlling suction with a simple wave of the hand? Contactless Motion Control technology means you can interact with our hood without touching it. A sensor detects and interprets the movement of your hand and the three little gestures to be made to modulate the lighting intensity and the suction power according to the needs of your preparations in progress.

A technological achievement by De Dietrich designed to enhance the pure lines of its appliances and give free rein to your culinary imagination without spending more time than necessary on cleaning.



# Autolink. Hood and hob in perfect harmony.

If you want to live your passion even more intensely, imagine a hood whose suction can be tuned to your culinary renditions, without you even thinking about it...

This is the daring achievement of Autolink technology: the suction system and hood lighting are activated spontaneously as soon as the induction hob is switched on, via a simple infrared link. It adjusts its suction speed in total autonomy according to the programmed power of the cooking in progress, then it switches off automatically once the cooking is finished.

So all you have to do is focus on your culinary preparations with all due attention.



# Power equalling efficiency.

A place where everything comes together, the kitchen now breaks down barriers to open up to the dining room, living room and lounge. With capacities of up to 740m3/h, De Dietrich extractor hoods is part of this metamorphosis, ensuring efficient, regular renewal of ambient air in larger spaces.

## Sensor technology. An automatic hood, a virtuoso soloist!

To ensure the right suction power for the dish you are preparing, rely on your hood. Equipped with intelligent sensors, it switches on autonomously as soon as it detects heat and steam coming from the preparations in progress, and its speed adapts automatically to cooking intensity. It will stop working once the smoke has been expelled.

# A carefully thought-out design, and top-quality manufacturing.

De Dietrich has developed a collection of hoods that combine design, technology and functionality to the same high standard.

From the moment they are installed and for the rest of their lives, thanks to a cleverly designed fixing and adjustment system.

# LED lighting. To highlight your well-being.

De Dietrich has decided to fit its entire collection with this unique type of lighting, which uses almost 85% less electricity and lasts 20 times longer than an incandescent bulb.

Designed with elegance and with the aim of combining refinement and functionality, your De Dietrich hood is adorned with long integrated light strips. They will focus soft and powerful brightness on all your preparations in progress as well as ideal lighting when enjoying the meal.

# A subtle interpretation of comfort by De Dietrich.

#### Light intensity dimmer.

Enhancing its primary function, your cooker hood features a dimmer switch that allows you to personalise and perfect your kitchen lighting by simply flicking the command knobs.

#### Ambient lighting.

Warm colour or subdued atmosphere, neutral ambience, white light or daylight... the five levels of intensity available will help you modulate the ambient brightness to suit your needs and desires, with nuances and refinement.



# Hood with Plasma Filter. Maximum efficiency, absolute comfort.

De Dietrich's renewed challenge is to contribute to your well-being day after day, year after year, so as to achieve excellence.

This new collection of Plasma hoods, installed in recycling mode, requires very little attention to achieve their full effectiveness. The exceptional properties of the plasma filter and its unlimited lifespan (unlike the carbon filter) make it possible to reduce its environmental impact. Self-cleaning and long-lasting, it is composed of ions and activated carbon: a unique design which promotes suction and complete elimination of bad smells and airborne bacteria... so that all you get back is the delicious aroma of your dishes, to the delight of your senses.



# Hood with HEPA Filter. Feel the clean air all day, every day.

To ensure that your kitchen remains a real living space, for sharing and enjoying, De Dietrich has enhanced its range hoods with an ingenious air purifier. As soon as you feel the need to clean your kitchen, simply switch it on and the level of ambient air quality detected will be displayed on the control screen. Thanks to the HEPA filter, air will be regenerated, cleaned from the tiniest suspended particles (bacteria, dust and allergens, etc.). It will also protect the hood and its ducts from grease deposits and other dirt so as to optimize performance and minimize maintenance.

# Filter units. Power with style.

De Dietrich has developed new filter units inspired by the professional world. Their motor's ergonomics and power provide maximum suction efficiency. Odours, fats and vapours released during cooking are directed to the filters by a natural vacuum effect and will be eliminated once and for all. Although demonstrating remarkable efficiency, they are discreet and operate with utmost silence. In fact, they are integrated into a tall piece of furniture out of sight.



# Worktop hood. Suction and cooking perfectly in tune.

This object of luxury and elegance arouses rare emotions. Its innovative design provokes astonishment and admiration. Its distinctive feature is that it sits right next to the hob, revealing only a subtle, flat space made of deep black glass.

# Telescopic hoods. The utmost discretion.

The special feature of the telescopic hood is that it disappears under a wall cabinet, leaving nothing to show about its functional attributes. Its new self-compensating closing system ensures smooth, seamless operation..



#### Unrivalled technological mastery in an exceptional minimalistic design

Design and technology come together in the programming of our extractor hoods.

The new collection is testament to this: the elegant glass facade and copper-clad controller contribute to the stunning appearance of our new Black Heritage, Black Infinite, Inox Stellaire, ovens. Inspired by the innovations made to our De Dietrich ovens, hobs and dishwashers, various features are now available on many of the hoods in our collection.

#### ♦ Boost function.

When selected, this feature immediately sets the hood to work at maximum extraction speed for even greater efficiency when large amounts of odours and fumes are present.

#### Remote Control.

Direct suction even from a distance! Your hood's remote control features a very practical function, allowing you to switch it on, modulate its suction power or adjust its lighting intensity. The perfect way to give free rein to your conversations and dinners with friends.

#### ♦ Timer Function.

The purpose of this function is to remove fumes once and for all, and to rid the air of persistent fumes and fumes at the end of cooking. Your hood will continue to operate for the duration you have set, between ten and ninety minutes, to fully purify the air in the room.

#### Hoods with Brushless motor. Better efficiency. Better performance.

Requiring your hood to have both more character and style and more efficiency with the greatest discretion is no longer impossible.

Quiet and more robust, the Brushless motor it features offers the best efficiency in terms of suction performance and energy consumption. In this transformation of the cooking area more than ever dedicated to culinary arts, these exceptional qualities are now essential to the new De Dietrich art of living.

#### **MOTION CONTROL HOODS**

#### DHV4984B VERTICAL HOOD 90 CM

- Backlit electronic controls
- Energy labelling : A+
- On/Off, Boost, Delayed stop, Light
- Maximum airflow of 555m3/h
- Sound level (Standard re1 pW/DIN/EN 60704-2-13)
   Mini: 42dB(A), maxi: 64dB(A)
- Brushless motor
- 4 power levels including Boost
- Timer
- Mood lighting
- 1 LED strip, 8W
- 2 dishwasher safe aluminium grease filters
- Carbon filter FWND-185
- Installation for use in recycling mode



DHV4984B | BLACK





#### **MOTION CONTROL HOODS**

#### DHV4684B VERTICAL HOOD 60 CM



- Energy labelling : A+
- ◆ On/Off, Boost, Delayed stop, Light
- Maximum airflow of 555m3/h
- ◆ Sound level (Standard re1 pW/DIN/EN 60704-2-13) Mini: 41dB(A), maxi: 63dB(A)
- Brushless motor
- 4 power levels including Boost
- Timer
- Mood lighting
- ◆ 1 LED strip, 8W
- 1 dishwasher safe aluminium grease filter
- Carbon filter FWND-185
- Installation for use in recycling mode

DHV4684B | BLACK



#### DHB4984B BOX HOOD 90 CM

- Sensitive electronic controls
- Energy labelling : A+
- On/Off, Boost
- Maximum airflow of 540m3/h
- Sound level (Standard re1 pW/DIN/EN 60704-2-13)
   Mini: 42dB(A), maxi: 57dB(A)
- Brushless motor
- 3 power levels including Boost
- Timer
- Mood lighting
- 1 LED strip, 8W
- 2 hand washable aluminium grease filters
- Carbon filter FWK240
- Installation for use in extraction mode

#### MOTION CONTROL HOODS









#### **MOTION CONTROL HOODS**

#### **MOTION CONTROL HOODS**



DHB4684B | BLACK



#### DHB4684B BOX HOOD 60 CM

- Sensitive electronic controls
- Energy labelling : A+
- Boost, Light, Delayed stop
- Maximum airflow of 365m3/h
- Sound level (Standard re1 pW/DIN/EN 60704-2-13)
   Mini: 40dB(A), maxi: 58dB(A)
- Brushless motor
- 3 power levels including Boost
- Timer
- 2 x 4W LED lighting
- 2 dishwasher safe aluminium grease filters
- Carbon filter FWND-185
- Installation for use in extraction mode

#### DHG2684B CANOPY HOOD 55 CM

- Electronic controls
- Energy labelling: A Class
- Boost
- Maximum airflow of 470m3/h
- Sound level (Standard re1 pW/DIN/EN 60704-2-13)
   Mini: 43dB(A), maxi: 62dB(A)
- Brushless motor
- 3 power levels
- ◆ 1x 6W LED lighting
- 1 aluminium grease filter
- Carbon filter FWK385
- Installation for use in recycling mode



DHG2684B | BLACK







AUTO LINK HOODS



#### DHB49740B BOX SLIM HOOD 90 CM

- Sensitive electronic controls
- Energy labelling: A+ Class
- On/Off, Boost
- Maximum airflow of 545m3/h
- Sound level (Standard re1 pW/DIN/EN 60704-2-13)
   Mini: 42dB(A), maxi: 65dB(A)
- Brushless motor
- 4 power levels including Boost
- Timer
- Light intensity dimmer
- Mood lighting
- ◆ References of compatible induction hobs: DPI4442B / DPI4450G / DPI4441BT / DPI4830B / DPI4932BP / DPI4942B
- ◆ 1 LED strip, 9W
- 3 hand washable aluminium grease filters
- Carbon filter AHFC330
- Installation for use in extraction mode

#### DHB46740B BOX SLIM HOOD 60 CM

- Sensitive electronic controls
- Energy labelling: A+ Class
- Boost, Light, Delayed stop
- ◆ Maximum airflow of 530m3/h
- Sound level (Standard re1 pW/DIN/EN 60704-2-13)
   Mini: 45dB(A), maxi: 65dB(A)
- Brushless motor
- 3 power levels including Boost
- Timer
- Light intensity dimmer
- References of compatible induction hobs:
   DPI4442B / DPI4450G / DPI4441BT / DPI4830B /
   DPI4932BP / DPI4942B
- 2 x 3W LED lighting
- 2 dishwasher safe aluminium grease filters
- Carbon filter FWND-185
- Installation for use in extraction mode









#### **AUTO LINK HOODS**

#### VERTICAL HOODS WITH PLASMA FILTER



DHG4573B | BLACK



#### DHG4573B CANOPY HOOD 55 CM

- Electronic controls
- Energy labelling: A Class
- Boost
- Maximum airflow of 470m3/h
- Sound level (Standard re1 pW/DIN/EN 60704-2-13)
   Mini: 43dB(A), maxi: 62dB(A)
- Brushless motor
- 3 power levels including Boost
- Timer
- References of compatible induction hobs:
   DPI4442B / DPI4450G / DPI4441BT / DPI4830B /
   DPI4932BP / DPI4942B
- ◆ 1 LED strip, 6W
- 1 dishwasher safe aluminium grease filter
- Carbon filter FWK385
- Installation for use in recycling mode

#### DHV4973PB VERTICAL HOODS WITH PLASMA FILTER 90 CM

- Backlit electronic controls
- Energy labelling: A+ Class
- On/Off, Boost, Delayed stop, Light
- ◆ Maximum airflow of 540m3/h
- Sound level (Standard re1 pW/DIN/EN 60704-2-13)
   Mini: 40dB(A), maxi: 60dB(A)
- Brushless motor
- Plasma filter
- ◆ 4 power levels including Boost
- Timer
- Light intensity dimmer
- ◆ 1 LED strip, 7W
- 2 dishwasher safe aluminium grease filters
- Installation for use in recycling mode



DHV4973PB | BLACK







#### **VERTICAL HOODS**



DHV4974HB | BLACK



#### DHV4974HB VERTICAL HOODS WITH HEPA FILTER 90 CM

- Backlit electronic controls
- Energy labelling: A+ Class
- On/Off, Boost, Delayed stop, Light
- Maximum airflow of 550m3/h
- Sound level (Standard re1 pW/DIN/EN 60704-2-13)
   Mini: 40dB(A), maxi: 60dB(A)
- Brushless motor
- ◆ Hepa filter
- 4 power levels including Boost
- Timer
- Light intensity dimmer
- ◆ 1 LED strip, 7W
- 2 dishwasher safe aluminium grease filters
- Carbon filter FWND-185
- Installation for use in recycling mode

#### DHV4974B VERTICAL HOOD 90 CM

- ◆ Backlit electronic controls
- Energy labelling: A+ Class
- Delayed stop, Light, Boost, On/Off
- Maximum airflow of 550 m3/h
- Sound level (Standard re1 pW/DIN/EN 60704-2-13)
   Mini: 40dB(A), maxi: 60dB(A)
- Brushless motor
- ◆ 4 power levels including Boost
- Timer
- Light intensity dimmer
- ◆ 1 LED strip, 7W
- 2 dishwasher safe aluminium grease filters
- Carbon filter FWND-185
- Installation for use in recycling mode



DHV4974B | BLACK







**VERTICAL HOODS** 

#### **DOWNDRAFT HOODS**

# - + 3 • + De Dietrich

3

#### DHV4674B VERTICAL HOOD 60 CM

- ◆ Backlit electronic controls
- Energy labelling: A+ Class
- Delayed stop, Light, Boost, On/Off
- Maximum airflow of 550 m3/h
- Sound level (Standard re1 pW/DIN/EN 60704-2-13)
   Mini: 40dB(A), maxi: 60dB(A)
- Brushless motor
- 4 power levels including Boost
- ◆ Timer
- Light intensity dimmer
- ◆ 1 LED strip, 7W
- 2 dishwasher safe aluminium grease filters
- Carbon filter FWND-185
- Installation for use in recycling mode

#### DHD7261B DOWNDRAFT HOOD 120 CM

- Sensitive electronic controls
- Energy labelling: A Class
- On/Off, Boost, Delayed stop, Light
- Maximum airflow of 612m3/h
- Sound level (Standard re1 pW/DIN/EN 60704-2-13)
   Mini: 39dB(A), maxi: 58dB(A)
- ◆ 4 power levels including Boost
- Filter saturation indicator
- Compatible with a gas hob
- ◆ 1x 9W LED lighting
- 2 aluminium grease filters
- Carbon filter AK912AE1
- Installation for use in recycling mode



DHD7261B | INOX







DOWNDRAFT HOODS

BOX HOODS



#### DHD7961B DOWNDRAFT HOOD 86 CM

- Sensitive electronic controls
- Energy labelling: A Class
- ◆ On/Off, Boost, Delayed stop, Light
- Maximum airflow of 605m3/h
- ◆ Sound level (Standard re1 pW/DIN/EN 60704-2-13) Mini: 38dB(A), maxi: 61dB(A)
- ◆ 4 power levels including Boost
- Filter saturation indicator
- Compatible with a gas hob
- ◆ 1x 5W LED lighting
- 2 aluminium grease filters
- ◆ Recycling kit AK700AE1
- Installation for use in recycling mode

#### DHB4934W BOX HOOD 90 CM

- ◆ Rotator
- Energy labelling: A+ Class
- ◆ Boost, Light, On/Off
- ◆ Maximum airflow of 540m3/h
- Sound level (Standard re1 pW/DIN/EN 60704-2-13)
   Mini: 42dB(A), maxi: 65dB(A)
- Brushless motor
- ◆ 4 power levels including Boost
- Light intensity dimmer
- 2 x 4W LED lighting
- 3 dishwasher safe aluminium grease filters
- Carbon filter AHFC330
- Installation for use in extraction mode



DHB4934W | ETERNAL WHITE





DHB4934H | HERITAGE



DHB4934B | **INFINITE BLACK** 



DHB4934X | STELLAR STEEL





**BOX HOODS BOX HOODS** 



#### DHB4974B **BOX SLIM HOOD 90 CM**

- Sensitive electronic controls
- Energy labelling: A+ Class
- Boost, Light, Delayed Stop
- Maximum airflow of 540m3/h
- Sound level (Standard re1 pW/DIN/EN 60704-2-13) Mini: 42dB(A), maxi: 65dB(A)
- Brushless motor
- 3 power levels including Boost
- Timer
- Light intensity dimmer
- ◆ 2 x 4.5W LED lighting
- 3 dishwasher safe aluminium grease filters
- Carbon filter AHFC330
- Installation for use in extraction mode

#### DHB391BX **BOX SLIM HOOD 90 CM**

- Sensitive electronic controls
- Energy labelling: A+ Class
- Boost, Light, Delayed stop
- Maximum airflow of 535m3/h
- Sound level (Standard re1 pW/DIN/EN 60704-2-13) Mini: 45dB(A), maxi: 65dB(A)
- Brushless motor
- 3 power levels including Boost
- ◆ 2 x 4W LED lighting
- 3 dishwasher safe aluminium grease filters
- Carbon filter FWND-185
- Installation for use in extraction mode



DHB391BX | INOX







BOX HOODS



DHB4674B | BLACK



#### DHB4674B BOX SLIM HOOD 60 CM

- Sensitive electronic controls
- Energy labelling: A+ Class
- Boost, Light, Delayed stop
- Maximum airflow of 530m3/h
- Sound level (Standard re1 pW/DIN/EN 60704-2-13)
   Mini: 45dB(A), maxi: 65dB(A)
- Brushless motor
- 3 power levels including Boost
- Timer
- Light intensity dimmer
- 2 x 4W LED lighting
- 2 dishwasher safe aluminium grease filters
- Carbon filter FWK240
- Installation for use in extraction mode

#### DHB361BX BOX SLIM HOOD 60 CM

- Sensitive electronic controls
- Energy labelling: A+ Class
- Boost, Light, Delayed stop
- Maximum airflow of 530m3/h
- Sound level (Standard re1 pW/DIN/EN 60704-2-13)
   Mini: 45dB(A), maxi: 65dB(A)
- Brushless motor
- 3 power levels including Boost
- ◆ 2 x 4W LED lighting
- 2 dishwasher safe aluminium grease filters
- Carbon filter FWND-185
- Installation for use in extraction mode



DHB361BX | INOX





DHB4674X | INOX





ISLAND BOX HOOD

CEILING HOOD



DHI2963B | BLACK



#### DHI2963B ISLAND BOX HOOD 90 CM

- Electronic controls with display
- Energy labelling: A Class
- On/Off, Boost, Delayed stop
- Maximum airflow of 420m3/h
- ◆ Sound level (Standard re1 pW/DIN/EN 60704-2-13) Mini: 51dB(A), maxi: 62dB(A)
- 4 power levels including Boost
- Timer
- Light intensity dimmer
- Mood lighting
- 4 x 4W LED lighting
- 3 dishwasher safe aluminium grease filters
- Carbon filter FWK240
- Installation for use in extraction mode

#### DHL2993W CEILING HOOD 90 CM

- Remote Control
- Energy labelling: A Class
- On/Off, Delayed stop
- Maximum airflow of 450m3/h
- Sound level (Standard re1 pW/DIN/EN 60704-2-13)
   Mini: 44dB(A), maxi: 64dB(A)
- 3 power levels
- Independent lighting
- ◆ 2 x 5W LED lighting
- 2 aluminium grease filters
- Carbon filter



DHL2993W | WHITE





**PYRAMID HOOD** 

#### **TELESCOPIC HOODS**

## DHP2962BX | INOX

#### DHP2962BX PYRAMID HOOD 90 CM

- Electronic controls
- Energy labelling: B Class
- On/Off, Boost
- Maximum airflow of 570m3/h
- ◆ Sound level (Standard re1 pW/DIN/EN 60704-2-13) Mini: 52dB(A), maxi: 69dB(A)
- ◆ 4 power levels including Boost
- Independent lighting
- ◆ 2 x 2,5W LED lighting
- 3 inox grease filters
- Carbon filter DHK303AP1
- Installation for use in extraction mode

#### DHT3922X TELESCOPIC HOOD 90 CM

- Mechanical controls with cursor
- Energy labelling: B Class
- On/Off, Boost
- Maximum airflow of 425m3/h
- ◆ Sound level (Standard re1 pW/DIN/EN 60704-2-13) Mini: 57dB(A), maxi: 69dB(A)
- 3 power levels including Boost
- Independent lighting
- 2 x 2,5W LED lighting
- 2 aluminium grease filters
- Carbon filter AFC-36
- Installation for use in recycling mode



DHT3922X | INOX







TELESCOPIC HOODS

CANOPY HOOD



DHT3622X | INOX



#### DHT3622X TELESCOPIC HOOD 60 CM

- Mechanical controls with cursor
- Energy labelling: B Class
- On/Off, Boost
- Maximum airflow of 425m3/h
- ◆ Sound level (Standard re1 pW/DIN/EN 60704-2-13) Mini: 57dB(A), maxi: 69dB(A)
- 3 power levels including Boost
- ◆ Independent lighting
- 2 x 2,5W LED lighting
- ◆ 1 aluminium grease filter
- Carbon filter AFC-36
- Installation for use in recycling mode

#### DHG1542X CANOPY HOOD 52CM

- Electronic controls
- Energy labelling: B Class
- Delayed stop, Sensor, On/Off, Speed
- Maximum airflow of 550m3/h
- Sound level (Standard re1 pW/DIN/EN 60704-2-13)
   Mini: 49dB(A), maxi: 65dB(A)
- ◆ 4 power levels including Boost
- Independent lighting
- ◆ 1x 7W LED lighting
- ♦ 1 inox grease filter
- Recycling kit AFC-33
- Installation for use in recycling mode



DHG1542X | INOX









#### **HOOD INSTALLATION DIAGRAMS**


VERTICAL HOODS 90 CM DHV4984B / DHV4973PB / DHV4974HB / DHV4974B




347 min. 920 - max.1287 mi

VERTICAL HOODS 60 CM DHV4674B / DHV4684B






#### DOWNDRAFT HOOD 120 CM DHD7261B




#### DOWNDRAFT HOOD 86 CM DHD7961B




#### **HOOD INSTALLATION DIAGRAMS**


BOX HOODS 90 CM DHB4984B / DHB49740B / DHB4934W/H/B/X




BOX HOOD 60 CM DHB46740B



BOX SLIM HOODS 90 CM DHB4974B / DHB391BX




BOX SLIM HOODS 60 CM DHB4684B / DHB4674B / DHB361BX





#### **HOOD INSTALLATION DIAGRAMS**


#### ISLAND BOX HOOD 90 CM DHI2963B




#### PYRAMID HOOD 90 CM DHP2962BX









#### CEILING HOOD 90 CM DHL2993W



#### TELESCOPIC HOOD 90 CM DHT3922X







#### **HOOD INSTALLATION DIAGRAMS**

#### TELESCOPIC HOOD 60 CM DHT3622X









#### CANOPY HOOD 52 CM DHG1542X


90CM HOODS



#### ACCESSORIES

#### CANOPY HOODS 55 CM DHG2684B / DHG4573B





HOOD REFERENCES	CARBON FILTER REFERENCES
DHV4973PB	Plasma filter
DHV4974HB	FWND-185
DHV4974B	FWND-185
DHV4984B	FWND-185
DHB4984B	FWK240
DHB4934 H/B/X/W	AHFC330
DHB49740B	AHFC330
DHB4974B	AHFC330
DHI2963B	FWK240
DHB391BX	FWND-185
DHB4674B	-FWK240
DHP2962BX	DHK303AP1
DHT3922X	AFC-36
DHI 2993W	-

	HOOD REFERENCES	CARBON FILTER REFERENCES
	DHV4674B	FWND-185
	DHV4684B	FWND-185
	DHB46740B	FWND-185
	DHB4684B	FWND-185
60CM, 55CM AND 52CM HOODS	DHB361BX	FWND-185
	DHT3622X	AFC-36
	DHG2684B	FWK385
	DHG4573B	FWK385
	DHG1542X	AFC-33
	HOOD REFERENCES	CARBON FILTER REFERENCES
DOWNDRAFT HOODS         DHD7261B           DHD7961B         DHD7961B	DHD7261B	AK912AE1
	DHD7961B	AK700AE1

## WASHING

 $180 \bullet \text{ Dishwashers}$ 

 $187\,$  • 60cm Full Built-In Dishwashers - Tall Tub

 $189\,$  • 60cm Full Built-In Dishwashers

202 • 45cm Full Built-In Dishwashers

204 • 60cm Freestanding Washing Machine

205 • 60cm Full Built-in Washing Machine

206 • 60cm Full Built-in Tumble Dryer

207 • 60cm Full Built-in Washer Dryer





#### **DISHWASHERS**

There is a dishwasher in the De Dietrich Collection for every requirement.

They are created to the very highest standards: elegantly sophisticated, with a clever and spacious interior layout built to accommodate 13 place settings, and equipped with intelligent electronic programming for exceptional performance.

 $\Diamond$ 



## When aesthetics enhances function to play the perfect tune.

De Dietrich's built-in dishwashers feature a range of colours and materials, and a control panel that is perfectly in line with the rest of the cooking collection. The result is a range of highly stylish dishwashers that play their part in total harmony.

The fully built-in models only offer a completely smooth front, matching the kitchen units and concealing the controls on the edge of the door. Being invisible: the ultimate elegance for a De Dietrich appliance!

#### Eco-design by De Dietrich.

For many years, De Dietrich has offered products of outstanding quality and respect for the environment. This is evidenced by its Dishwashing Collection, whose models are rated between B and C for electricity consumption.



## ICS Technology. An intelligent dishwasher for optimum consumption.

This technology makes use of sensors which automatically detect the level of dirtiness. They accurately analyse the quantity of washing, decide on which washing, rinsing and drying cycles to use, and adjust the levels of water and energy consumption required throughout the cycle with the utmost precision, as well as the length of the washing cycle.

#### Quietness: an example of the art of living by De Dietrich.

If silence is one of your golden rules when it comes to choosing a dishwasher, you can be sure that De Dietrich has the same high standards. All of them have been designed to operate as quietly as possible to ensure your well-being, as demonstrated by these new 14 place settings models whose sound level is only 42 dB(A), one of the lowest on the market. A remarkably high discretion (a feature limited to certain models).



#### Ultrareal fascia: intuitive and smart.

Interact with your dishwasher as you would with a kitchen crew after service. The intuitive interface has been redesigned to make the most of its wide array of programmes and features. Its interactive screen displays greater readability and clarity.

The display shows programme and option selections with optimum visibility and clarity.



#### Smart Autodose: a more efficient use of detergent and time!

Your dishwasher is equipped with a new detergent box, accessible on the inner-door. It contains a removable interior box with a completely new design to accommodate the liquid detergent of your choice. Its capacity allows you to perform up to 15 washing cycles without having to repeat the operation everyday. Smart, it automatically delivers the right amount of detergent according to the programmed cycle. An ingenious and economical solution from every point of view.



#### Interior LED lighting: a new vision of comfort by De Dietrich.

Enjoy a perfect view of the washing space and all your crockery, even when it's getting dark...

De Dietrich once again proves its commitment to perfection and its acute sense of detail. Its dishwashers light up as soon as the door is opened. Strategically located LEDs provide optimum interior visibility to facilitate storage and unloading of your crockery.

And throughout the cycle, they will emit a subtle beam of light from the side of

the appliance to let you know it is running.



## PlusWash spraying system. Uncompromising high-end design & maximum washing quality.

Get the best out of your dishwasher and enjoy it fully without having to hand wash the dirtiest dishes... This is PlusWash bold challenge: an innovative spraying system designed to significantly optimize water spraying and washing performance. Its unique feature is the addition of a satellite arm to the main reel located at the bottom of the tank. Together, they perform a powerful and liberating round of water and detergent into the smallest nooks and crannies to reach the crockery wherever it is located, with all the force required to rid them of all traces of food residue, even the toughest ones. Combined with MasterWash or Auto programs, this technology guarantees optimal efficiency, while reducing cycle duration by four and saving 20% water and energy (vs. an Eco cycle). A talented duo to assist you with the greatest and most brilliant intelligence!



#### Lower rack and Clean Jets System.

Flexibility and modularity are the hallmarks of this irresistibly versatile lower rack. Its spikes fold down to accommodate more easily your large cooking utensils such as frying pans and saucepans.

Some models combine this space with an innovative spraying system dedicated to wine carafes or similar containers which can be difficult to wash. Perfectly held on the rack spikes when powerful jets of water are sprayed, their washing has never been so enjoyable and the result so impeccable.



#### Space optimization. A score with no wrong notes.

Pay tribute to culinary arts, be creative, mix styles and crockery... To give free rein to your culinary inspirations, these new dishwashers combine efficiency and ease of use on a daily basis. Providing flexibility, ingenuity and modular storage, while guaranteeing impeccable washing quality, the layout has been designed to accommodate your everyday crockery as well as you special tableware.



#### Dishwasher XXL for 16 place settings. Give all your tableware a new setting!

De Dietrich has designed this exceptional dishwasher for the most contemporary living spaces. With its extralarge dimensions, it fits seamlessly and in perfect harmony into kitchens with a central island and a raised worktop.

The interior layout has been carefully designed for unrivalled modularity. The flexibility of the lower and upper racks accommodates the largest cooking utensils as well as very large dishes - those 33cm diameter plates for example that you love to place on your table, wine carafes, crystal flutes, cups and saucers, long cutlery... Nothing stands in its way, leaving no room for compromise between machine and hand washing.



#### Third storage basket.

Dishwashers with 14 and 15 place settings are equipped with a third rack, dedicated to cutlery and cooking utensils. Sides slide out to make room for long stemmed glasses stored in the lower basket, ensuring that they are washed safely and perfectly.



#### Height-adjustable upper rack.

This system is very useful when you need more height for large dishes and other bulky utensils stored on the lower level.



#### Upper rack with Glidetech system.

For greater comfort, some models include a ball bearing system called Glidetech which allows very smooth handling of the upper rack when sliding out of the dishwasher.



#### Spotlight.

Spotlight informs you that the programme has finished by shedding an orange beam onto the floor.

## □ utomatic door opening: natural and economical drying.

To maximize drying efficiency, it is essential that hot, humid air is properly exhausted out of the dishwasher. This is the reason why De Dietrich imagined this automatic door opening function at the end of the cycle (declutching option). The operating time of your device is thus minimized, energy consumption reduced by 20% for optimal drying results!

## Aquablock: security for total peace of mind.

Enjoy complete protection with Aquablock, which comprises antioverspill and anti-leak systems, and an electrical water cut-off system.

#### Sliding Door.

Thanks to their sliding door system, De Dietrich dishwashers adapt easily and discreetly to all kitchen configurations.





#### A symphony of programs combining virtuosity and tempo.



**Intensive:** a programme designed to wash extremely dirty dishes more efficiently, and overcome even the stubbornest of stains on cooking utensils.



**Universal:** for dishes with a normal level of dirt, including slightly soiled pots, plates, glasses, and pans.

#### Eco

**Eco:** this 45°C wash cycle stands out as being the most efficient, in terms of both water and energy consumption.



**Glass:** a cycle suited to washing and drying fragile dishes, especially glasses.



**90 min:** 1 hour 30 minutes programme at 65°C designed to wash and dry a daily load of dishes with efficiency recognized by the A Label.

#### OPTI/

**OptiA 58 min:** quick program with impeccable results, ideal for normally soiled dishes requiring a fast washing and drying cycle.



**Quick:** a short cycle for lightly soiled dishes that require a quick wash



**Soak:** very short detergent-free cycle lasting 15 minutes, for pre-rinsing heavily soiled dishes or wetting them down before a wash scheduled for the next day or the day after.



**Enhanced Wash:** an option that improves the cleaning of very dirty dishes, characterized by a higher temperature during the main wash and an additional rinse cycle.



**Enhanced Drying:** to improve the drying efficiency, the Extra Drying option increases the temperature during the final rinse and extends the drying phase.



**Energy saving:** an option that reduces consumption for smaller loads of dishes.



Half-Load Program: this feature allows you to run the dishwasher without waiting for it to be full. Simply load your dishes into either the upper or lower rack and select the 'Upper Rack' or 'Lower Rack' button, enabling the appliance to efficiently target its cleaning action with an economical approach.



**Self-Cleaning:** carried out empty and at very high temperature, this cycle sanitizes the entire structure of your machine (walls, racks, reels and filters) to always accommodate the crockery in a perfectly clean and healthy environment.



Night silence: a dream programme when energy prices are dropping. At a very low temperature over a longer period than a conventional cycle, it ensures perfect washing in all circumstances. Particularly quiet and economical at night, it's perfect for everyday dishwashing, leaving you with spotless crockery the next morning.



Hygiene 70°C: designed specifically for dishes requiring rigorous cleanliness, such as baby bottles. It operates at a very high temperature during the main wash and final rinse cycle to sterilize, eliminating 99.9% of germs and viruses, and preventing their proliferation on porous utensils like cutting boards. An excellent antibacterial treatment!



MasterWash: exclusive to De Dietrich. Select with confidence this unique program, combining gentle washing to preserve your delicate crockery, glasses or cutlery stored in the upper rack with intensive cleaning of the dirtiest dishes and cooking utensils placed in the lower rack.



**Steam Wash:** exclusive to De Dietrich. Forget 'hand-prewash'. This program includes a 10-minute steam phase at the beginning of the cycle. Its action helps remove resistant dirt and eliminate 99.9% of bacteria from your

#### 60 CM DISHWASHER - TALL TUB

#### DCJ632DQB FULL BUILT-IN - TALL TUB

- Induction motor
- 16 place settings
- Energy efficiency class B
- ♦ 42 dB (A)
- ◆ Consumption: 9.3L/cycle
- Delayed start up to 24 hours with remaining time
- 9 programmes: ICS+, Hygiene Plus, Night silence, Eco, 90 min, Prewash, Tank cleaning, Wash & Dry 55 Min, Rapid 35 min
- ♦ Options: Half load, Express, Drying plus, Clean Jet system
- 6 Temperatures
- Drying System: Natural convection
- Automatic door opening for drying
- End of Cycle Indicator: Spotlight and audible beep
- Salt and rinsing warning lights
- 3rd basket
- Height adjustable upper basket
- Upper basket with folding support
- Modulable lower basket
- Safety Features: Overflow protection + Anti-leak + Aquablock
- ◆ Built-in dimensions: H 860 910 mm x W 600 mm x D 580 mm



DCJ632DQB

#### ICS+ Intelligent Control System:

Thanks to sensors, this programme adapts all the washing parameters (duration, water, temperature) throughout the cycle and according to the quantity of dishes and level of dirtiness.



#### **60 CM DISHWASHER - TALL TUB**

#### **60 CM DISHWASHER**



DCJ632DQX

#### DCJ632DQX FULL BUILT-IN - TALL TUB

- Induction motor
- 16 place settings
- Energy efficiency class C
- ◆ 42 dB (A)
- ◆ Consumption: 9.5L/cycle
- ◆ Delayed start up to 24 hours with remaining time
- 9 programmes: ICS+, Hygiene Plus, Night silence, Eco, 90 min, Prewash, Tank cleaning, Wash & Dry 55 Min, Rapid 35 min
- ◆ Options: Half load, Express, Drying plus, Clean jet system
- 6 Temperatures
- Drying System: Natural convection
- Automatic door opening for drying
- End of Cycle Indicator: Spotlight and audible beep
- Salt and rinsing warning lights
- 3 rd basket
- Height adjustable upper basket
- Modulable lower basket
- ◆ Safety Features: Overflow protection + Anti-leak
- Built-in dimensions: H 860 910 mm x W 600 mm x D 580 mm

#### DCJ532DQX FULL BUILT-IN

- Inverter induction motor
- 15 place settings
- Energy efficiency class C
- 42 dB (A)
- Consumption: 9.8L/cycle
- Delayed start up to 24 hours with remaining time
- 8 programmes: Intensive, Eco, ICS+, 90 min, Rapid 30 min, Glass, Universal, Prewash
- Options: Half load with choice of upper or lower zone, Express, Drying plus, Boost, Energy saving
- 5 Temperatures
- Drying System: Natural convection
- Automatic door opening for drying
- End of Cycle Indicator: Spotlight and audible beep
- Salt and rinsing warning lights
- 3rd basket
- Height adjustable upper basket
- Modulable lower basket
- Safety Features: Overflow protection + Anti-leak + Aquablock
- ◆ Built-in dimensions: H 820 870 mm x W 600 mm x D 580 mm



DCJ532DQX

#### Clean Jet System:

A new nozzle system integrated into the upper basket spraying water directly to the bottom of glasses and wine decanters, delivering bright shining results.



#### Inverter induction motor:

The induction motor is controlled by an electronic inverter, allowing precise speed regulation. As a result, it is more efficient, quieter and more robust.



#### **60 CM DISHWASHER**



DCJ534DQX

#### DCJ534DQX FULL BUILT-IN

- ◆ Inverter Induction motor
- 15 place settings
- Energy efficiency class C
- ♦ 44 dB (A)
- ◆ Consumption: 9.8L/cycle
- ◆ Delayed start up to 24 hours with remaining time
- 8 programmes: Intensive, Eco, ICS+, 90 min, Rapid 30 min, Glass, Universal, Prewash
- Options: Half load with choice of upper or lower zone, Express, Drying plus, Boost, Energy saving
- 5 Temperatures
- Drying System: Natural convection
- Automatic door opening for drying
- End of Cycle Indicator: Spotlight and audible beep
- Salt and rinsing warning lights
- 3rd basket
- Height adjustable upper basket
- Modulable lower basket
- Safety Features: Overflow protection + Anti-leak + Aquablock
- ◆ Built-in dimensions: H 820 870 mm x W 600 mm x D 580 mm

#### DDFI532QB FULL BUILT-IN - SLIDING DOOR

- Induction motor
- 15 place settings
- Energy efficiency class D
- 42 dB (A)
- Consumption: 9L/cycle
- Delayed start up to 19 hours with remaining time
- 9 programmes: Auto, Rapid 30 min, Fragile, Hygiene Plus, Intensive, Eco
- Options: Half load, Drying plus, Energy saving, Delayed start
- 6 Temperatures
- Drying System: Natural convection
- Automatic door opening for drying, disengageable door
- End of Cycle Indicator: Spotlight and audible beep
- Salt and rinsing warning lights
- 3rd basket
- Height adjustable upper basket
- Modulable lower basket
- ◆ Safety Features: Aquablock
- ◆ Built-in dimensions: H 820 870 mm x W 600 mm x D 580 mm



DDFI532QB

#### 15 Place-setting:

Your dishwasher has an even bigger capacity thanks to its 3rd very ingenious basket. This drawer dedicated to the wash of flatware is ergonomic and completely flexible; it allows to free space for stemmed glasses.




#### Auto Open Door Disconnect:

Possibility to disconnect the automatic door opening system to protect any type of work surface..









DV1434QJ

#### DV1434QJ FULL BUILT-IN

- Induction motor
- 15 place settings
- Energy efficiency class D
- 44 dB (A)
- Consumption: 9L/cycle
- ◆ Delayed start up to 19 hours with remaining time
- ◆ 8 programmes: Masterwash, ICS+, Hygiene Plus, Eco, Express 14 min, Rapid 30 min, Steam wash, Super 50 mn
- Options: Half load, Drying plus, Delayed start, Express, Night silence
- 6 Temperatures
- Air-vented drying system
- End of Cycle Indicator: Spotlight and audible beep
- Salt and rinsing warning lights
- 3rd basket
- Height adjustable upper basket
- Modulable lower basket
- ◆ Safety Features: Overflow protection + Anti-leak
- $\bullet\,$  Built-in dimensions: H 820 870 mm x W 600 mm x D 580 mm

#### DBJ434DQA FULL BUILT-IN - SLIDING DOOR

- Induction motor
- 14 place settings
- Energy efficiency class B
- 42 dB (A)
- Consumption: 9,8L/cycle
- Delayed start up to 24 hours with remaining time
- 7 programmes: Auto, Eco, Hygiene Plus, Fragile, Night silence, Rapid 30 min. Soak
- Options : Boost, Express, Alternative wash, Autodose
- 5 Temperatures
- Drying System: Natural convection
- Automatic door opening for drying, disengageable door
- End of Cycle Indicator: Spotlight and audible beep
- Salt and rinsing warning lights
- 3rd basket
- Height adjustable upper basket
- Modulable lower basket
- Safety Features: Overflow protection + Anti-leak + Aquablock
- ◆ Built-in dimensions: H 820 870 mm x W 600 mm x D 580 mm



DBJ434DQA

#### Steam Wash programme:

An exclusive programme that integrates during wash cycle 10 minutes steam phase to improve dirt removal and help the elimination of bacteria.



#### Autodose:

By adjusting the right amount of washing-up liquid according to how dirty the dishes are, Autodose helps to limit detergent consumption and reduce pollutant emissions.



#### **60 CM DISHWASHER**



DBJ422DQX

#### DBJ422DQX FULL BUILT-IN - SLIDING DOOR

- Induction motor
- 14 place settings
- Energy efficiency class B
- ◆ 42 dB (A)
- Consumption: 9,8L/cycle
- ◆ Delayed start up to 24 hours with remaining time
- 8 programmes: Intensive, Eco, ICS+, 90 min, Rapid 30 min, Glass, Universal, Prewash
- ◆ Options: Half load, Express, Boost, Energy saving
- 5 Temperatures
- Drying System: Natural convection
- Automatic door opening for drying, disengageable door
- ◆ End of Cycle Indicator: Spotlight and audible beep
- Salt and rinsing warning lights
- Height adjustable upper basket
- Modulable lower basket
- Safety Features: Overflow protection + Anti-leak + Aquablock
- Built-in dimensions: H 820 870 mm x W 600 mm x D 580 mm

#### DCJ434DB FULL BUILT-IN - SLIDING DOOR

- Standard motor
- 14 place settings
- Energy efficiency class C
- 42 dB (A)
- Consumption: 9,8L/cycle
- Delayed start up to 24 hours with remaining time
- 7 programmes: Auto, Eco, Fragile, Hygiene Plus, Night silence, Soak, Rapid 30 min
- Options: Express, Boost, Alternative wash
- 5 Temperatures
- Drying System: Natural convection
- Automatic door opening for drying, disengageable door
- End of Cycle Indicator: Spotlight and audible beep
- Salt and rinsing warning lights
- 3rd basket
- Height adjustable upper basket
- Modulable lower basket
- Safety Features: Overflow protection + Anti-leak + Aquablock
- ◆ Built-in dimensions: H 820 870 mm x W 600 mm x D 580 mm



DCJ434DB

#### 42dB:

With 42 dB(A) noise level only, your dishwasher can make itself very quiet.



#### Hygiene +:

High temperature programme to guarantee more efficient bacteria elimination.



#### **60 CM DISHWASHER**



DCJ422QSX

#### DCJ422QSX FULL BUILT-IN - SLIDING DOOR

- Induction motor
- 14 place settings
- Energy efficiency class C
- ◆ 42 dB (A)
- Consumption: 9,8L/cycle
- ◆ Delayed start up to 24 hours with remaining time
- 8 programmes: Intensive, Eco, ICS+, 90 min, Rapid 30 min, Glass, Universal, Prewash
- Options: Half load, Express, Drying Plus, Boost, Energy saving
- 5 Temperatures
- Drying System: Natural convection
- Automatic door opening for drying
- End of Cycle Indicator: Spotlight and audible beep
- Salt and rinsing warning lights
- Mini sliding basket
- Height adjustable upper basket
- Modulable lower basket
- Safety Features: Overflow protection + Anti-leak + Aquablock
- ◆ Built-in dimensions: H 820 870 mm x W 600 mm x D 580 mm

#### DCJ424DQX FULL BUILT-IN

- Inverter Induction motor
- 14 place settings
- Energy efficiency class C
- 44 dB (A)
- Consumption: 9,8L/cycle
- Delayed start up to 24 hours with remaining time
- 8 programmes: Intensive, Eco, ICS+, 90 min, Rapid 30 min, Glass, Universal, Prewash
- Options: Half load, Express, Drying Plus, Boost, Energy saving
- 5 Temperatures
- Drying System: Natural convection
- Automatic door opening for drying
- End of Cycle Indicator: Spotlight and audible beep
- Salt and rinsing warning lights
- Height adjustable upper basket
- Modulable lower basket
- Safety Features: Overflow protection + Anti-leak + Aquablock
- ◆ Built-in dimensions: H 820 870 mm x W 600 mm x D 580 mm



DCJ424DQX

#### Mini sliding basket:

A small rack that can slide freely on top of the upper basket. A smart solution to load your dishwasher with more flexibility.



#### Auto open door:

For natural, more efficient, more economical and faster drying.







KDLV434SJ

#### KDLV434SJ FULL BUILT-IN - SLIDING DOOR

- Standard motor
- 14 place settings
- Energy efficiency class C
- ♦ 44 dB (A)
- Consumption: 9,8L/cycle
- Delayed start: 3h/6h/9h/12h
- 6 programmes: Intensive, Eco, ICS+, Rapid 30min, Glass, Express 58min
- Options: Half load with choice of upper or lower zone, Express, Drying Plus, Boost, Energy saving
- 4 Temperatures
- Drying System: Natural convection
- Automatic door opening for drying, disengageable door
- End of Cycle Indicator: Spotlight and audible beep
- Salt and rinsing warning lights
- Small sliding 3rd basket
- Height adjustable upper basket
- Modulable lower basket
- ◆ Safety Features: Overflow protection + Anti-leak
- Built-in dimensions: H 820 870 mm x W 600 mm x D 580 mm

#### DKFI44QSB FULL BUILT-IN

- Inverter induction motor
- 14 place settings
- Energy efficiency class D
- 44 dB (A)
- Consumption: 9L/cycle
- Delayed start up to 19 hours with remaining time
- ◆ 8 programmes: Masterwash, ICS+, Hygiene Plus, Eco, Express 14 min, Rapid 30 min, Steam wash, Super 50 mn
- Options: Delayed start, Half load, Express, Night silence, Drying Plus
- 6 Temperatures
- Air-vented drying system
- End of Cycle Indicator: Spotlight and audible beep
- Salt and rinsing warning lights
- Height adjustable upper basket
- Modulable lower basket
- ◆ Safety Features: Overflow protection + Anti-leak
- ◆ Built-in dimensions: H 820 870 mm x W 600 mm x D 580 mm



DKFI44QSB

#### Sliding door:

For all types of installation in your kitchen.



#### Turbo Fan:

The fan ensures the circulation of the air, allowing vapor dissipation and avoiding any traces of water at the end of the cycle.



#### **60 CM DISHWASHER**



DVC1434J2

#### DVC1434J2 FULL BUILT-IN

- Standard motor
- 14 place settings
- Energy efficiency class D
- ♦ 44 dB (A)
- Consumption: 10L/cycle
- Delayed start up to 12 hours
- 6 programmes: Intensive, Eco, ICS+, 60 min, Rapid 30 min, Glass
- Options: Half load
- 4 Temperatures
- Drying System: Natural convection
- Automatic door opening for drying
- End of Cycle Indicator: Spotlight and audible beep
- Salt and rinsing warning lights
- 3rd basket
- Height adjustable upper basket
- Modulable lower basket
- Safety Features: Overflow protection + Anti-leak + Aquablock
- Built-in dimensions: H 820 870 mm x W 600 mm x D 580 mm

#### KDLV326J2 FULL BUILT-IN

- Standard motor
- 13 place settings
- Energy efficiency class D
- 45 dB (A)
- Consumption: 10L/cycle
- Delayed start up to 12 hours
- 6 programmes: Intensive, Eco, Auto, 60 min, Rapid 30 min, Glass
- Options: Half load
- 4 Temperatures
- Drying System: Natural convection
- Automatic door opening for drying
- End of Cycle Indicator: Spotlight and audible beep
- Salt and rinsing warning lights
- Height adjustable upper basket
- Modulable lower basket
- ◆ Safety Features: Overflow protection + Anti-leak
- ◆ Built-in dimensions: H 820 870 mm x W 600 mm x D 580 mm



KDLV326J2

#### 14 place settings:

3 racks Thanks to its third rack, which can be adjusted to a halfrack version with a single slide of the hand, your dishwasher can optimise your loads according to your needs. Your flute glasses can be washed at the same time as large pots and pans.



#### Auto Programme:

A single button guarantees a perfect washing result thanks to the automatic recommendation of the best suited programme and according to dishes dirtiness.



#### **DISHWASHER INSTALLATION DIAGRAMS**



DV301044J

#### DV301044J FULL BUILT-IN


- Standard motor
- 10 place settings
- Energy efficiency class C
- 44 dB (A)
- Consumption: 8,5L/cycle
- ◆ Delayed start up to 24 hours with remaining time
- 8 programmes: Intensive, Eco, ICS+, 90 min, Rapid 30 min, Glass, Universal, Prewash
- Options: Half load, Drying Plus, Boost, Express, Energy saving
- 4 Temperatures
- Drying System: Natural convection
- Automatic door opening for drying
- End of Cycle Indicator: Spotlight and audible beep
- Salt and rinsing warning lights
- Height adjustable upper basket
- Modulable lower basket
- Safety Features: Overflow protection + Anti-leak + Aquablock
- Built-in dimensions: H 820 870 mm x W 450 mm x D 575 mm

#### DV301044J


FULL BUILT-IN MODEL 45CM

FULL BUILT-IN HIGH SIZE MODEL 60CM


DCJ632DQB / DCJ632DQX



FULL BUILT-IN MODEL 60CM DDFI532QB / DBJ434DQA / DBJ422DQX / DCJ434DB / DCJ422QSX / DKLV4432J



FULL BUILT-IN MODEL 45CM DCJ532DQX / DCJ534DQX / DV1434QJ / DCJ424DQX / DKFI44QSB / DVC1434J2 / KDLV3326J2 / DV301044J



#### Delayed star:

Delay washing cycle for better comfort and ease of-use.



**60CM WASHING MACHINE** 

#### **60CM WASHING MACHINE**



DWF394QWE

#### DWF394QWE FREESTANDING

- Capacity: 9 kg
- Spin speed: 1400rpm/min
- Energy efficiency class A
- Water consumption 50 L/cycle
- ◆ Noise level class when spinning: C
- Digits Display
- Automatic variable capacity
- 15 programmes: Rapid 60 min, Rapid 15 min, Hygiene, Jeans programme, Eco 40, 60, Colours, Cotton, 20°C, Intensive, Mixed, Wool, Rinse / Spin, Spinning, Sport, Hand
- Options: Delayed start, Steam, Rinsing+, Prewash, Antiallergy, Quickwash, Eco Wash
- ◆ Delayed start up to 23 hours with remaining time
- Stainless steel drum
- Antioverflow, balance control system and child safety features
- ◆ Dimensions: H 845 mm x W 597 mm x D 582 mm

#### DWF484QJE FULL BUILT-IN

- Capacity: 8 kg
- Spin speed: 1400rpm/min
- Energy efficiency class A
- Water consumption: 48 L/cycle
- ♦ Noise level: 76 dB
- Digits Display
- Automatic variable capacity
- ◆ 15 programmes: Cotton, Eco 40-60, Intensive, 20°C, Colours, Wool, Rinsing, Hygiene, Rinse / Spin, Handwash, Sport, Mixed, Jeans, Rapid 60 min, Rapid 15 min
- Options: Delayed start, Soiling level, Prewash, Rinsing+, Easy iron, Anti-allergy, Quick wash
- Delayed start up to 23 hours with remaining time
- Stainless steel drum
- Antioverflow, balance control system and child safety features
- Dimensions: H 817 mm x W 597 mm x D 544 mm



DWF484QJE

#### Autodose:

By dosing the right amount of liquid detergent and fabric softener according to the type, quantity and level of soiling of the clothes, Autodose helps to protect clothes, limit detergent consumption, and reduce polluting emissions.



#### A-class:

With the best energy rating on the market, this appliance helps you reduce your energy consumption while guaranteeing perfect wash quality.



**60CM TUMBLE DRYER** 

#### **60CM WASHER DRYER**



DDF394HWE

#### DDF394HWE FULL BUILT-IN

- Capacity: 9 kg
- Energy efficiency class A+++
- ◆ Noise level: 65 dB (A)
- Digits Display
- 15 programmes: Outdoor, Rapid 45 min, Hygiene, Shirts 30 min, Refresh, Wool, Mixed, Duvet, Baby clothes, Bed Linen, Cupboard-dry synthetics, Cupboard-dry cotton, Delicate, Drying timer, Night
- Options: Drying time, Delayed start, Delicate, Energy Efficiency Bar, Silence Dry, Anti crease
- ◆ Delayed start up to 23 hours with remaining time
- Stainless steel drum
- Full tub and child safety features
- ◆ Dimensions: H 845 mm x W 596 mm x D 609 mm

#### DWD485QJE FULL BUILT-IN

- Capacity: 8 kg
- Spin speed: 1400rpm/min
- Energy efficiency class A
- Water consumption: 48 L/cycle
- ◆ Noise level: 75 dB
- Digits Display
- Automatic variable capacity
- ◆ 15 programmes: Eco 40-60, Cotton, 20°C, Synthetics, Wool, Bedding, Rinse / Spin, Hygiene, Rapid 60 min, Mixed drying, Cotton drying, Washing + drying
- Options: Add laundry, Prewash, Rinsing+, Easy iron, Hygiene
- Delayed start up to 23 hours with remaining time
- Stainless steel drum
- Balance control system
- Dimensions: H 817 mm x W 597 mm x D 544 mm



DWD485QJE

#### **Heat Pump:**

The heat pump technology allows an efficient drying laundry while limiting energy consumption.




#### Maxi opening:

Equiped with a maxi porthole together with an extra large 33cm opening, your washer dryer will allow you to load and unload your laundry very easily.



#### **INSTALLATION DIAGRAM**

#### FULL BUILT-IN WASHING MACHINE/ WASHER DRYER DWF484QJE / DWD485QJE



## COOLING

- 212 Refrigerators
- $216\,$  Built-in Fridges-Freezers
- 220 Built-in Larder Single doors
- 227 Built-in Single doors
- 230 Built-in Upright freezers
- 233 Freestanding Multi-Door
- 234 Freestanding Fridges-Freezers
- $243\,$  Built-under Wine Aging Cellar
- 245 Built-in Wine Service Cellar





#### REFRIGERATORS

With high standards in preserving the freshness and flavour of your food, along with generous storage space, De Dietrich refrigeration showcases a variety of subtleties.

Glass transparency matches the metallic accents of accessories, with intelligently laid-out space and electronically controlled temperatures. De Dietrich refrigerators and freezers blend naturally into the kitchen, the ultimate living space.





#### The best of uncompromising refrigeration.

Give more impetus to your culinary creativity, by surrounding yourself with the very best, in complete and utter confidence... That's the raison d'être of this new collection of refrigerators and freezers in which De Dietrich reveals its perfect mastery of refrigeration.

#### No Frost technology.

Its integrated ventilation column propels dry and cold air, ensuring a perfect and even temperature ideally distributed throughout the refrigerator or freezer. Keeping the food fresh longer, it extends the pleasure of enjoying it up to three times longer, prevents the frost from freezing, and puts an end to freezer defrosting.

#### Dynamic cooling.

Unlike static cooling, dynamic cooling constantly circulates humid air, ensuring ideal preservation for all dishes, regardless of where they are stored on the shelf.

#### ♦ Some models combine these two technologies so that you no longer have to hesitate between dynamic cooling and No Frost.

This ingenious solution allows you to preserve and freeze even the most delicate dishes by the book, without the need for defrosting. Each compartment is independently cooled, so you can return to the ideal temperature twice as quickly after opening the door to preserve and secure all your stored food.



#### Masterfully controlled refrigeration.

Stringent food preservation is a major concern for you, as it is for De Dietrich. The **electronic management and regulation of temperature**, controlled by an integrated probe, provide the precise reliability required to guarantee optimum storage and freezing conditions.

Several models offer two 'Super cooling' and 'Super Freezing' features. If you promised your parents that during their next visit they would enjoy both the fresh produce from the garden and those gorgeous free-range chickens they brought you, make sure you activate these two functions beforehand to boost temperature recovery and preserve all their flavours.



#### Refrigeration by De Dietrich: combining know-how and good manners.

Welcome your guests as they deserve and treat them to a meal with dishes that are selected and varied, tasty and delicate, impeccably fresh and of great taste and nutritional quality,...

With De Dietrich, improvising is not on the agenda. The brand has designed a collection that reconciles all your conservation requirements with ingenious and refined spaces that you will enjoy arranging. No one remains unmoved before such perfection! Make up your own mind...

#### Interior design. A beautiful orchestration.

An ode to metal and chrome finishes and to glass and light! De Dietrich skilfully combines refinement and creativity to enhance the interior design of its refrigerators and reveal how qualitative and functional are their many components.



♦ Such as **Metal Cooling**, the refrigerator's rear wall coated with stainless steel. But don't be mistaken: while the unique aesthetics and ambient comfort prevail, its primary mission is to help maintain temperatures in the compartment and optimise the preservation of fragile and delicate products, such as fish or meat.



♦ Integrated LED lighting on the side walls (depending on models) shines a light on the elegance of the space dedicated to food storing. Highly energy-efficient, it provides maximum visibility on everything stored inside.



♦ Glass shelves are elegant, stable and hygienic. One of them features a chrome hoop, providing ingenious additional space for your bottles.

◆ Same approach for the inner door, equipped with numerous modular door balconies with chrome finishes. The Smart System balcony notably provides six different heights for arranging condiment bottles, delicatessen products or jam jars.



#### Dedicated spaces: a music score without any wrong notes.

To pay tribute to culinary art, trust your De Dietrich refrigerator.

Maximizing interior space, managing temperature and optimizing the freshness of various foods: this is the role played by the many dedicated pieces of equipment, cleverly located in the appropriate cold zone, so as to preserve each of your products. Guaranteeing your well-being, they also demonstrate their ingenuity in tune with your lifestyle and consumer habits.




♦ A special dairy box slides out from under the shelf; ensuring optimum storage conditions without spreading odours, it is intended in particular to cheese and butter.



♦ Fresh food compartments are equipped with a small 'Ultra fresh' activated charcoal box that keeps fresh food and catering dishes up to three times longer, and preserves their flavour and nutritional quality.



◆ The crisper is equipped with a humidity control to provide the best and most suitable environment for your fruit, salads and early vegetables.



♦ As far as cold beverages are concerned, with 'Beverage Cooler', you benefit from an optimized space, hidden under the crisper, to store and retrieve small bottles and cans that will always be as fresh as desired.



♦ Twist Ice is the easiest way to get ice cubes quickly: it features a dedicated compartment for making ice cubes and a removable container for easy collecting and, above all, storing large quantities in advance (on some De Dietrich refrigerators and freezers).

#### De Dietrich freezers are as functional as refrigerators.



**Big Box** for instance is a large capacity compartment designed to provide even more generous and efficient storage for bulky frozen foods.



The **Sliding Tray system** will undoubtedly transform the way you reach all stored products (pizza, condiments, frozen ready-made dishes, etc.).

**BUILT-IN FRIDGE FREEZER** 

#### **BUILT-IN FRIDGE FREEZER**

## BRUITAVEGETARIES MOISTURE ZONE 15 . 2 FREEZE ZONE FREEZE ZONE

DRC9455EN

#### DRC9455EN BUILT-IN FRIDGE FREEZER

- Integrated fridge freezer 300 litres
- ◆ Energy labelling: E Class
- Cabinet height 194cm
- Sliding system fixing
- LED lighting
- ◆ Climate class SN-T
- Noise level: 35 dB (A)
- Consumption: 245kW / year
- ◆ Built-in dimensions: H 1945 mm x W 564 mm x D 570 mm
- ♦ Fridge 213L
- No Frost
- 2 functions: Refrigerator booster, Holidays
- Automatic defrost
- 3 safety glass shelves
- 2 vegetable drawers
- ◆ 1 Fresh Zone
- 1 bottle holder
- Egg tray
- 3 door shelves
- 1 bottle door shelf
- ◆ Freezer 87L
- No Frost
- Function: Freezer booster
- Automatic defrost
- 1 sliding tray
- 2 drawers
- ♦ 1 ice cube tray
- Freezing capacity 6kg/24h
- Freezer autonomy 9h

#### Crisper with adjustable humidity:

For better preservation of fruits and vegetables, you can adjust the humidity inside the crisper.



#### DRC1775EN BUILT-IN FRIDGE FREEZER

- Integrated fridge freezer 242 litres
- Energy labelling: E Class
- Cabinet height 177cm
- Sliding system fixing
- LED lighting
- Climate class T
- ◆ Noise level: 39 dB (A)
- Consumption: 218kW/year
- ◆ Built-in dimensions: H 1770 mm x W 560 mm x D 560 mm
- Fridge 179l
- 4 functions: Refrigerator booster, Eco, Drink Cool Mode, Holidays
- Automatic defrost
- 3 safety glass shelves
- 1 vegetable drawer
- ◆ 1 Maxi Fresh Preserver
- 1 bottle holder
- ◆ 1 cheese box
- Egg tray
- 3 door shelves
- ◆ 1 bottle door shelf
- Freezer 63L
- No Frost
- Freezer booster
- Automatic defrost
- 2 drawers
- ♦ 1 ice cube tray
- Freezing capacity 3,3kg/24h
- Freezer autonomy 8h



DRC1775EN

#### Ultrafresh:

The Ultrafresh is an activated carbon filter that captures bad odors and absorbs ethylene gas. This way, your fruits and vegetables will be preserved up to 3 times longer.



**BUILT-IN FRIDGE FREEZER** 

#### **BUILT-IN FRIDGE FREEZER**

#### DRC1775ED BUILT-IN FRIDGE FREEZER

- Integrated fridge freezer 242 litres
- Energy labelling: E Class
- Cabinet height 177cm
- Fixed assembly with hinge hole
- LED lighting
- Climate class T
- Noise level: 41 dB (A)
- Consumption: 218kW/year
- ◆ Built-in dimensions: H 1770 mm x W 560 mm x D 560 mm
- Fridge 179L
- 4 functions: Refrigerator booster, Eco, Drink Cool Mode, Holidays
- Automatic defrost
- 3 safety glass shelves
- ◆ 1 vegetable drawer
- Ultrafresh
- 1 bottle holder
- ♦ 1 cheese box
- Egg tray
- 3 door shelves
- 1 bottle door shelf
- ◆ Freezer 63L
- Freezer booster
- Automatic defrost
- 3 drawers
- ♦ 1 shelf
- 1 ice cube tray
- Freezing capacity 3,3kg/24h
- Freezer autonomy 8h

#### Practical and precise interior electronics:

This electronic inside your fridge allows you to adjust the temperature precisely for more safety.





# DRC1771EN BUILT-IN FRIDGE FREEZER

- Integrated fridge freezer 242 litres
- Energy labelling: E Class
- Cabinet height 177cm
- Sliding system fixing
- LED lighting
- Climate class T
- Noise level: 39 dB (A)
- Consumption: 218kW/year
- ◆ Built-in dimensions: H 1770 mm x W 560 mm x D 560 mm
- Fridge 179L
- Automatic defrost
- 3 safety glass shelves
- 1 vegetable drawer
- Ultrafresh
- 1 bottle holder
- 1 cheese box
- Egg tray
- 3 door shelves
- ◆ 1 bottle door shelf
- ◆ Freezer 63L
- Automatic defrost
- 2 drawers
- ♦ 1 shelf
- 1 ice cube tray
- Freezing capacity 3,3kg/24h
- Freezer autonomy 8h



DRC1771EN

#### No-Frost Cooling:

No Frost cooling preserves food for up to three times longer thanks to a perfectly homogenous temperature distribution. It also makes defrosting unnecessary.



#### **BUILT-IN LARDER SINGLE DOOR**

# 1

DRL1770EB

#### DRL1770EB BUILT-IN LARDER SINGLE DOOR

- Integrated larder single door 294 litres
- Energy labelling: E Class
- Cabinet height 177cm
- Sliding system fixing
- ◆ LED lighting
- ◆ Climate class SN-ST
- Noise level: 39 dB (A)
- Consumption: 112kW/year
- Built-in dimensions: H 1770 mm x W 560 mm x D 560 mm
- ♦ Fridge 294L
- 2 functions: Eco, Refrigerator booster
- Automatic defrost
- 4 safety glass shelves
- 2 vegetable drawers
- ◆ 1 Maxi Fresh Preserver
- 1 bottle holder
- ◆ 1 cheese box
- Egg tray
- 4 door shelves
- ◆ 1 bottle door shelf

#### Cold Air FAN:

The cold air FAN helps to preserve food twice as long. Thanks to the ventilation in the fridge the temperature is homogeneous and the humidity is constant.



# DRL1770ED BUILT-IN LARDER SINGLE DOOR

- Integrated larder single door 294 litres
- Energy labelling: E Class
- Cabinet height 177cm
- Fixed assembly with hinge hole
- LED lighting
- Climate class SN-ST
- Noise level: 39 dB (A)
- Consumption: 112kW/year
- ◆ Built-in dimensions: H 1770 mm x W 560 mm x D 560 mm

The Door on Door hinge attaches the kitchen cabinet door

directly to the appliance door, creating a single, integrated

- ◆ Fridge 294L
- 2 functions: Eco, Refrigerator booster
- Automatic defrost
- 4 safety glass shelves
- 2 vegetable drawers
- Ultrafresh
- 1 bottle holder
- ◆ 1 cheese box
- Egg tray
- 4 door shelves
- 2 under-shelf drawers
- 1 bottle door shelf



DRL1770ED



design.

#### **BUILT-IN LARDER SINGLE DOOR**



#### **DRL1247ES BUILT-IN LARDER SINGLE DOOR**

- Integrated larder single door 193 litres
- Energy labelling: E Class
- Cabinet height 122.5cm
- Sliding system fixing
- LED lighting
- Climate class N
- Noise level: 35 dB (A)
- Consumption: 100kW/year
- Built-in dimensions: H 1225 mm x W 560 mm x D 560 mm
- Fridge 193L
- Automatic defrost
- 2 functions: Refrigerator booster, Eco
- 4 safety glass shelves
- 1 vegetable drawer
- 1 bottle holder
- ◆ 1 cheese box
- Egg tray
- 3 door shelves
- ◆ 1 bottle door shelf

#### **DRL1240ED BUILT-IN LARDER SINGLE DOOR**

- Integrated larder single door 193 litres
- Energy labelling: E Class
- Cabinet height 122,5cm
- Fixed assembly with hinge hole
- ◆ LED lighting
- Climate class N
- Noise level: 35 dB (A)
- Consumption: 100kW/year
- Built-in dimensions: H 1225 mm x W 560 mm x D 560 mm
- Fridge: 193L
- Automatic defrost
- 4 safety glass shelves
- 1 vegetable drawer
- Ultrafresh
- 1 bottle holder
- ◆ 1 cheese box
- Egg tray
- 3 door shelves
- ◆ 1 bottle door shelf



DRL1240ED

#### Practical and precise interior electronic:

This electronic inside your fridge allows you to adjust the temperature precisely for more safety



#### LED lighting:

LED lighting makes it easier to see all the food in your fridge.



DRL1220ES

#### **DRL1220ES BUILT-IN LARDER SINGLE DOOR**

- Integrated larder single door 199 litres
- Energy labelling: E Class
- Cabinet height 122cm
- Sliding system fixing
- LED lighting
- Climate class SN-T
- Noise level: 37 dB (A)
- Consumption: 100kW/year
- Built-in dimensions: H 1220 mm x W 560 mm x D 560 mm
- Fridge 199L
- Automatic defrost
- 4 safety glass shelves
- 1 vegetable drawer
- 1 bottle holder
- Egg tray
- 2 door shelves
- ◆ 1 under-shelf drawer
- ◆ 1 bottle door shelf

#### **BUILT-IN LARDER SINGLE DOOR**

#### DRL880ES **BUILT-IN LARDER SINGLE DOOR**

- Integrated larder single door 126 litres
- Energy labelling: E Class
- Cabinet height 87,5cm
- Sliding system fixing
- LED lighting
- Climate class SN
- Noise level: 35 dB (A)
- Consumption: 91kW/year
- ◆ Built-in dimensions: H 875 mm x W 560 mm x D 560 mm
- Fridge: 126L
- Automatic defrost
- 3 safety glass shelves
- 1 vegetable drawer
- ◆ 1 cheese box
- Egg tray
- 2 door shelves
- ◆ 1 bottle door shelf



DRL880ES

Setting up your fridge is more than easy: thanks to a very practical sliding system, furniture door can easily be set onto fridge door.





#### **BUILT-IN SINGLE DOOR**



DRL880ED

#### DRL880ED **BUILT-IN LARDER SINGLE DOOR**

- Integrated larder single door 126 litres
- Energy labelling: E Class
- Cabinet height 87,5cm
- Fixed assembly with hinge hole
- ◆ LED lighting
- Climate class SN
- Noise level: 35 dB (A)
- ◆ Consumption: 91kW/year
- Built-in dimensions: H 875 mm x W 560 mm x D 560 mm
- Fridge: 126L
- Automatic defrost
- 3 safety glass shelves
- 1 vegetable drawer
- Ultrafresh
- ◆ 1 cheese box
- Egg tray
- 2 door shelves
- ◆ 1 bottle door shelf

#### **DRS1244ED BUILT-IN SINGLE DOOR**

- Integrated single door 178 litres
- Energy labelling: E Class
- Cabinet height 122.5cm
- Fixed assembly with hinge hole
- LED lighting
- Climate class N
- Noise level: 38 dB (A)
- Consumption: 149kW/year
- Built-in dimensions: H 1225 mm x W 560 mm x D 560 mm
- Fridge: 162L
- Automatic defrost
- Freezer booster
- 3 safety glass shelves
- 1 vegetable drawer
- Ultrafresh
- 1 bottle holder
- ◆ 1 cheese box
- Egg tray
- 3 door shelves
- 1 under-shelf drawer
- ♦ 1 bottle door shelf
- Freezer: 16L
- Manual defrost
- 1 drawer
- ♦ 1 ice cube tray
- Freezing capacity 2,6kg/24h
- Freezer autonomy 8h



DRS1244ED

#### Reversible door:

The reversible door offers an adequate solution to adapt the appliance to the layout of the room..



#### Bottle shelf:

This accessory is very useful to save space when the bottle rack is full.



**BUILT-IN SINGLE DOOR** 

#### **BUILT-IN SINGLE DOOR**



#### **DRS1247ES BUILT-IN SINGLE DOOR**

- Integrated larder single door 178 litres
- Energy labelling: E Class
- ◆ Cabinet height 122.5cm
- Sliding system fixing
- ◆ LED lighting
- Climate class N
- ◆ Noise level: 38 dB (A)
- Consumption: 149kW/year
- Built-in dimensions: H 1225 mm x W 560 mm x D 560 mm
- Fridge 162L
- Automatic defrost
- 3 safety glass shelves
- 1 vegetable drawer
- 1 bottle holder
- ◆ 1 cheese box
- Egg tray
- 3 door shelves
- ◆ 1 bottle door shelf
- Freezer : 16L
- Manual defrost
- Freezer booster
- 1 drawer
- ♦ 1 ice cube tray
- Freezer capacity 2.6 kg/24h
- ◆ Freezer autonomy 8h

#### **DRS1224ES BUILT-IN SINGLE DOOR**

- Integrated single door 181 litres
- Energy labelling: E Class
- Cabinet height 122cm
- Sliding system fixing
- LED lighting
- Climate class ST
- Noise level: 39 dB (A)
- Consumption: 146kW/year
- ◆ Built-in dimensions: H 1220 mm x W 560 mm x D 560 mm
- Fridge: 167L
- Automatic defrost
- 3 safety glass shelves
- 1 vegetable drawer
- 1 bottle holder
- Egg tray
- 2 door shelves
- 1 under-shelf drawer
- ◆ 1 bottle door shelf
- Freezer: 14L
- Manual defrost
- 1 drawer
- ♦ 1 ice cube tray
- Freezing capacity 2kg/24h
- Freezer autonomy 6h



DRS1224ES

#### **Smart Function:**

The Smart function allows the appliance to automatically regulate its temperature according to the ambient temperature. This way you get the ideal temperature for a better conservation.





**BUILT-IN UPRIGHT FREEZER** 

#### **BUILT-IN UPRIGHT FREEZER**

# **Big**Box **Big**Box

#### DFU1781ED BUILT-IN UPRIGHT FREEZER

- Integrated upright freezer 196 litres
- Energy labelling: A+ Class
- Cabinet height 177cm
- Fixed assembly with hinge hole
- Climate class SN-T
- Noise level: 40 dB (A)
- ◆ Built-in dimensions: H 1770 mm x W 560 mm x D 560 mm
- Freezer: 196L
- No frost
- 2 functions : Eco, Freezer booster
- 6 drawers
- 2 flat compartments
- 2 safety glass shelves
- Accessories supplied: Twist ice
- Freezing capacity 11,5kg/24h
- ◆ Freezer autonomy 6h

#### DFU1781ED

#### No frost system:

The No Frost system prevents frost formation inside the freezer and on products which therefore remain perfectly identifiable. It also permits energy savings.



#### DFU1781EN BUILT-IN UPRIGHT FREEZER

- Integrated upright freezer 196 litres
- Energy labelling: E Class
- Cabinet height 177cm
- Sliding system fixing
- LED column lighting
- Climate class SN-T
- Noise level: 40 dB (A)
- Consumption: 231kW/year
- Built-in dimensions: H 1770 mm x W 560 mm x D 560 mm
- Freezer: 196L
- Automatic defrost
- 2 functions: Eco, Freezer booster
- 6 drawers
- 2 flat compartments
- 2 safety glass shelves
- ◆ Accessories supplied: Twist ice
- Freezing capacity 11,5kg/24h
- Freezer autonomy 6h



DFU1781EN

#### Booster freezer:

Very practical, especially when coming back from groceries, this function allows to lower the temperature of the freezer in a very short time in order to ensure that food is frozen quickly and thoroughly.



#### **BUILT-IN UPRIGHT FREEZER**

#### DFU884ES **BUILT-IN UPRIGHT FREEZER**

- Integrated freezer 94 litres
- Energy labelling: E Class
- ◆ Cabinet height 87,5cm
- Sliding system fixing
- ◆ Climate class SN-T
- Noise level: 38 dB (A)
- Consumption: 175kW/year
- Built-in dimensions: H 875 mm x W 560 mm x D 560 mm
- Freezer: 94L
- Manual defrost
- 3 drawers
- ◆ 1 flap compartment
- Accessories supplied: Ice cube tay
- Freezing capacity 6kg/24h
- ◆ Freezer autonomy 8h

#### DFU884ES

#### **DFM9085EA** FREESTANDING MULTI-DOOR

- Multi-door 588 litres
- Energy labelling: E Class
- Cabinet height 185cm
- ◆ LED lighting
- Climate class SN-T
- Noise level: 41 dB (A)
- Consumption: 335kW/year
- Built-in dimensions: H 1850 mm x W 910 mm x D 775 mm
- Fridge 398L
- 4 functions: Refrigerator booster, Drink Cool Mode, Holidays, Eco
- Automatic defrost
- 2 safety glass shelves
- 2 vegetable drawers
- ◆ 1 Fresh Zone
- IonTech
- Ultrafresh
- ◆ 1 cheese box
- Egg tray
- 4 door shelves
- 2 door shelves with cover
- 2 bottle door shelves
- Freezer: 190L
- Freezer booster
- Automatic defrost
- 4 drawers
- Twist ice
- Freezing capacity 16,5kg/24 hours
- Freezer autonomy 12 hours



FREESTANDING MULTI-DOOR

DFM9085EA

Installation is very simple: a practical sliding system allows the trim door to be placed on the freezer door without any difficulty.



Thanks to its large width, the storage capacity will help meet the needs of the family and reduce shopping frequency.



FREESTANDING FRIDGE FREEZER

#### FREESTANDING FRIDGE FREEZER



#### **DFA9077DX** FREESTANDING FRIDGE **FREEZER**

- ◆ Side by side 592 litres
- ◆ Energy labelling: E Class
- Cabinet height 177cm
- ◆ LED lighting
- ◆ Climate class SN-ST
- Noise level: 39 dB (A)
- Consumption: 340kW/year
- Built-in dimensions: H 1770 mm x W 900 mm x D 730 mm
- Fridge: 367L
- ◆ 2 functions: Holidays, Eco
- Automatic defrost
- Water dispenser
- 2 safety glass shelves
- 2 vegetable drawers
- ♦ 1 Fresh Zone
- 1 bottle holder
- Egg tray
- 3 door shelves
- ◆ 1 bottle door shelf
- Freezer: 225L
- Freezer booster
- Automatic defrost
- 3 drawers
- 4 freezer racks
- 2 Shelves
- Twist ice
- Freezing capacity 15kg/24 hours
- Freezer autonomy 10 hours

#### DFA9077DX

#### DFC6020DX - RIGHT-HAND OPENING FREESTANDING FRIDGE **FREEZER**

- Combined 366 litres
- Energy labelling: D Class
- Cabinet height 201cm
- ◆ LED lighting
- Climate class SN-T
- Noise level: 36 dB (A)
- Consumption: 200kW/year
- ◆ Built-in dimensions: H 2010 mm x W 595 mm x D 650 mm
- Fridge: 266L
- 4 functions: Refrigerator booster, Drink Cool Mode, Holidays, Eco
- Automatic defrost
- 3 safety glass shelves
- 1 vegetable drawer
- ♦ 1 freshzone
- Purebeam+
- Ultrafresh
- ◆ 1 bottle holder
- ◆ 1 cheese box
- Egg tray
- 3 door shelves
- 1 bottle door shelf
- Freezer: 100L
- Freezer booster
- Automatic defrost
- 2 drawers
- 2 Shelves Twist ice
- Freezing capacity 8kg/24 hours
- Freezer autonomy 10 hours



DFC6021DX- Left hand opening

235

#### Water dispenser:

This fridge is equipped with a front water dispenser so you can have fresh water at any time during the day.



#### Purebeam+ technology:

Thanks to its filter which eliminates bad odors, and its UV light which eliminates 99.99% of bacteria and viruses, your refrigerator is sterilized and sanitized in only 40 minutes.



#### FREESTANDING FRIDGE FREEZER

#### FREESTANDING FRIDGE FREEZER



DFC6021NA- LEFT HAND OPENING

# DFC6020NA - RIGHT-HAND OPENING FREESTANDING FRIDGE FREEZER

- Combined 366 litres
- Energy labelling: D Class
- Cabinet height 201cm
- ◆ LED lighting
- ◆ Climate class SN-T
- ◆ Noise level: 36 dB (A)
- Consumption: 200kW/year
- Built-in dimensions: H 2010 mm x W 840 mm x D 750 mm
- Fridge: 266L
- 4 functions: Refrigerator booster, Drink Cool Mode, Holidays, Eco
- Automatic defrost
- 3 safety glass shelves
- 1 vegetable drawer
- ♦ 1 Fresh Zone
- Purebeam+
- Ultrafresh
- 1 bottle holder
- 1 cheese box
- V I Cheese bo
- Egg tray
- 3 door shelves1 bottle door shelf
- Freezer: 100L
- Freezer booster
- Automatic defrost
- 2 drawers
- 2 Shelves
- ◆ Twist ice
- Freezing capacity 8/24 hours
- Freezer autonomy 10 hours

#### Maxi Fresh Preserver:

Thanks to its carbon filter, the Maxi Fresh Preserver allows you to preserve your fruits and vegetables up to 3 times longer.



# DFC7092NA FREESTANDING FRIDGE FREEZER

- Combined 481 litres
- Energy labelling: E Class
- Cabinet height 192 cm
- LED lighting
- Climate class SN-T
- Noise level: 41 dB (A)
- Consumption: 287kW/year
- ◆ Built-in dimensions: H 1920 mm x W 700 mm x D 712 mm
- Fridge: 344L
- 4 functions: Refrigerator booster, Drink Cool Mode, Holidays, Eco
- Automatic defrost
- 3 safety glass shelves
- 1 vegetable drawer
- ◆ 1 Maxi Fresh Preserver
- ◆ 1 Fresh Zone
- Purebeam+
- Ultrafresh
- 1 bottle holder
- 1 cheese box
- Egg tray
- 3 door shelves
- 1 bottle door shelf
- Freezer: 137L
- Freezer booster,Automatic defrost
- ◆ 1 freezing with flap
- 2 drawers
- Twist ice
- Freezing capacity 8kg/24 hours
- Freezer autonomy 14 hours



DFC7092NA

237


#### Fresh zone:

Located in the coldest area of the fridge, this drawer allows you to store delicate foods such as meat or fish at the ideal temperature, to quickly cool drinks or even to gradually defrost food.



#### **INSTALLATION DIAGRAMS**


FREEZER 194 CM DRC9455EN




**BUILT-IN LARDER SINGLE DOOR 177 CM** 

**DRL1770EB, DRL1770ED** 


FRIDGE FREEZERS 177 CM




**DRC1775EN, DRC1775ED, DRC1771EN** 




**BUILT-IN SINGLE DOORS 122.5 CM** DRS1244ED




**BUILT-IN LARDER SINGLE DOORS 122.5 CM** DRL1247ES, DRS1247ES, DRL1240ED






**BUILT-IN LARDER SINGLE DOORS 122 CM DRL1220ES** 




**INSTALLATION DIAGRAMS** 

**BUILT-IN LARDER SINGLE DOORS 87.5 CM** 


**UPRIGHT FREEZER 177 CM DFU1781EN, DFU1781ED** 





**UPRIGHT FREEZER 87 CM** DFU884ES



**BUILT-IN SINGLE DOORS 122 CM DRS1224ES** 









#### WINE CELLARS

Some objects immediately stand out as the benchmark of French art of living. With their remarkable quality and sleek design, these new wine cellars by De Dietrich in the Infinite Black collection enhance emotions and instantly trigger desire. Combining modernity and tradition, know-how and innovation, they undoubtedly meet all the conditions required for the storage and ageing of grands crus. Enthusiasts will love it...





#### Design in black major.

Discover these new luxury items designed with the utmost refinement, combining the finest materials with the ultimate elegance.

As part of a new art of living, they are in line with current trends and fit seamlessly into your kitchen. Their dimensions have been designed to be perfectly in line with the 45 and 60 cm niche units. Their flawless profile is thought to take up a prominent place alongside the De Dietrich cooking collection, or to be placed in any other privileged space for a perfect tasting experience.

#### Touch-sensitive controls. Uncompromising refinement.

An aesthete and a connoisseur, you are looking for the most beautiful cabinet for your precious bottles, and you want to showcase them before enjoying...

Fall under the spell of De Dietrich wine cellars. **Their lines, highlighted by their stunning glass door** and front fascia, appeal to the sense of touch as much as that of sight. The stripped-down interface is in tune with intuitive use. You just have to tap the **touch-sensitive controls**, to reveal the **subtle backlit LED display**; they will allow you to manage temperatures precisely and ensure that all conditions are met for optimum storage.

More than ever, our wine cellars are the mirror of this new art of living, an invitation to share and enjoy.

# Push-to-Open opening. The epitome of elegance.

The majority of our wine cellars feature a flawless design, but here the elegance is pushed to the limit with the no-handle glass door. Thanks to the **electronically assisted Push-to-open system**, a light tap on the dedicated key is all it takes for the door to open or close smoothly.

The ultimate comfort that leaves you free and confident to store or retrieve one of your best wines.



# Regulated temperatures to play the ultimate symphony.

Your reserve of good wines includes grands crus and the enthusiast in you wants to wait to taste them at their very best...
To store and age your best bottles of wine by the rulebook, preserving their unique flavours and aromas, rely on the Brand's unrivalled expertise, and on its new wine cellars. Electronics reign supreme here, providing a **constant temperature** with all the precision required to ensure optimum storage and tasting conditions... Managed and **regulated between 5° and 20°C**, the actual temperature inside the cellar is permanently displayed on the digital screen for better control.

Some models offer two completely independent and individually adjustable zones, so you can fine-tune the temperature to the exact degree required for your wines: for instance, a cool zone between 6°C and 11°C for champagne, and a zone between 12°C and 18°C for Bordeaux grand crus. Depending on your needs, your wine cellar can be used to age your wine at between 12°C and 18°C or for temporary storage. Get a taste of excellence to successfully orchestrate all your dinners in perfect harmony.

#### LED lighting. Showcase your grands crus.

De Dietrich has opted for LED lighting, which provides a **soft, gradual brightness** in your cellar without altering the quality of your wines over time

Do you still have this excellent Sancerre to complement your cheese platter? The warm and inviting atmosphere of your De Dietrich wine cellar will allow you to shine a light without having to open the door in order to play the perfect sommelier...



#### Dedicated spaces and technology. A music score with no wrong notes.

Cutting-edge design and expertise. De Dietrich wine cellars reflect the exacting standards of aesthetes, leading wine merchants and master sommeliers. Explore and share the captivating subtleties of De Dietrich wine cellars. Their technology will ensure that your passion for wine and gastronomy remains intact.



#### Anti-UV glass door.

A perfect blend of technology and aesthetics: while the glass door enhances its exquisite contents, its treatment filters out the ultraviolet rays that can cause irreversible oxidation of tannins.

#### Anti-Vibration System.

Nothing can interfere with the storage and ageing of your wine: the motor mounted on Silent Blocks guarantees your cellar's exceptional stability and protects it from any vibrations that could ruin the appearance and taste of wines.



#### ♦ Anti-tilt wooden honeycomb shelves.

Depending on the model, the compartment with its various wooden shelves can hold up to 46 bottles, ensuring that each one is perfectly protected. Their unique honeycomb design is signed De Dietrich and provides unequalled ease of storage. Very stable, they will slide out of the device without tipping over.

#### Activated carbon filter (depending on model).

A healthy, odour-free environment optimises wine storing. Some models are equipped with an active carbon filter which, combined with the fan, completely eliminates unpleasant odours and bacteria in the wine cellar, to purify the air for many months.



#### Hygrometer (depending on model).

Humidity plays a vital role in wine ageing and storing: this is the reason why De Dietrich has integrated on its shelves a sensor that analyses the humidity level in the ambient air. With well-controlled humidity, you will enjoy your wines in the best possible conditions, whether they are intended to be enjoyed soon, or to be stored for many years.

#### ♦ Temperature/Open Door Alarm.

To ensure optimal conditions at all times, your wine cellar alerts you when the temperature no longer matches the selected setting or if there is a difference of plus or minus 5 degrees.

#### **WINE AGING CELLAR**

#### DUW20FB WINE AGING CELLAR

- Built under
- Up to 20 bottles
- Fan assisted cold
- Electronic temperature management
- Anti-vibration system
- Wood shelves
- Integrated hygrometer on the shelf
- Removable and anti-tip shelf
- Interior light
- Front panel touch controls
- Temperature display
- Glass equipped with UV filter
- Built-in dimensions: H 825 mm x W 300 mm x D 575 mm



DUW20FB

#### Hygrometer:

To monitor the preservation of wine in optimum conditions, the hygrometer, integrated into the rack, is an essential tool for measuring the humidity level in the cellar to ensure that it corresponds to the ideal setting for the wine.



WINE AGING CELLAR
WINE SERVICE CELLAR



DUW46DFB

#### DUW46DFB WINE AGING CELLAR

- Built under
- Up to 46 bottles
- Fan assisted cold
- Electronic temperature management
- Anti-vibration system
- Wood shelves
- Integrated hygrometer on the shelf
- Interior light
- Push to open door
- Front panel touch controls
- Temperature display
- Glass equipped with UV filter
- Built-in dimensions: H 825 mm x W 600 mm x D 575 mm

#### DIW36DFB WINE SERVICE CELLAR

- Built-in
- Up to 36 bottles
- Fan assisted cold
- Electronic temperature management
- Anti-vibration system
- Wood shelves
- Removable shelf
- Interior light
- Push to open door
- Front panel touch controls
- Temperature display
- Glass equipped with UV filter
- Built-in dimensions: H 590 mm x W 560 mm x D 550 mm



DIW36DFB

#### Front panel touch controls:

Thanks to the touch buttons, no need to open your wine cellar to manage it. The white LED digital display offers an elegant design and precise information. You can also illuminate your cellar without opening the door to showcase your wine collection.



#### **Dual Zone:**

The dual-zone wine cellar allows you to adjust the temperature independently depending on the type of wine, so that it can be preserved according to its characteristics (red wine, white wine, rosé wine).



#### WINE SERVICE CELLAR

#### WINE AGING CELLAR INSTALLATION DRIAGRAMS




JIVV Z8FB


#### DIW28FB WINE SERVICE CELLAR

- Built-in
- Up to 28 bottles
- Fan assisted cold
- Electronic temperature management
- Anti-vibration system
- Wood shelves
- Removable shelf
- Interior light
- Push to open door
- Front panel touch controls
- Temperature display
- Glass equipped with UV filter
- ◆ Built-in dimensions: H 450 mm x W 560 mm x D 550 mm

#### **DUW20FB**



#### **DUW46DFB**




#### WINE SERVICE CELLAR INSTALLATION DRIAGRAMS

#### DIW28FB

# min 2000mm² 450 | 550-560 545 | 18 545 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455

#### DIW36DFB



#### Alveolar shelf:

In addition to the anti-tilt and removable shelf system that ensures the stability and safety of your bottles, the alveolar shelf design offers unmatched ergonomic storage and ease of use



# TABLE OF CONTENTS

# TECHNICAL SPECIFICATIONS

252 •60CM OVENS

255

• 60CM COMBI STEAM OVENS

256

257
• MICROWAVES

259

COFFEE MACHINE

260

• DRAWERS

261
• PERFECT SENSOR INDUCTION HOBS

264

• INDUCTION HOBS

268

269
• MIXED HOBS

270

• VITROCERAMIC HOBS

271
• GAS HOBS

• STAINLESS STEEL HOBS
AND ENAMEL HOBS

273
• DOMINOS HOBS

274 · HOODS

• FULL BUILT-IN DISHWASHERS

283

• WASHING MACHINES

284

• DRYER AND WASHER DRYER

285

BUILT-IN FRIDGE FREEZERS

286

• BUILT-IN LARDER SINGLE DOORS

288

• BUILT-IN SINGLE DOORS

289

• BUILT-IN UPRIGHT FREEZERS

290

FREESTANDING FRIDGE FREEZERS

291

• BUILT-IN WINE CELLARS

### **60CM OVENS**

REFERENCES					
Heritage	DOP4756H		DOP4746HT	DOP4741H	DOP4556H
nfinite Black	DOP4756B		DOP4746BT	DOP4741B	DOP4556B
Master Black	DOP4756MB	DOP4755MB	DOP4746B1	DOP4/4IB	DOP4556B
tellar Steel	DOP4756MB DOP4756X	DOP4755INB	DOP4746XT	DOP4741X	DOP4556X
ternal White	DOP4756X DOP4756W		DOP4746XT DOP4746WT	DOP4/4IX	DOP4556X DOP4556W
RODUCT SHEET	DOP4/56W		DOP4746W1		DOP4556 W
	^ .	Λ.	A .	Λ.	Λ.
nergy efficiency class	A+	A+	A+	A+	A+
inergy Efficiency Index (EEI) kWh)	81.4	81.4	81.4	81.4	81.4
Energy consumption per cycle n conventional-traditional unction (kWh)	0.7	0.7	0.7	0.7	0.7
nergy consumption per cycle n circulating heat function kWh)	1.1	1.1	1.1	1.1	1.1
tandby consumption (W)	0.8	0.8	0.8	0.8	0.8
Cavity capacity (L)	73	73	73	73	73
Isable volume of the cavity	1	1	1	1	1
even type	Simple	Simple	Simple	Simple	Simple
eating source(s)	Electrical	Electrical	Electrical	Electrical	Electrical
ENERAL FEATURES					
ooking mode	Multifunction +	Multifunction +	Multifunction +	Multifunction +	Multifunction +
umber of cooking functions	16	17	17	17	16
eaning mode	Pyrolytic / 3	Pyrolytic / 3	Pyrolytic / 3	Pyrolytic / 3	Pyrolytic / 3
utomatic cleaning Pyro-Control	Yes	Yes	Yes	Yes	No
ontrol type	Knob	Knob	Knob	Knob	Knob
isplay type	Colour TFT Screen	Colour TFT Screen	Colour TFT Screen	Colour TFT Screen	White LCD scree
emperature recommendation	Yes	Yes	Yes	Yes	Yes
eight tray recommendation	Yes	Yes	Yes	Yes	Yes
i World recipes	38 dishes	38 dishes	38 dishes	38 dishes	-
i French Pastry mode	14 dishes	14 dishes	14 dishes	14 dishes	-
i Culinary guide	53 dishes	53 dishes	53 dishes	53 dishes	53 dishes
i Mode Chef (100% automatic)	28 dishes	28 dishes	-	-	28 dishes
i Low temperature cooking	17 dishes	17 dishes	17 dishes	17 dishes	17 dishes
habbat		Yes	Yes	Yes	Yes
rying	Yes	Yes	Yes	Yes	Yes
onnectivity	Yes	-	-	-	-
Vireless probe	-	-	Yes	-	-
omfort	4 power variable grill	4 power variable grill	4 power variable grill	4 power variable grill	4 power variable g
utoStop System/Panel locking	No/Yes	No/Yes	No/Yes	No/Yes	No/Yes
VEN					
oor	Cold door with	Cold door with	Cold door with	Cold door with	Cold door with
	4 glasses	4 glasses	4 glasses	4 glasses	4 glasses
nner door type	Sliding full glass	Sliding full glass	Sliding full glass	Sliding full glass	Removable full gla
eft upper light	Halogen 25W	Halogen 25W	Halogen 25W	Halogen 25W	Halogen 25W
namel	Grey Enamel	Grey Enamel	Grey Enamel	Grey Enamel	Grey Enamel
rill	2,100W	2,100W	2,100W	2,100W	2,100W
CCESSORIES					
acks	6 levels -	6 levels -	6 levels -	6 levels -	6 levels -
	Chromed wire	Chromed wire	Chromed wire	Chromed wire	Chromed wire
liding system	100 % Telescopic	100 % Telescopic	Partial Telescopic	Partial Telescopic	Partial Telescopi
alf-grids	2	2	2	2	2
at Safety grids	2	2	2	2	2
5mm drip tray max.	1	1	1	1	1
erforated tray 20mm	1	1	1	1	1
ray 8mm	1	-	1	-	1
oft close lock	Yes	Yes	Yes	Yes	Yes
IMENSIONS - WEIGHT					
uilt-in HxWxD (mm)	585X560X550	585X560X550	585X560X550	585X560X550	585X560X550
nboxed HxWxD (mm)	592X592X609	592X592X609	592X592X609	592X592X609	592X592X609
acked product HxWxD (mm)	670X640X660	670X640X660	670X640X660	670X640X660	670X640X660
et weight (kg)/Gross weight g)	39.1/40.4	39.1/40.4	38.7/40	39.1/40.4	38.7/40
elivered with cable	Yes 115cm	Yes 115cm	Yes 115cm	Yes 115cm	Yes 115cm
	220-240V/	220-240V/	220-240V/	220-240V/	220-240V/
onnection	50-60Hz/16A	50-60Hz/16A	50-60Hz/16A	50-60Hz/16A	50-60Hz/16A
AN CODE		,		,	
	3660767993587		3660767992351	3660767993273	3660767993242
eritage					
			3660767993419	3660767993433	3660767993750
nfinite Black	3660767993570	3660767993587	3660767993419	3660767993433	3660767993259
Heritage ofinite Black Master Black Stellar Steel		3660767993587	3660767993419 3660767993426	3660767993433 3660767993440	3660767993259 3660767992207

### **60CM OVENS**

REFERENCES					
Heritage	DOP4546HT	DOP4543H	DOH4541H	DOP4335H	
Infinite Black	DOP4546BT	DOP4543B	DOH4541B	DOP4335B	DOPH375B
Master Black					
Stellar Steel	-	DOP4543X	DOH4541X		DOPH375X
Eternal White					
Energy efficiency class	A+	A+	A+	A+	A+
Energy Efficiency Index (EEI) (kWh)	81.4	81.4	80.2	89.5	(N/A)
	01.4	01.4	00.2	09.5	(IV/A)
Energy consumption per cycle in conventional-traditional function (kWh)	0.70	0.70	0.69	0.70	0.70
Energy consumption per cycle in circulating heat function (kWh)	1.1	1.1	1.23	1.1	0.8
Standby consumption (W)	0.8	0.8	0.8	0.79	0.84
Cavity capacity (L)	73	73	73	73	73
Usable volume of the cavity  Oven type	1 Simple	1 Simple	1 Simple	1 Simple	1 Simple
Heating source(s)	Electrical	Electrical	Electrical	Electrical	Electrical
GENERAL FEATURES					
Cooking mode	Multifunction +	Multifunction +	Multifunction +	Multifunction +	Multifunction +
Number of cooking functions	16	16	14	11	11
Cleaning mode	Pyrolytic / 2	Pyrolytic / 2	Hydrolytic	Pyrolytic / 1	Pyrolytic + Hydrolytic
Automatic cleaning Pyro-Control	No	No	No	No	No
Control type	White LCD screen	Knob White LCD screen	Knob White LCD screen	Knob White LED screen	Knob White LED screen
Display type Temperature recommendation	Yes	Yes	Yes	Yes	Yes
Height tray recommendation	Yes	Yes	Yes	Yes	Yes
				Yes /«Fish», «Poultry»,	Yes /«Fish», «Poultry»,
Steam cooking		-	<u> </u>	«White meat»	«White meat»
Ai World recipes		<u> </u>		<u> </u>	<u> </u>
Ai French desserts  Ai Culinary guide	53 dishes	53 dishes	53 dishes	-	
Ai Mode Chef (100% automatic)	- 33 disiles	- JS disiles	- Jo disties	_	-
Ai Low temperature	17 dishes	17 dishes	17 dishes	-	-
Shabbat	Yes	Yes	Yes	-	-
Drying	Yes	Yes	Yes	-	-
Connectivity	-	-	-	-	-
Wireless probe	Yes	-			
Comfort AutoStop System/Panel locking	4 power variable grill No/Yes	4 power variable grill No/Yes	4 power variable grill No/Yes	4 power variable grill Yes/Yes	4 power variable grill Yes/Yes
OVEN	NO/ Tes	NO/ Tes	NO/ Tes	163/ 163	163/163
Door	Cold door with	Cold door with	Fanned door with 2	Cold door with	Cold door with
	4 glasses	4 glasses	glasses	4 glasses	4 glasses
Inner door type	Removable full glass	Removable full glass	Removable full glass	Removable full glass	Removable full glass
Left upper light Enamel	Halogen 25W Grey Enamel	Halogen 25W Grey Enamel	Halogen 25W Grey Enamel	Halogen 25W Grey Enamel	Halogen 25W Grey Enamel
Grill	2,100W	2.100W	2,100W	2.100W	2,100W
ACCESSORIES		_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
Racks	6 levels -	6 levels -	6 levels -	6 levels -	6 levels -
	Chromed wire	Chromed wire	Chromed wire	Chromed wire	Chromed wire
Sliding system Half-grids	Partial Telescopic 2	Partial Telescopic 2	Partial Telescopic 2	Partial Telescopic	
Flat Safety grids	1	1	1	1	1
45mm drip tray max.	1	1	1	1	1
Perforated tray 20mm	1	-	-	-	-
Tray 8mm	-	1	-	1	-
Soft close lock	Yes	Yes	Yes	Yes	Yes
DIMENSIONS - WEIGHT	FOEVECOVEEO	FOEVECOVEEO	FOEVECOVEEO	FOEVECOVEEO	FOEVECOVEEO
Built-in HxWxD (mm) Unboxed HxWxD (mm)	585X560X550 592X592X609	585X560X550 592X592X609	585X560X550 592X592X609	585X560X550 592X592X609	585X560X550 592X592X609
Packed product HxWxD (mm)	670X640X660	670X640X660	670X640X660	670X640X660	670X640X660
Net weight (kg)/Gross weight	38/39.3	38/39.4	34.9/36	36.6/38	33.2/34.5
(kg)		·			
Delivered with cable	Yes 115cm 220-240V/	Yes 115cm 220-240V/	Yes 115cm 220-240V/	Yes 115cm 220-240V/	Yes 115cm 220-240V/
Connection	50-60Hz/16A	50-60Hz/16A	50-60Hz/16A	50-60Hz/16A	50-60Hz/16A
EAN CODE					
Heritage	3660767992214	3660767993211	3660767993297	3660767993068	
Infinite Black	3660767993235	3660767993228	3660767993280	3660767993051	3660767997301
Master Black		7660767007204	7660767000104		7660767007710
Stellar Steel  Eternal White		3660767993204	3660767992184 3660767993556		3660767997318 3660767993266
			3000/0/333330		3000/0/333200

# **60CM OVENS**

REFERENCES			
Infinite Black	REFERENCES		
Master Black	Heritage		
Stellar Steel	Infinite Black	DOH4334B	
Element White   PRODUCT SHEET   Energy efficiency class	Master Black		
PRODUCT SHEET	Stellar Steel		
Energy efficiency class	Eternal White		
Energy Efficiency Index (EED (6Wh)   89.5	PRODUCT SHEET		
Energy consumption per cycle	Energy efficiency class	A	
Energy consumption per cycle		89.5	
Standby consumption (W)		0.77	
Cavity capacity (L)	in circulating heat function (kWh)	0.92	
Sable volume of the early	Standby consumption (W)	0.94	
Simple	Cavity capacity (L)	73	
Beating source(s)   Electrical	Usable volume of the cavity	1	
Center   February	Oven type	Simple	
Multifunction   Multifunction   II	Heating source(s)	Electrical	
Number of cooking functions	GENERAL FEATURES		
Hydrolytic   Automatic cleaning Pyro-Control   No	Cooking mode	Multifunction	
Automatic cleaning Pyro-Control			
Knob	Cleaning mode	Hydrolytic	
White LED screen	Automatic cleaning Pyro-Control	No	
Temperature recommendation			
Height tray recommendation			
Ai World recipes			
Ai French desserts			
Ai Culinary guide			
Ai Mode Chef (100% automatic) Ai Low temperature			
Ai Low temperature   -   -   -   -   -   -   -   -   -			
Shabbat Drying Connectivity Drying Comfort AutoStop System/Panel locking OVEN Door Fanned door with 2 glasses Inner door type Enamel Fannel Grill ACCESSORIES Racks Rack			
Drying			
Connectivity			
Comfort AutoStop System/Panel locking OVEN Door Fanned door with 2 glasses Inner door type Removable full glass Left upper light Enamel Grill ACCESSORIES Racks Siding system Half-grids Flat safety grids Flat safety grids Flat safety grids The Will DIMENSIONS - WEIGHT Built-in HXWXD (mm) Packed product HXWXD (mm) Packed product HXWXD (mm) Flat safety grids Packed System Packed product HXWXD (mm) Packed product HXWXD (mm) Flat safety grids Fl			
AutoStop System/Panel locking         Yes/Yes           OVEN         Fanned door with 2 glasses           Inner door type         Removable full glass           Left upper light         Halogen 25W           Enamel         Grey Enamel           Grill         2,100W           ACCESSORIES         6 levels -           Racks         6 levels -           Chromed wire         5           Sliding system         -           Half-grids         -           Flat safety grids         1           45mm drip tray max.         1           Soft close lock         No           DIMENSIONS - WEIGHT         No           Built-in HxWxD (mm)         585X560X550           Unboxed HxWxD (mm)         592X592X608           Packed product HxWxD (mm)         670X640X660           Net weight (kg)/Gross weight (kg)         31/32.4           Delivered with cable         Yes 115cm           Connection         220-240V/           SO-60Hz/16A           EAN CODE           Heritage         Infinite Black           Master Black         3660767993020           Master Black         560767993020			
OVEN         Fanned door with 2 glasses           Inner door type         Removable full glass           Left upper light         Halogen 25W           Enamel         Grey Enamel           Grill         2,100W           ACCESSORIES         6 levels -           Racks         Chromed wire           Sliding system         -           Half-grids         -           Flat safety grids         1           45mm drip tray max.         1           Soft close lock         No           DIMENSIONS - WEIGHT         No           Built-in HXWXD (mm)         585X560X550           Unboxed HXWXD (mm)         592X592X608           Packed product HxWXD (mm)         670X640X660           Net weight (kg)/Gross weight (kg)         3/32.4           Delivered with cable         Yes 115cm           Connection         220-240V/           EAN CODE         1           Heritage         Infinite Black           Master Black         3660767993020           Stellar Steel         5tellar Steel			
Door		100/100	
Removable full glass		Fanned door with 2 glasses	
Left upper light         Halogen 25W           Enamel         Grey Enamel           Grill         2,100W           ACCESSORIES         6 levels -           Racks         6 levels -           Sliding system         -           Half-grids         -           Flat safety grids         1           45mm drip tray max.         1           Soft close lock         No           DIMENSIONS - WEIGHT         8uilt-in HxWxD (mm)           Built-in HxWxD (mm)         585X560X550           Unboxed HxWxD (mm)         592X592X608           Packed product HxWxD (mm)         670X640X660           Net weight (kg)/Gross weight (kg)         31/32.4           Delivered with cable         Yes 115cm           Connection         220-240V/           So-60Hz/16A         EAN CODE           Heritage         Infinite Black           Master Black         3660767993020           Master Black         Stellar Steel			
Enamel   Grey Enamel   2,100W			
ACCESSORIES           Racks         6 levels - Chromed wire           Sliding system         -           Half-grids         -           Flat safety grids         1           45mm drip tray max.         1           Soft close lock         No           DIMENSIONS - WEIGHT         S85X560X550           Unboxed HxWxD (mm)         592X592X608           Packed product HxWxD (mm)         670X640X660           Net weight (kg)/Gross weight (kg)         31/32.4           Delivered with cable         Yes 115cm           Connection         220-240V/           Connection         50-60Hz/16A           EAN CODE         Heritage           Infinite Black         3660767993020           Master Black         Stellar Steel			
Racks         6 levels - Chromed wire           Sliding system         -           Half-grids         -           Flat safety grids         1           45mm drip tray max.         1           Soft close lock         No           DIMENSIONS - WEIGHT         585X560X550           Unboxed HxWxD (mm)         592X592X608           Packed product HxWxD (mm)         670X640X660           Net weight (kg)/Gross weight (kg)         31/32.4           Delivered with cable         Yes 115cm           Connection         220-240V/           50-60Hz/16A         50-60Hz/16A           EAN CODE         Heritage           Infinite Black         3660767993020           Master Black         Stellar Steel	Grill	2,100W	
Chromed wire	ACCESSORIES		
Chromed wire	Racks		
Half-grids   -			
Table			
45mm drip tray max.   1			
Soft close lock         No           DIMENSIONS - WEIGHT           Built-in HxWxD (mm)         585X560X550           Unboxed HxWxD (mm)         592X592X608           Packed product HxWxD (mm)         670X640X660           Net weight (kg)/Gross weight (kg)         31/32.4           Delivered with cable         Yes 115cm           Connection         220-240V/           50-60Hz/16A         50-60Hz/16A           EAN CODE         Heritage           Infinite Black         3660767993020           Master Black         Stellar Steel			
DIMENSIONS - WEIGHT           Built-in HxWxD (mm)         585X560X550           Unboxed HxWxD (mm)         592X592X608           Packed product HxWxD (mm)         670X640X660           Net weight (kg)/Gross weight (kg)         31/32.4           Delivered with cable         Yes 115cm           Connection         220-240V/           50-60Hz/16A         50-60Hz/16A           Heritage         Infinite Black           Master Black         3660767993020           Stellar Steel			
Built-in HxWxD (mm)         585X560X550           Unboxed HxWxD (mm)         592X592X608           Packed product HxWxD (mm)         670X640X660           Net weight (kg)/Gross weight (kg)         31/32.4           Delivered with cable         Yes 115cm           Connection         220-240V/           50-60Hz/16A         50-60Hz/16A           EAN CODE         Infinite Black           Infinite Black         3660767993020           Master Black         Stellar Steel		NO	
Unboxed HxWxD (mm)         592X592X608           Packed product HxWxD (mm)         670X640X660           Net weight (kg)/Gross weight (kg)         31/32.4           Delivered with cable         Yes 115cm           Connection         220-240V/           50-60Hz/16A         50-60Hz/16A           EAN CODE         Infinite Black           Heritage         3660767993020           Master Black         Stellar Steel		585X560X550	
Packed product HxWxD (mm)         670X640X660           Net weight (kg)/Gross weight (kg)         31/32.4           Delivered with cable         Yes 115cm           Connection         220-240V/           50-60Hz/16A         50-60Hz/16A           Heritage         Infinite Black         3660767993020           Master Black         Stellar Steel			
Net weight (kg)/Gross weight (kg)         31/32.4           Delivered with cable         Yes 115cm           Connection         220-240V/ 50-60Hz/16A           EAN CODE         Heritage           Infinite Black         3660767993020           Master Black         Stellar Steel			
Delivered with cable         Yes 115cm           Connection         220-240V/ 50-60Hz/16A           EAN CODE           Heritage           Infinite Black         3660767993020           Master Black           Stellar Steel			
Connection         220-240V/ 50-60Hz/16A           EAN CODE         Heritage           Infinite Black         3660767993020           Master Black         Stellar Steel			
EAN CODE Heritage Infinite Black Master Black Stellar Steel			
Heritage           Infinite Black         3660767993020           Master Black           Stellar Steel			
Infinite Black         3660767993020           Master Black         Stellar Steel			
Master Black Stellar Steel		7660767007000	
Stellar Steel Stellar Steel		3000/0/993020	
Lighter White			
	Econial William		

# **60CM COMBI STEAM OVENS**

REFERENCES		
Heritage	DOR4747H	DOR4546H / DOR4546HE
Infinite Black	DOR4747B	DOR4546B
Master Black	DOR4747MB	
Stellar Steel		DOR4546X
Eternal White		
PRODUCT SHEET		
Energy efficiency class	A+	A+
Energy Efficiency Index (EEI) (kWh)	81.4	81.4
Energy consumption per cycle in conventional-traditional function (kWh)	0.7	0.7
		0.7
Energy consumption per cycle in circulating heat function (kWh)	1.1	1.1
Standby consumption (W)	0.8	0.8
Cavity capacity (L)	73	73
Usable volume of the cavity	1	1
Oven type	Simple	Simple
Heating source(s)	Electrical	Electrical
GENERAL FEATURES		
Cooking mode	Steam combination	Steam combination
Number of cooking functions		24
Cleaning mode	Pyrolytic / 3	Pyrolytic / 3
Automatic cleaning Pyro-Control	Yes	Yes
Control type	Knob	Knob
Display type	Colour TFT Screen	White LCD Screen
Temperature recommendation	Yes	Yes
Height tray recommendation	Yes	Yes
Ai Sous vide cooking	5 dishes	5 dishes
Ai Combi steam cooking	31 dishes	31 dishes
Ai 100% steam cooking	29 dishes	29 dishes
Ai Culinary guide	53 dishes	53 dishes
Ai Mode Chef (100% automatic)		33 distres
·	17 dishes	17 dishes
Ai Low temperature	Yes	Yes
Shabbat	Yes	Yes
Drying		res -
Connectivity		
Comfort	4 power variable grill	4 power variable grill
AutoStop System/Panel locking  OVEN	Yes/Yes	Yes/Yes
OVEN	Cold door with	Cold door with
Door	4 glasses	4 glasses
Inner door type	Removable full glass	Removable full glass
Left upper light	Halogen 25W	Halogen 25W
Enamel	Grey Enamel	Grey Enamel
Grill	2,100W	2,100W
ACCESSORIES		, , , , , , , , , , , , , , , , , , , ,
	6 levels -	6 levels -
Racks	Chromed wire	Chromed wire
Sliding system	100 % Telescopic	100 % Telescopic
Half-grids	2	2
Flat safety grids		2
45mm drip tray max.	1	1
Inox steam tray	1	1
Perforated tray 20mm	1	1
Tray 8mm	1	-
Soft close lock	Yes	Yes
DIMENSIONS - WEIGHT		
Built-in HxWxD (mm)	585X560X550	585X560X550
Unboxed HxWxD (mm)	592X592X609	592X592X609
Packed product HxWxD (mm)	670X640X660	670X640X660
Net weight (kg)/Gross weight (kg)	43.7/45	44.1/45.6
Delivered with cable	Yes 115cm	Yes 115cm
	220-240V/	220-240V/
Connection	50Hz/16A	50Hz/16A
EAN CODE		222, 10.1
Heritage	3660767993600	3660767997196 / 366076799967
Infinite Black	3660767993617	3660767997219
Master Black	3660767997127	1113,0,00,2.0
		20070727022
Stellar Steel		3660767997226

# **45CM OVENS**

REFERENCES	
Heritage	
Infinite Black	
Master Black Stellar Steel	
Eternal White	
PRODUCT SHEET	
Energy efficiency class	
Energy Efficiency Index (EEI) (kWh)	
Energy consumption per cycle in conventional-traditional function (kWh)	
Energy consumption per cycle in circulating heat function (kWh)	
Standby consumption (W) Cavity capacity (L)	
Usable volume of the cavity	
Oven type	
Heating source(s)	
GENERAL FEATURES	
Cooking mode	
Number of cooking functions Cleaning mode	
Automatic cleaning Pyro-Control	
Control type	
Display type	
Temperature recommendation	
Height tray recommendation	
Ai Sous vide cooking	
Ai Combi steam cooking	
Ai Culinary guide	
Ai Culinary guide  Auto mode	
Ai Mode Chef (100% automatic)	
Ai Low temperature	
Shabbat	
Drying	
Connectivity	
Comfort AutoStop System/Panel locking	
OVEN	
Door	
Inner door type	
Left upper light  Enamel	
Grill	
ACCESSORIES	
Racks	
Sliding system	
Steam grid	
Flat safety grids	
45mm drip tray max.	
Inox steam tray	
Soft close lock	_
DIMENSIONS - WEIGHT Built-in HxWxD (mm)	
Unboxed HxWxD (mm)	
Packed product HxWxD (mm)	
Net weight (kg)/Gross weight (kg)	
Delivered with cable	
Connection	
EAN CODE	- —
Heritage	- —
Infinite Black	
Master Black	
Master Black Stellar Steel	

DKR4741H	DKP4531H	DKV4530H
DKR4741B	DKP4531B	DKV4530B
	DKP4531X	DKV4530X
A	A	A
94.4	94.4	(N/A)
0.68	0.68	(N/A)
1.01	1.01	(N/A)
0.8	0.8	0.8
40	40	29
1	1	1
Simple	Simple	Steam
Electrical	Electrical	Electrical
Multifunction +	Multifunction +	Steam
18	11	4
Pyrolytic / 2	Pyrolytic / 2	Manual
No	No	No
Knob	Knob	Knob
Colour TFT Screen	White LCD screen	White LCD screen
Yes	Yes	No
Yes	Yes -	Yes
31 dishes	-	-
29 dishes	-	32 dishes
46 dishes	46 dishes	-
-	-	Steam / Reheating / Defrostin
-	-	-
-	-	<del>-</del>
Yes	Yes	
-	- Tes	<del>-</del>
-	-	
Yes/Yes	Yes/Yes	No/Yes
Cold down 31	Cold 1	
Cold door with 4 glasses	Cold door with 4 glasses	Door with 1 glass
Removable full glass	Removable full glass	With shield
Halogen 25W	Halogen 25W	Halogen 25W
Grey Enamel	Grey Enamel	Grey Enamel
,		
1750W	1750W	<u> </u>
1750W		<del>-</del>
	3 levels - Enameled wire	?
1750W 3 levels - Enameled wire -	3 levels - Enameled wire -	-
1750W  3 levels - Enameled wire	3 levels - Enameled wire - -	- 1
1750W  3 levels - Enameled wire 1	3 levels - Enameled wire - - 1	- 1 -
1750W  3 levels - Enameled wire	3 levels - Enameled wire - -	- 1 - -
1750W  3 levels - Enameled wire 1	3 levels - Enameled wire - - 1 1	- 1 -
1750W  3 levels - Enameled wire 1 1	3 levels - Enameled wire - - 1 1	- 1 - - 1
1750W  3 levels - Enameled wire 1 1 1 - 450X560X550	3 levels - Enameled wire 1 1 450X560X550	- 1 - - 1 - 450X560X550
1750W  3 levels - Enameled wire  1 1 - 1 450X560X550 456X592X609	3 levels - Enameled wire 1 1 450X560X550 456X592X575	- 1 - - 1 - 450X560X550 453X592X430
1750W  3 levels - Enameled wire  1 1 1 - 450X560X550 456X592X609 550X670X700	3 levels - Enameled wire  1 1 450X560X550 456X592X575 550X670X700	- 1 - - 1 1 - 450X560X550 453X592X430 570X679X577
1750W  3 levels - Enameled wire  1 1 1 - 450X560X550 456X592X609 550X670X700 35.8/39.4	3 levels - Enameled wire 1 1 450X560X550 456X592X575 550X670X700 33/36.2	- 1 - - 1 1 - 450X560X550 453X592X430 570X679X577 21.6/24.6
1750W  3 levels - Enameled wire 1 1 1 - 450X560X550 456X592X609 550X670X700 35.8/39.4 Yes 145cm	3 levels - Enameled wire  1 1 450X560X550 456X592X575 550X670X700 33/36.2 Yes 150cm	- 1 1 1 
1750W  3 levels - Enameled wire  1 1 1 - 450X560X550 456X592X609 550X670X700 35.8/39.4	3 levels - Enameled wire 1 1 450X560X550 456X592X575 550X670X700 33/36.2	- 1 - - 1 1 - 450X560X550 453X592X430 570X679X577 21.6/24.6
1750W  3 levels - Enameled wire  1 1 1 - 450X560X550 456X592X609 550X670X700 35.8/39.4 Yes 145cm 220-240V/	3 levels - Enameled wire  1 1 450X560X550 456X592X575 550X670X700 33/36.2 Yes 150cm 220-240V/	- 1 - - 1 1 - 450X560X550 453X592X430 570X679X577 21.6/24.6 Yes 105cm 220-240V/
1750W  3 levels - Enameled wire 1 1 1 - 450X560X550 456X592X609 550X670X700 35.8/39.4 Yes 145cm 220-240V/ 50Hz/16A 3660767993716	3 levels - Enameled wire  1 1 450X560X550 456X552X575 550X670X700 33/36.2 Yes 150cm 220-240V/ 50-60Hz/16A 3660767992450	- 1 
1750W  3 levels - Enameled wire  1 1 1 - 450X560X550 456X592X609 550X670X700 35.8/39.4 Yes 145cm 220-240V/ 50Hz/16A	3 levels - Enameled wire  1 1 450X560X550 456X592X575 550X670X700 33/36.2 Yes 150cm 220-240V/ 50-60Hz/16A	- 1 

# **MICROWAVES**

REFERENCES	СОМВІ	
Heritage	DKC4756H	
Infinite Black	DKC4756B	
Master Black	DKC4756MB	
Stellar Steel	DKC4756X	
Eternal White	DKC4756W	
PRODUCT SHEET		
Display	Colour TFT Screen	
Drop down door	Yes	
Volume (L)	40	
Power MO (W)	1,000	
Number of power levels	10	
Circulating heat (W)	1.600	
Folding grill (W)	1,750	
Number of grill speeds	4	
Number of memories	3	
Quattro System	Yes	
4 Wave outputs/Wave diffuser	Yes / Yes	
Speed Defrost Programmes		
Removable turntable (cm)	36	
Door open light	Yes	
Light LED	1x1.5W	
Cavity	Enamelled	
Combined microwave functions	3	
Traditional cooking functions	3	
Ai Defrosting guide	5	
Ai Auto cook MW	15	
Number of cooking functions	10	
PANEL		
Electronic programming	Yes	
Delayed start		
Timer	Yes	
Child safety	Yes	
ACCESSORIES		
Chrome wire racks	3 levels	
Safety grid	1	
Enamelled drip tray 45mm	1	
DIMENSIONS - WEIGHT		
Built-in HxWxD (mm)	450X560X550	
Unboxed HxWxD (mm)	456X592X620	
Packed product HxWxD (mm)	550X670X700	
Net weight (kg)/Gross weight (kg)	38.7/41.8	
Delivered with cable	Yes 130cm	
Connection	220-240V/	
Connection	50Hz/16A	
EAN CODE		
Heritage	3660767992429	
Infinite Black	3660767993662	
Master Black	3660767997141	
Stellar Steel	3660767993679	
Eternal White	3660767993686	

COMBI	СОМВІ	SOLO	SOLO
DKC4756H	DKC4536H	DKE4535H	DKE4220H
DKC4756B	DKC4536B	DKE4535B	DKE4220B
DKC4756MB			
DKC4756X	DKC4536X	DKE4535X	DKE4220X
DKC4756W	DKC4536W		
Calaria TET Caraca	White I CD course	White LCD course	White LED course
Colour TFT Screen	White LCD screen	White LCD screen	White LED screen
Yes	Yes	Yes	Yes
40	40	40	40
1,000	1,000	1,000	1,000
10	10	10	5
1.600	1.600	-	-
1,750	1,750	<u>-</u>	-
4	4		-
3	3	3	3
Yes	Yes	Yes	Yes
Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes
36	36	36	36
Yes	Yes	Yes	Yes
1x1.5W	1x1.5W	1x1.5W	1x1.5W
Enamelled			
	Enamelled	Enamelled	Enamelled
3	3	-	<del>-</del>
3	3	-	-
5	5	5	<del>-</del>
15	15	5	
10	10	5	6 automatic function
Yes	Yes	Yes	Yes
-	Yes	-	-
Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes
71	71		
3 levels	3 levels	-	-
1	1	-	-
1	1	-	-
450X560X550	450X560X550	450X560X550	450X560X550
456X592X620	456X592X628	456X592X628	456X592X628
550X670X700	550X670X700	550X660X700	550X660X700
38.7/41.8	38.6/41.8	32.2/35.5	32/35.10
Yes 130cm	Yes 130cm	Yes 130cm	Yes 110cm
220-240V/	220-240V/	220-240V/	220-240V/
50Hz/16A	50Hz/16A	50Hz/10A	50Hz/10A
70070707000400	7.007.0707.04	7000707000405	7,0,0,7,0,0,7,7,0,0
3660767992429	3660767993624	3660767992405	3660767993709
3660767993662	3660767992412	3660767997172	3660767993693
3660767997141			
3660767993679	3660767993655	3660767992399	3660767992382
3660767993686	3660767993631		

# **MICROWAVES**

	RENCES
Herita	
	e black / Black
	black
	Steel / Inox
	l white / White
	RAL FEATURES
Displa	
	lopening
Volum	
	MO (W)
	er of power levels
	er of grill speeds
	er of memories
	o System
	e outputs/Wave diffuser
	Defrost Programmes
	/able turntable (cm)
	ppen light
Light l	
Cavity	
	cooking and reheating
	er of cooking functions
Autoc	
	natic cooking programmes
	defrost
Grill	a modos
PANE	ng modes
	onic programming
Contro	
Timer	n type
Child	safety
	ISIONS - WEIGHT
	n HxWxD (mm)
	red HxWxD (mm)
	d product HxWxD (mm)
	eight/Gross Weight (Kg)
Delive	red with cable
Conne	ction
Full Bu	uilt-in
EAN C	ODE
Haniba	ge
Herita	/
Herita Infinite	e black / Black
Infinite	black / Black black

BUILT-IN/GRILL	BUILT-IN/GRILL	SOLO	SOLO
	DMG4210H	DME4310H	
- / DMG2122A	DMG4210B / -	DME4310B /-	DME4320B /-
	DMG4210MB		
		- / DME4310X	
- / DMG2122W		- / DME4310W	
White LCD screen	White LED screen	White LED screen	White LED screen
Yes	Yes	Yes	Yes
25	25	26	26
900	900	900	900
5	5	5	4
TBC	TBC	TBC	TBC
TBC	TBC	3	TBC
-	-	Yes	Yes
TBC / TBC	TBC / TBC	Yes / Yes	Yes / Yes
TBC	TBC	TBC	TBC
31.5	31.5	30	30
Yes	Yes	Yes	Yes
1x1.5W	1x1.5W	1x1.5W	1x1.5W
Inox	Inox	Inox	Inox
(N/A)	(N/A)	No	Yes
3	3	11	3
Yes	Yes	Yes	Yes
8	8	-	Yes
-	-	Yes	Yes
Yes	Yes	-	-
Grill/MW	Grill/MW	MW	MW
3111,1111	Orm, Triv		
Yes	Yes	Yes	Yes
Sensitive touch controls	Knob	Knob	Sensitive touch control
95min	95min	60min	60min
Yes	Yes	Yes	Yes
103	103	163	103
380X560X500	380X560X500	380X560X550	380X560X550
388X595X401	TBC	390X592X480	390X592X480
446X654X451	TBC	470X650X500	470X650X500
19/21	18/20	18.9/21.2	18.9/21.2
Yes 130cm	Yes 130cm	Yes 138cm	Yes 138cm
220-240V/	220-240V/	220-240V/	220-240V/
50Hz/16A	50Hz/16A	50Hz/10A	50Hz/10A
Yes	Yes	Yes	Yes
	3 660 767 998 988	3 660 767 992 504	
- / 3 660 767 986 428	3 660 767 998 995 / -	3 660 767 992 511 / -	3 660 767 992 481 / -
	DMG4210MB		
		- / 3 660 767 992 498	
- / 3 660 767 986 411		- / 3 660 767 992 528	

# **COFFEE MACHINE**

REFERENCES	
Absolute Black	DKD7400A
FUNCTIONS	
On/Off touch	Yes
Temperature display	Yes
Coffee quantity display	Yes
Coffee distribution touch	Yes
Water or steam distribution touch	Yes
Knob for steam	Yes
Alarm indicator for coffee level	Yes
Alarm indicator for water level	Yes
Cappuccino function	Yes
Macchiato function	Yes
PROGRAMMING	
Adjusting the dose of coffee (short, medium, long)	Yes
Adjusting the temperature of coffee	Yes
Adjusting the temperature of water	Yes
Adjusting the temperature of steam	Yes
Adjusting the grinding coffee fineness control	Yes
GENERAL FEATURES	
Cleaning mode	Manual
Pump power (W)	50
Coffee heating system power (W)	1,200
Steam heating system power (W)	1,000
Pump preasure	15 bar
Water tank capacity (L)	1.8
Coffee tank capacity (kg)	0.200
Maximum power (W)	1,350
DIMENSIONS - WEIGHT	
Built-in HxWxD (mm)	455X595X330
Packed product HxWxD (mm)	540X660X510
Net weight (kg)/Gross weight (kg)	24/27.5
Delivered with cable	Yes/180 cm
Connection	220-240V/50-60Hz/10A
EAN CODE	
Absolute Black	3660767967380

# **DRAWERS**

REFERE	NCES
Heritage	9
Infinite E	Black
Master E	Black
Stellar S	teel
Eternal \	White
FUNCTI	ONS
Height	
Function	า
Control	type
Opening	system
Telescop	pic rails
Tempera	iture
Number	of programmes
Number	of adjustable sous vide levels
Sealing	levels
DIMENS	IONS - WEIGHT
Built-in I	HxWxD (mm)
Packed	product HxWxD (mm)
Net weig	ght (kg)/Gross weight (kg)
Delivere	d with cable
Connect	ion
Maximu	m power (W)
EAN CO	DE
Heritage	
Infinite E	Black
Master E	Black
Stellar S	teel
Eternal V	Vhite

DWD4830B	DWD4820B	DWD4810B
		DWD4810W
14 cm	14 cm	14 cm
Professional sous vide drawer	Sous vide drawer	Keep warm drawer
Touch-sensitive	-	-
Push pull	Push pull	Push pull
Yes	Yes	-
-	-	From 30°C to 80°C
4	-	-
4	-	-
inimum / Medium / Maximum	Manual	-
140X595X612	140X595X557	140X595X525
225X645X645	225X645X645	225X645X645
35.4/33.6	17.2/15.3	15.7/13.8
Yes/150 cm		Yes/150 cm
220-240V/50-60Hz/10A	220-240V/50-60Hz/10A	220-240V/50-60Hz/10A
400	115	420
3660767997691	3660767995598	3660767995574

# PERFECT SENSOR INDUCTION HOBS

	SENSOR INI	JUCTION II	ODS
REFERENCES	horiZone	horiZone	horiZone
Heritage			
Infinite Black Master Black	DPI4831BT		DPI4441BT
Stellar Steel			
Eternal White	_	221115125	
PRODUCT SHEET	_	DPI4451GT	
Width (cm)	80	65	65
Control type	Backlit buttons	TFT screen	Backlit buttons
POWER / DIAMETER OF ZONES	Yes	No	Yes
Left Free zone	Induction	Induction	Induction
Dimensions (WxD in cm)	40x23	40x23	40x23
Max power (booster in W) Power consumption (EC) Wh/kg		3,700 180.2	3,700 180.2
Rear left	-	-	-
Diameter (in mm)	<u> </u>	-	-
Max power (booster in W)  Power consumption (EC) Wh/kg	_ <del></del>	-	-
Front left		-	-
Diameter (in mm)		-	-
Max power (booster in W)  Power consumption (EC) Wh/kg		<u> </u>	
Right Free zone		Induction	Induction
Dimensions (WxD in cm)		40x23	40x23
Max power (booster in W) Power consumption (EC) Wh/kg	_ <del></del>	3,700 180.2	3,700 180.2
Right		-	-
Diameter (in mm)	-	-	-
Max power (booster in W) Power consumption (EC) Wh/kg	<del>-</del> -	-	-
Center Consumption (EC) Wn/kg	Induction	<u> </u>	<del>-</del>
Diameter (in mm)	280	-	-
Max power (booster in W)	3,700	-	-
Power consumption (EC) Wh/kg  Rear right	168.3	<u> </u>	<u> </u>
Diameter (in mm)		-	-
Max power (booster in W)		-	<u>-</u>
Power consumption (EC) Wh/kg  Front right	Induction	<u>-</u>	<u>-</u>
Diameter (in mm)	160	-	-
Max power (booster in W)	2,400	-	-
Power consumption (EC) Wh/kg GENERAL FEATURES	175.1	<u>-</u>	-
Number of cooking positions	20	20	20
Ai Culinary guide		Yes	Yes
Ai step by step recipes Auto link		Yes Yes	- Yes
Blanch		Yes	Yes
Boil	Yes	Yes	Yes
Boost Clean lock	Yes Yes	Yes Yes	Yes Yes
Sous vide cooking	Yes	Yes	Yes
Melting	Yes	Yes	- -
Simmer Sear	Yes Yes	Yes Yes	Yes Yes
Warm keeping		Yes	Yes
Slow cooking	Yes	-	-
Automatic pan detection Elapsed time	_ <del></del>	Yes Yes	Yes Yes
Grill		Yes	Yes
ICS		Yes	Yes
Motion control  Power management	- Yes	Yes Yes	- Yes
Recall	Yes	Yes	Yes
Low		-	-
Switch Lock	_ <del></del>	Yes Yes	Yes Yes
Grill/plancha (horizone play)	Yes	-	-
Probe functions	Yes	Yes	Yes
Programmable and adjustable direct access level (per zone)		5	4
Number of timers 1 to 99 minutes Timer direct access level (per zone)		4 Yes	4 Yes
SAFETY FEATURES	les	ies	ies
Pack 10 safety features	Yes	Yes	Yes
DIMENSIONS - WEIGHT	6000000515	60V6E0VE10	6076507515
Built-in HxWxD (mm) Unboxed HxWxD (mm)	60X800X515	60X650X510 -	60X650X515 -
Packed product HxWxD (mm)	170X940X600	140X750X600	140X750X600
Net weight (kg)/Gross weight (kg)	13.4/14.5	11.5/12.2 Vos./130.cm	11.7/12.5 Yes/130 cm
Delivered with cable Connection	Yes/130 cm 220-240V/50-60Hz/32A	Yes/130 cm 220-240V/50-60Hz/32A	220-240V/50-60Hz/32A
Electrical power (kW)	7.4	7.4	7.4
EAN CODE	_		
Heritage Infinite Black	3660767994799		3660767994676
Master Black			
Stellar Steel Eternal White			
Dark grey		3660767998056	
	_		

# PERFECT SENSOR INDUCTION HOBS

1	LRI	LU
REFERENCES		
Heritage		
Infinite Black		
Master Black		
Stellar Steel		
Eternal White		
PRODUCT SHEET		
Width (cm) Control type		
Backlight		
POWER / DIAMETER OF Z	ONES	
Left Free zone		
Dimensions (WxD in cm)		
Max power (booster in W)		
Power consumption (EC) \	Vh/kg	
Rear left		
Diameter (in mm) Max power (booster in W)		
Power consumption (EC) \	Wh/ka	
Front left	,9	
Diameter (in mm)		
Max power (booster in W)		
Power consumption (EC) \	Nh/kg	
Right Free zone		
Dimensions (WxD in cm)		
Max power (booster in W) Power consumption (EC) \	N/h/ka	
Right	vii/ kg	
Diameter (in mm)		
Max power (booster in W)		
Power consumption (EC) \	Wh/kg	
Center		
Diameter (in cm)		
Max power (booster in W)  Power consumption (EC) \	Mb /ka	
Rear right	VII/KG	
Diameter (in mm)		
Max power (booster in W)		
Power consumption (EC) \	Wh/kg	
Front right		
Diameter (in mm)		
Max power (booster in W)	A /  - /	
Power consumption (EC) \ GENERAL FEATURES	VII/ Kg	
Number of cooking position	ns	
Ai Culinary guide		
Ai Step by step recipes		
Auto link		
Blanch		
Boil		
Boost Clean lock		
Sous vide cooking		
Melting		
Simmer		
Sear		
Warm keeping		
Slow cooking		
Automatic pan detection		
Elapsed time Grill		
ICS		
Motion control		
Power management		
Recall		
Low		
Switch		
Lock	-lev-X	
Grill/plancha (horizone p Probe functions	nay)	
Programmable and adjus	stable direct	
access level (per zone)		
Number of timers 1 to 99		
Timer direct access level SAFETY FEATURES	(per zone)	
Pack 10 safety features		
DIMENSIONS - WEIGHT		
Built-in HxWxD (mm)		
Unboxed HxWxD (mm)		
Packed product HxWxD		
Net weight (kg)/Gross w	eight (kg)	
Delivered with cable		
Connection  Electrical power (kW)		
Electrical power (kW)		
EAN CODE Heritage		
Infinite Black		
Master Black		
Stellar Steel		
Eternal White		

		horiZone DPI4230HT
DPI4431BT	DPI4320BT	DF14230111
DPI4431XT	DPI4320XT	
DP14431X1	DP1432UX 1	
0.5	0.5	70
65	65	38 Taurah annaiki sa hushkana
Touch-sensitive buttons No	Touch-sensitive buttons No	Touch-sensitive buttons No
NO	NO	140
Induction	-	-
40x23	-	-
3,700	-	-
-	-	-
-	Induction	-
-	230	
-	3,700	-
-	170.2 Induction	-
	160	
-	2,400	-
-	175.1	-
-	-	-
-	-	-
-	<u>-</u>	-
-	- Industria	-
<u> </u>	Induction	-
-	280 3,700	-
-	168.3	-
-	-	Induction
-	-	40x23
-	-	4,800
-		-
Induction	<u>-</u>	-
230	<u>-</u>	-
3,700 170.2	<u> </u>	-
Induction		-
160	-	-
2,400	-	-
175.1	-	-
20	20	20
Yes	Yes	Yes
- Yes	<u>-</u>	-
Yes	Yes	Yes
Yes	Yes	
-		
Yes	Yes	Yes
Yes	Yes -	Yes
Yes -	<del>-</del>	Yes -
Yes	Yes	Yes
Yes	Yes	Yes
Yes	-	-
Yes	Yes	Yes
-	-	-
Yes	Yes	-
Yes -	Yes Yes	<u>-</u>
Yes	Yes	-
Yes	Yes	Yes
-	-	-
Yes	Yes	Yes
4	3	4
4	3	2
Yes	Yes	Yes
Yes	Yes	Yes
60X650X515	60X650X515	60X380X515
14077507000	- 14077507600	17577057505
140X750X600	140X750X600	175X395X595
11.7/12	11/11.7	6.7/9.6 Vos/130.cm
- 220-240V/50-60Hz/32A	- 220-240V/50-60Hz/32A	Yes/130 cm 220-240V/50-60Hz/16A
7.4	7.4	4.8
***		0
		3660767991507
3660767994621	3660767994287	

#### **INDUCTION HOBS**

	INDU	CHON	HUB3		
REFERENCES	horiZone	horiZone	horiZone	horiZone	-
Heritage Infinite Black	DPI4942B	DPI4932BP	DPI4832B	DPI4830B	
Master Black		DF 14332DF	DF14032B	DF14030B	
Stellar Steel Eternal White					DPI4820X
PRODUCT SHEET					
Width (cm)	90	90	80	80	80
Control type  Backlight	Backlit buttons Yes	Backlit buttons Yes	Backlit buttons Yes	Backlit buttons No	Capacitive buttons No
POWER / DIAMETER OF ZONES	100	100	100	110	110
Left Free zone	Induction	Induction	-	Induction	-
Dimensions (WxD in cm)  Max power (booster in W)	40x23 3,700	40x23 3,700	<u> </u>	40x23 3,700	-
Power consumption (EC) Wh/kg	180.2	180.2	-	180.2	-
Rear left	<del>-</del>	-	Induction	-	Induction
Diameter (in mm)  Max power (booster in W)		-	160 2,400	-	230 3,700
Power consumption (EC) Wh/kg	-	-	182.5	-	170.2
Front left	<u>-</u>	-	Induction	-	Induction
Diameter (in mm)  Max power (booster in W)		<del>-</del>	180 2,800	-	160 2,400
Power consumption (EC) Wh/kg	-	-	169.2	-	175.1
Right Free zone	Induction	<u>-</u>	Induction	-	-
Dimensions (WxD in cm)  Max power (booster in W)	40x23 3,700	<u> </u>	40x23 3,700	-	-
Power consumption (EC) Wh/kg	180.2	-	180.2	-	-
Right	-	-	-	-	-
Diameter (in mm)  Max power (booster in W)	<u>-</u>	-	<u> </u>	-	-
Power consumption (EC) Wh/kg	·	-	<u> </u>	-	
Center	Induction	Induction	Induction	Induction	=
Dimensions (WxD in cm)	40x23	- 700	-	-	-
Diameter (in mm)  Max power (booster in W)	3,700	300 5,500	280 3,700	280 3,700	-
Power consumption (EC) Wh/kg	180.2	169.9	168.3	168.3	-
Rear right	-	Induction	-	-	Induction
Diameter (in mm)  Max power (booster in W)	<u>-</u>	230 3,700	-	-	280 3,700
Power consumption (EC) Wh/kg	-	170.2	-	-	168.3
Front right	-	Induction	-	Induction	Induction
Diameter (in mm)	<del>-</del>	160 2,400	-	160 2,400	160 2,400
Max power (booster in W)  Power consumption (EC) Wh/kg		175.1		175.1	175.1
GENERAL FEATURES					
Number of cooking positions		20	20	20	20
Ai Culinary guide Ai Step by step recipes	· -		<del>-</del>	-	-
Auto link	Yes	Yes	Yes	Yes	-
Blanch	<u> </u>	-	<u>-</u>	-	-
Boil Boost	Yes	Yes	- Yes	- Yes	- Yes
Clean lock	-	-	-	-	-
Sous vide cooking	<u> </u>	-	-	-	-
Melting Simmer	- Yes	Yes	Yes	- Yes	- Yes
Sear	Yes	Yes	Yes	Yes	Yes
Warm keeping	Yes	Yes	Yes	Yes	Yes
Slow cooking Automatic pan detection		-	-	-	<u>-</u>
Elapsed time	-	-	-	-	-
Grill	-	-	-	-	-
ICS Motion control	·			-	-
Power management	Yes	Yes	Yes	Yes	Yes
Recall	-	-	-	-	-
Low	<u> </u>	-	-	-	-
High Switch	<u>-</u>	-	-	-	-
Lock			-	-	-
Grill/plancha (horizone play)	Yes	Yes	Yes	Yes	-
Probe functions Programmable and adjustable direct				-	
access level (per zone)	- 4	4	4	4	4
Number of timers 1 to 99 minutes Timer direct access level (per zone)	- <u>6</u> 6	<u>5</u> 5	<u>5</u> 5	4	4
SAFETY FEATURES				·	· · · · · · · · · · · · · · · · · · ·
Pack 10 safety features	Yes	Yes	Yes	Yes	Yes
DIMENSIONS - WEIGHT Built-in HxWxD (mm)	60X930X515	60X930X515	60X800X515	60X800X515	60X800X515
Unboxed HxWxD (mm)	- 00/330/313	-	-	-	-
Packed product HxWxD (mm)	140X1150X610	140X1150X610	170X940X600	170X950X600	170X940X600
Net weight (kg)/Gross weight (kg)	17.95/20.4	18/20	15.65/16.70 Vos/170	13.4/14.4 Vos/170	13/14 Vos /170
Delivered with cable Connection	220-240V/50-60Hz/0A	220-240V/50-60H7/0A	Yes/130 220-240V/50-60Hz/32A	Yes/130 220-240V/50-60Hz/32A	Yes/130 220-240V/50-60Hz/32A
	11.1	11.1	7.4	7.4	7.4
EAN CODE					
Heritage Infinite Black	3660767994881	3660767998032	3660767994805	3660767994775	
Master Black					
Stellar Steel					3660767994768
Eternal White					

# **INDUCTION HOBS**

REFERENCES	horiZone	horiZone	horiZone	horiZone
Heritage	DDI 40102		DD144402	55147700
Infinite Black Master Black	DPI4810B		DPI4442B	DPI4432B
Stellar Steel				
Eternal White				
Dark grey		DPI4450G		
PRODUCT SHEET				
Width (cm)	80	65	65	65
Control type	Touch-sensitive buttons	TFT screen	Backlit buttons	Backlit buttons
Backlight POWER / DIAMETER OF ZONES	No	No	Yes	Yes
Left Free zone	Induction	Induction	Induction	Induction
Dimensions (WxD in cm)	40x23	40x23	40x23	40x23
Max power (booster in W)	3,700	3,700	3,700	4,600
Power consumption (EC) Wh/kg	180.2	180.2	180.2	-
Rear left	-	-	-	-
Diameter (in mm)		-		-
Max power (booster in W)		-		-
Power consumption (EC) Wh/kg		-		-
Front left Diameter (in mm)	-	<u>-</u>	<u>-</u>	
Max power (booster in W)		-	<del>-</del>	-
Power consumption (EC) Wh/kg	-	_	_	-
Right Free zone	-	Induction	Induction	-
Dimensions (WxD in cm)	-	40x23	40x23	-
Max power (booster in W)	-	3,700	3,700	-
Power consumption (EC) Wh/kg	-	180.2	180.2	-
light	-	-	=	-
Diameter (in mm)		<u> </u>	<del>-</del>	-
Max power (booster in W)		-	-	-
Power consumption (EC) Wh/kg	-	<u>-</u>	<u>-</u>	-
Center Diameter (in mm)	-	-	-	
Max power (booster in W)				
Power consumption (EC) Wh/kg		-	_	-
Rear right	Induction	-		Induction
Diameter (in mm)	280	-	-	230
Max power (booster in W)	3,700	-	-	3,700
Power consumption (EC) Wh/kg	166.4	-	-	170.2
Front right	Induction	-		Induction
Diameter (in mm)	160	-		160
Max power (booster in W)	2,400	-	<del>-</del>	2,400
Power consumption (EC) Wh/kg	177.2	-	-	175.1
GENERAL FEATURES	15	20	20	20
Number of cooking positions  Ai Culinary guide	- 13	Yes	Yes	Yes
Ai Step by step recipes	-	Yes	-	-
Auto link	-	Yes	Yes	Yes
Blanch	-	Yes	Yes	Yes
Boil	Yes	Yes	Yes	Yes
Boost	Yes	Yes	Yes	Yes
Clean lock	<u> </u>	Yes	Yes	Yes
Sous vide cooking	<del>_</del>	-		-
Melting		Yes		- -
Simmer	Yes Yes	Yes Yes	Yes Yes	Yes Yes
Sear Warm keeping	Yes	Yes	Yes	Yes
Slow cooking	-	-	-	-
Automatic pan detection	Yes	Yes	Yes	Yes
Elapsed time	Yes	Yes	Yes	Yes
Grill	-	Yes	Yes	Yes
CS	Yes	-	Yes	Yes
1otion control	-	Yes	-	-
Power management	<del>-</del>	Yes	Yes	Yes
Recall	Yes	Yes	Yes	Yes
OW Link		<u>-</u>	<del>-</del>	-
High	- Vos	- Vos	- Vos	- Vos
witch .ock	Yes	Yes Yes	Yes Yes	Yes Yes
Grill/plancha (horizone play)		- Yes	- Yes	res -
Probe functions	<del></del>	-	<del>-</del>	-
Programmable and adjustable direct access level (per zone)	4	5	4	4
accèss level (per zone) Number of timers 1 to 99 minutes	4	4	4	4
imer direct access level (per zone)	4	4	4	4
AFETY FEATURES	7	-	T	7
Pack 10 safety features	Yes	Yes	Yes	Yes
IMENSIONS - WEIGHT				
Built-in HxWxD (mm)	60X800X515	60X650X510	60X650X515	60X650X515
Inboxed HxWxD (mm)	-	-	-	-
acked product HxWxD (mm)	170X940X600	140X750X600	140X750X600	140X750X600
Net weight (kg)/Gross weight (kg)	13.55/14.60	11.2/12	11.5/12	11.5/14.2
Delivered with cable	Yes/130 cm	Yes/130 cm	Yes/130 cm	Yes/130 cm
Connection	220-240V/50-60Hz/32A	220-240V/50-60Hz/32A	220-240V/50-60Hz/32A	220-240V/50-60Hz/32
Electrical power (kW)	7.4	7.4	7.4	7.4
AN CODE				
deritage	3660767994737		3660767994690	3660767994645
nfinite Black  Master Black			3000/0/334030	3000/0/994045
Stellar Steel				
Eternal White				

# **INDUCTION HOBS**

REFERENCES	horiZone	-	horiZone	duoZone	-
Heritage	DPI4431H	DPI4420H		DD14440D	BB14400B
Infinite Black	DPI4431B	DPI4420B	DPI4411B	DPI4410B	DPI4400B
Master Black Stellar Steel	DPI4431X	DPI4420X			
Eternal White	DPI4431W	DPI4420X DPI4420W			
PRODUCT SHEET	DF 14451W	DF 14420W			
Width (cm)	65	65	65	65	65
Control type	Touch-sensitive buttons			Touch-sensitive buttons	
Backlight	No	No	No	No	No
POWER / DIAMETER OF ZONES					
Left Free zone	Induction	-	Induction	Induction	-
Dimensions (WxD in cm)	40x23	-	40x23	37x18	-
Max power (booster in W)	4,600	-	3,700	3,700	-
Power consumption (EC) Wh/kg	-	-	180.2	-	-
Rear left		Induction	-	-	Induction
Diameter (in mm)		180	-	-	180
Max power (booster in W)		2,800	-	-	2,800
Power consumption (EC) Wh/kg		169.2	-	-	172
Front left		Induction	-	-	Induction
Diameter (in mm)		180	-	-	180
Max power (booster in W)	-	2,800	-	-	2,800
Power consumption (EC) Wh/kg		169.2	-	-	172
Right Free zone		-	-	-	
Dimensions (WxD in cm)	-	-	-	=	=
Max power (booster in W)	-	-	-	-	-
Power consumption (EC) Wh/kg		-	-	-	-
Right Diameter (in mm)	-	-	-	-	
Diameter (in mm)	-	-	-	-	-
Max power (booster in W)	-	-	-	-	-
Power consumption (EC) Wh/kg  Center	-	-	-	-	
Diameter (in mm)		-	<u> </u>	-	<u> </u>
Max power (booster in W)	-	<u> </u>		-	<del>-</del>
Power consumption (EC) Wh/kg	-			- -	<del>-</del>
Rear right	Induction	Induction	Induction	Induction	Induction
Diameter (in mm)	230	230	230	230	230
Max power (booster in W)	3,700	3,700	3,700	3,100	3,100
Power consumption (EC) Wh/kg	170.2	170.2	170.2	171.9	171.9
Front right	Induction	Induction	Induction	Induction	Induction
Diameter (in mm)	160	160	160	160	160
Max power (booster in W)	2,400	2,400	2,400	2,000	2,000
Power consumption (EC) Wh/kg	175.1	182.5	175.1	180.8	180.8
GENERAL FEATURES					
Number of cooking positions	20	20	20	20	15
Ai Culinary guide	Yes	Yes	-	-	-
Ai Step by step recipes	-	-	-	-	-
Auto link	-	-	-	-	-
Blanch	Yes	Yes	-	-	-
Boil	Yes	Yes	Yes	Yes	Yes
Boost	Yes	Yes	Yes	Yes	Yes
Clean lock	Yes	Yes	Yes	Yes	Yes
Sous vide cooking		-	-	-	-
Melting	<u> </u>	-	-	-	-
Simmer	Yes	Yes	Yes	Yes	Yes
Sear	Yes	Yes	Yes	Yes	Yes
Warm keeping	Yes	Yes	Yes	Yes	Yes
Slow cooking		- Vee	- Ven	-	- V
Automatic pan detection	Yes	Yes	Yes	Yes	Yes
Elapsed time	Yes	Yes	Yes	Yes	Yes
Grill	Yes	- Vos	- Vos	- Vos	- Voc
ICS Motion control	Yes	Yes	Yes	Yes -	Yes
Power management	- Yes	Yes	<u>-</u>		
Recall	Yes	Yes	Yes	Yes	Yes
Low		- 162	- 162	- res	
High	-	-			
Switch	Yes	Yes	Yes	Yes	Yes
Lock	Yes	Yes	Yes	Yes	Yes
Grill/plancha (horizone play)	-	-	-	-	-
Probe functions		-	-	-	_
Programmable and adjustable direct	4	4	4	4	4
Number of timers 1 to 99 minutes	4	4	4	4	4
Number of timers 1 to 99 minutes	4	4	4	4	4
Timer direct access level (per zone)	4	4	4	4	4
Pack 10 safety features	Voc	Yes	Vac	Voc	Voc
Pack 10 safety features  DIMENSIONS - WEIGHT	Yes	162	Yes	Yes	Yes
	60V6E0VE1E	60V6F0VE1E	60V6F0VF1F	60V6E0VE1E	60V6E0VE1E
Built-in HxWxD (mm) Unboxed HxWxD (mm)	60X650X515	60X650X515	60X650X515	60X650X515	60X650X515
Packed product HxWxD (mm)	140X750X600	140X750X600	140X750X600	140X750X600	140X750X600
Net weight (kg)/Gross weight (kg)	11.5/12	10.7/11.7	11.5/12	11/11.5	11/11.5
Delivered with cable	Yes/130 cm	Yes/130 cm	Yes/130 cm	Yes/130 cm	Yes/130 cm
Connection	220-240V/50-60Hz/32A	220-240V/50-60Hz/32A	220-240V/50-60Hz/32A	220-240V/50-60Hz/32A	
Electrical power (kW)	7.4	7.4	7.4	7.4	7.4
EAN CODE					, , , , , , , , , , , , , , , , , , ,
Heritage	3660767994614	3660767994331			
Infinite Black	3660767991637	3660767991644	3660767994720	3660767994713	3660767994706
Master Black					
Master Black Stellar Steel	3660767998117	3660767994355			

# **INDUCTION HOBS**

REFERENCES	horiZone	horiZone			
Heritage	DPI4332HP	Horizone		DPI4321H	DPI4320H
Infinite Black	DPI4332BP	DPI4330B	DPI4322BP	DPI4321B	DPI4320B
Master Black					
Stellar Steel			DPI4322XP	DPI4321X	DPI4320X
Eternal White				DPI4321W	
PRODUCT SHEET					
Width (cm)	65	65 Taurah assaitius hustasas	65 Taurah annaihirra hushanna	65 Taurah annaikina hushana	65
Control type  Backlight	Backlit buttons Yes	Touch-sensitive buttons No	No	Touch-sensitive buttons No	No
POWER / DIAMETER OF ZONES	162	INO	INO	INO	INO
Left Free zone	Induction	Induction			
Dimensions (WxD in cm)	40x23	40x23	_	-	-
Max power (booster in W)	3,700	3,700	-	-	-
Power consumption (EC) Wh/kg	-	-	-	-	-
Rear left	-	-	Induction	Induction	Induction
Diameter (in mm)	-	-	230	230	230
Max power (booster in W)		-	3,700	3,700	3,700
Power consumption (EC) Wh/kg		-	170.2	170.2	170.2
Front left		-	Induction	Induction	Induction
Diameter (in mm)	-	-	160	160	160
Max power (booster in W)	-	-	2,400	2,400	2,400
Power consumption (EC) Wh/kg	-	<u> </u>	175.1	175.1	175.1
Right Free zone Dimensions (WxD in cm)			-		
Max power (booster in W)					
Power consumption (EC) Wh/kg				_	_
Right	-	-	-	-	-
Diameter (in mm)	-	-	-	-	-
Max power (booster in W)	-	-	-	-	-
Power consumption (EC) Wh/kg	-	-	-	-	-
Center	Induction	Induction	Induction	Induction	Induction
Diameter (in mm)	300	280	300	280	280
Max power (booster in W)	5,500	3,700	5,500	4,600	3,700
Power consumption (EC) Wh/kg	169.9	168.3	169.9	161.1	168.3
Rear right	-		-	<u> </u>	-
Diameter (in mm)  Max power (booster in W)			-		
Power consumption (EC) Wh/kg					
Front right		-	_		_
Diameter (in mm)		-	-	-	-
Max power (booster in W)	-	-	-	-	-
Power consumption (EC) Wh/kg	-	-	-	-	-
GENERAL FEATURES					
Number of cooking positions	20	20	20	20	20
Ai Culinary guide	Yes	Yes	Yes	Yes	Yes
Ai Step by step recipes		-	-	-	-
Auto link	Yes	-	-	-	-
Blanch	Yes	Yes	Yes	Yes	Yes
Boil	Yes	Yes	Yes	Yes	Yes
Boost Clear had:	Yes	Yes	Yes	Yes	Yes -
Clean lock Sous vide cooking	Yes	Yes -	Yes -	Yes -	
Melting					
Simmer	Yes	Yes	Yes	Yes	Yes
Sear	Yes	Yes	Yes	Yes	Yes
Warm keeping	Yes	Yes	Yes	Yes	Yes
Slow cooking	-	-	-	-	-
Automatic pan detection	Yes	Yes	Yes	Yes	Yes
Elapsed time	Yes	Yes	Yes	Yes	Yes
Grill		-	-	-	-
ICS	Yes	Yes	Yes	Yes	Yes
Motion control	- -	- \/	- \/	- Ve-	- V
Power management  Recall	Yes	Yes	Yes Yes	Yes	Yes
Low	Yes	Yes -	res -	Yes -	Yes -
High					
Switch	Yes	Yes	Yes	Yes	Yes
Lock	Yes	Yes	Yes	Yes	Yes
Grill/plancha (horizone play)	-	-	-	-	-
Probe functions	-	-	-	-	-
Programmable and adjustable direct access level (per zone)	4	4	4	4	4
Number of timers 1 to 99 minutes	3	3	3	3	3
Timer direct access level (per zone)	3	3	3	3	3
SAFETY FEATURES					
Pack 10 safety features	Yes	Yes	Yes	Yes	Yes
DIMENSIONS - WEIGHT					
Built-in HxWxD (mm)	60X650X515	60X650X515	60X650X515	60X650X515	60X650X515
Unboxed HxWxD (mm)	-	-	-	-	
Packed product HxWxD (mm)	140X750X600	140X750X600	140X750X600	140X750X600	140X750X600
Net weight (kg)/Gross weight (kg)	10.5/11	10.5/11	10.5/11	11/12.7	11/11.7
Delivered with cable	Yes/130cm	Yes/130cm	Yes/130cm	Yes/130cm	Yes/130cm
Connection  Electrical power (kW)	220-240V/50-60Hz/32A		220-240V/50-60Hz/32A	220-240V/50-60Hz/32A	220-240V/50-60Hz/32
Electrical power (kW)	7.4	7.4	7.4	7.4	7.4
Horitage Horitage	7660767005420			7660767004204	7660767004240
Heritage Infinite Black	<u>3660767995420</u> 3660767991613	3660767994836	3660767991590	3660767994294 3660767994324	3660767994249 3660767994256
Master Black		3330,0,334030	5555767551550	0000707007024	0000707074200
Stellar Steel			3660767991576	3660767994317	3660767994263
Eternal White				3660767994300	

## **INDUCTION HOBS**

INDU	CHON HOBS	
EFERENCES	-	-
eritage	221472422	DD14700D
nfinite Black	DPI4301BP	DPI4300B
tellar Steel		
ternal White		
RODUCT SHEET		
/idth (cm)	65	65
ontrol type	Touch-sensitive buttons	Touch-sensitive buttons
OWER / DIAMETER OF ZONES		
eft Free zone	-	
imensions (WxD in cm)	-	-
ax power (booster in W)	-	<u>-</u>
ower consumption (EC) Wh/kg	- Industion	- Industion
iameter (in mm)	Induction 230	Induction 230
ax power (booster in W)	3,700	3,700
ower consumption (EC) Wh/kg	170.2	170.2
ront left	Induction	Induction
fameter (in mm)	160	160
ax power (booster in W)	2,400	2,400
ower consumption (EC) Wh/kg	175.1	175.1
ght Free zone	-	-
mensions (WxD in cm)	-	-
ax power (booster in W)	-	
ower consumption (EC) Wh/kg	-	-
ght	-	-
ameter (in mm)	<u>-</u>	<del>-</del>
ax power (booster in W)	<u>-</u>	
ower consumption (EC) Wh/kgenter	- Induction	- Induction
ameter (in mm)	300	280
ax power (booster in W)	5,500	3,700
ower consumption (EC) Wh/kg	169.9	168.3
ear right	-	-
ameter (in mm)	-	-
ax power (booster in W)	-	-
ower consumption (EC) Wh/kg	-	-
ont right	-	-
ameter (in mm)	-	<u>-</u>
ax power (booster in W)	-	<u>-</u>
ower consumption (EC) Wh/kg	-	-
ENERAL FEATURES		
umber of cooking positions	20	20
i Culinary guide	-	<del></del>
step by step recipes	<u>-</u>	<u> </u>
uto linkanch	<u> </u>	<u> </u>
oil	Yes	Yes
post	Yes	Yes
ean lock	Yes	Yes
ous vide cooking	-	-
elting	-	-
mmer	Yes	-
ear	Yes	-
arm keeping	Yes	<del>-</del>
ow cooking	<u>-</u>	<u>-</u>
utomatic pan detection	Yes	Yes
apsed time	Yes	Yes
ill	- Vee	- -
S	Yes -	Yes -
otion control	<u>-</u>	<del>-</del>
ecall	Yes	- Yes
DW	- Tes	
gh		
vitch	Yes	Yes
ock	.00	
	Yes	Yes
rill/plancha (horizone play)	Yes -	Yes -
obe functions		
obe functions	-	-
obe functions ogrammable and adjustable direct cess level (per zone)	-	-
obe functions ogrammable and adjustable direct cess level (per zone) mber of timers 1 to 99 minutes	- - 4	- - 4
obe functions ogrammable and adjustable direct cess level (per zone) mber of timers 1 to 99 minutes ner direct access level (per zone)	- - 4 3	- - 4 3
obe functions ogrammable and adjustable direct cess level (per zone) Imber of timers I to 99 minutes ner direct access level (per zone) IFETY FEATURES	- - 4 3	- - 4 3
obe functions ogrammable and adjustable direct cess level (per zone) mber of timers 1 to 99 minutes ner direct access level (per zone)  FETY FEATURES ck 10 safety features	- - 4 3 3	- - 4 3 3
obe functions ogrammable and adjustable direct cess level (per zone) umber of timers 1 to 99 minutes mer direct access level (per zone)  IFETY FEATURES ck 10 safety features  MENSIONS - WEIGHT	- - 4 3 3	- - 4 3 3
obe functions ogrammable and adjustable direct cess level (per zone) umber of timers 1 to 99 minutes mer direct access level (per zone) AFETY FEATURES tok 10 safety features MENSIONS - WEIGHT uilt-in HxWxD (mm)	- - 4 3 3 Yes	- - 4 3 3 - Yes
rill/plancha (horizone play) obe functions roogrammable and adjustable direct coss level (per zone) umber of timers 1 to 99 minutes mer direct access level (per zone)  AFETY FEATURES ack 10 safety features MENSIONS - WEIGHT uilt-in HXWXD (mm) aboxed HXWXD (mm) acked product HXWXD (mm)	- - 4 3 3 3 Yes 59X650X515 - 140X750X600	- - 4 3 3 Yes 60X650X515 - 140X750X600
obe functions ogrammable and adjustable direct cess level (per zone) umber of timers 1 to 99 minutes mer direct access level (per zone)  AFETY FEATURES ack 10 safety features  MENSIONS - WEIGHT  uilt-in HXWXD (mm) boxed HXWXD (mm) acked product HXWXD (mm) et weight (kg)/Gross weight (kg)	- - 4 3 3 Yes 59X650X515 - 140X750X600 11/11.5	- - 4 3 3 - Yes 60X650X515 - 140X750X600 11/11.5
obe functions ogrammable and adjustable direct cess level (per zone) umber of timers 1 to 99 minutes mer direct access level (per zone) AFETY FEATURES ack 10 safety features IMENSIONS - WEIGHT uilt-in HXWXD (mm) acked product HXWXD (mm) et weight (kg)/Gross weight (kg) elivered with cable	- - 4 3 3 Yes 59X650X515 - 140X750X600 11/11.5 Yes/130cm	- - 4 3 3 - - 140X750X600 11/11.5 Yes/130cm
obe functions ogrammable and adjustable direct cess level (per zone) umber of timers 1 to 99 minutes mer direct access level (per zone) AFETY FEATURES ack 10 safety features MENSIONS - WEIGHT uilt-in HXWXD (mm) aboxed HXWXD (mm) boxed dryxd (mm) bet weight (kg)/Gross weight (kg) elivered with cable ennection		4 3 3 3 Yes 60X650X515 140X750X600 11/11.5 19s/130cm 220-240V/50-60Hz/32A
obe functions ogrammable and adjustable direct cess level (per zone) umber of timers 1 to 99 minutes mer direct access level (per zone)  AFETY FEATURES ack 10 safety features MENSIONS - WEIGHT uilt-in HXWXD (mm) aboxed HXWXD (mm) acked product HXWXD (mm) at weight (kg)/Gross weight (kg) elivered with cable onnection ectrical power (kW)	- - 4 3 3 Yes 59X650X515 - 140X750X600 11/11.5 Yes/130cm	- - 4 3 3 - - 140X750X600 11/11.5 Yes/130cm
obe functions ogrammable and adjustable direct cess level (per zone) umber of timers 1 to 99 minutes mer direct access level (per zone)  NFETY FEATURES  Ock 10 safety features  MENSIONS - WEIGHT  uilt-in HxWxD (mm)  bloked HxWxD (mm)  cked product HxWxD (mm)  ot ked product HxWxD (mm)  et weight (kg)/Gross weight (kg)  livered with cable onnection ectrical power (kW)  N CODE		4 3 3 3 Yes 60X650X515 140X750X600 11/11.5 19s/130cm 220-240V/50-60Hz/32A
obe functions ogrammable and adjustable direct cess level (per zone) umber of timers 1 to 99 minutes mer direct access level (per zone)  NFETY FEATURES Ick 10 safety features MENSIONS - WEIGHT uilt-in HXWXD (mm) blocked product HXWXD (mm) icked product HXWXD (mm) ist weight (kg)/Gross weight (kg) livered with cable innection ectrical power (kW) IN CODE	- - 4 3 3 Yes 59X650X515 - 140X750X600 11/11.5 Yes/130cm 220-240V/50-60Hz/32A 7.4	- 4 3 3 3 3 Yes 60X650X515 - 140X750X600 11/11.5 Yes/130cm 220-240V/50-60Hz/32A 7.4
obe functions ogrammable and adjustable direct cess level (per zone) imber of timers I to 99 minutes mer direct access level (per zone)  IFETY FEATURES Ck 10 safety features MENSIONS - WEIGHT illt-in HxWxD (mm) iboxed HxWxD (mm) ckede product HxWxD (mm) t weight (kg)/Gross weight (kg) livered with cable nnection cetrical power (kW) N CODE ritage inite Black		4 3 3 3 Yes 60X650X515 140X750X600 11/11.5 19s/130cm 220-240V/50-60Hz/32A
obe functions ogrammable and adjustable direct cess level (per zone) umber of timers I to 99 minutes mer direct access level (per zone)  IFETY FEATURES ck 10 safety features  MENSIONS - WEIGHT  iilt-in HXWXD (mm) blooxed HXWXD (mm) cked product HXWXD (mm) it weight (kg)/Gross weight (kg) livered with cable innection actrical power (kW) IN CODE	- - 4 3 3 Yes 59X650X515 - 140X750X600 11/11.5 Yes/130cm 220-240V/50-60Hz/32A 7.4	- 4 3 3 3 3 Yes 60X650X515 - 140X750X600 11/11.5 Yes/130cm 220-240V/50-60Hz/32A 7.4

#### **VENTING HOBS**

REFERENCES	horiZone	horiZone
leritagenfinite Black	DPH4840BT	DPH4840B
aster Black	DETTHOUGHT	DF114040B
tellar Steel		
Eternal White		
Vidth (cm)	80	80
Control type	Touch-sensitive buttons	Touch-sensitive buttons
POWER / DIAMETER OF ZONES	Induction	Induction
Dimensions (WxD in cm)	40x23	40x23
Max power (booster in W)	3,800	3,800
Power consumption (EC) Wh/kg	<u>-</u>	<u>-</u> -
Rear left Diameter (in cm)	<del>-</del>	<del>-</del>
Max power (booster in W)	-	-
Power consumption (EC) Wh/kg	-	-
Front left Diameter (in cm)	<u> </u>	<del>-</del>
Max power (booster in W)	-	-
Power consumption (EC) Wh/kg	-	
Right Free zone Dimensions (WxD in cm)	Induction 40x23	Induction 40x23
Max power (booster in W)	3,800	3,800
Power consumption (EC) Wh/kg	-	-
Right Diameter (in cm)	<u>-</u>	
Max power (booster in W)		
Power consumption (EC) Wh/kg	-	-
Center (in cm)	<u>-</u>	<u> </u>
Diameter (in cm)  Max power (booster in W)	<u>-</u>	<del>_</del>
Power consumption (EC) Wh/kg	-	-
Rear right	-	-
Diameter (in cm)  Max power (booster in W)	- -	<u>-</u> -
Power consumption (EC) Wh/kg		
ront right	-	-
Diameter (in cm)  Max power (booster in W)	<u>-</u>	<u> </u>
Power consumption (EC) Wh/kg		<del>-</del>
IOB FEATURES		
Number of cooking positions Ai Culinary guide	20	20
Ai step by step recipes		
Auto link	-	-
Blanch	<u>-</u>	
Boost	Yes	Yes
Clean lock	Yes	-
Sous vide cooking	-	-
Melting Simmer	- -	<u> </u>
ear	-	-
Varm keeping	-	-
Slow cooking Automatic pan detection	- Yes	<u> </u>
Elapsed time	-	-
Grill	-	-
CS	Yes -	
Power management	<del>-</del>	
Recall	Yes	-
.ow	Yes	Yes
iano mode	Yes -	Yes -
witch	-	-
ock	- Vos	- Vee
rill/plancha (horizone play) robe functions	Yes Yes	Yes -
rogrammable and adjustable direct	3	3
ccess level (per zone)	4	4
lumber of timers 1 to 99 minutes imer direct access level (per zone)	4	4
OOD FEATURES		
extraction	Horizontal	Horizontal
Control typenergy labelling	Electronic touch sensitive control A++	Electronic touch sensitive control A++
laximum airflow m3/h	500	500
ound level (Standard re1 pW/DIN/EN 60704-2-13)	mini: 54dB(A), maxi: 58dB(A)	mini: 54dB(A), maxi: 58dB(A)
lumber of power levels including boosttainless steel grease filter	4 Yes	4 Yes
arbon filter(s) reference	AKF55	Yes AKF55
ersion supplied	Recycling	Recycling
AFETY FEATURES	Vas	Van
ack 10 safety features IMENSIONS - WEIGHT	Yes	Yes
uilt-in HxWxD (mm)	60X800X515	60X800X515
nboxed HxWxD (mm)	-	-
lacked product HxWxD (mm)	460X942X600 18.2/20.7	460X942X600 18.2/20.7
let weight (kg)/Gross weight (kg) Delivered with cable	18.2/20.7 Yes/130cm	18.2/20.7 Yes/130cm
Connection	220-240V/50-60Hz/32A	220-240V/50-60Hz/32A
lectrical power (kW)	7.4	7.4
AN CODE Heritage		
nfinite Black	3660767982109	3660767994867
Master Black Stellar Steel		

# MIXED HOBS

REFERENCE	3	
Heritage		
Infinite Black		
Master Black		
Stellar Steel		
Eternal White		
PRODUCT SI	IEET	
Width (cm)		
Control type		
Cast iron gril		
Integrated ig		
	AMETER OF ZONES	
Rear left		
Diameter (in	-	
	pooster in W)	
	ency of gas burner (EE)	
Front left		
Diameter (in		
	pooster in W)	
Power consu	mption (EC) Wh/kg	
Rear right		
Diameter (in	mm)	
Max power (	pooster in W)	
Energy effici	ency of gas burner (EE)	
Front right		
Diameter (in	mm)	
Max power (	pooster in W)	
	nption (EC) Wh/kg	
GENERAL F		
	poking positions	
Boost		
Clean lock		
Sous vide co	oking	
Automatic pa	n detection	
Automatic pa Elapsed time		
Automatic pa Elapsed time Number of ti	mers 1 to 99 minutes	
Automatic pa Elapsed time Number of ti		
Automatic pa Elapsed time Number of ti	mers 1 to 99 minutes access level (per zone)	
Automatic po Elapsed time Number of ti Timer direct SAFETY FEA Pack 10 safet	mers 1 to 99 minutes access level (per zone) TURES y features	
Automatic particles and Automa	mers 1 to 99 minutes access level (per zone) TURES y features e safety cut off	
Automatic particles and safety FEA Pack 10 safety Thermocoup DIMENSIONS	mers 1 to 99 minutes access level (per zone) TURES y features e safety cut off - WEIGHT	
Automatic particles and Automa	mers 1 to 99 minutes access level (per zone) TURES y features e safety cut off - WEIGHT	
Automatic p. Elapsed time Number of ti Timer direct SAFETY FEA Pack 10 safet Thermocoup DIMENSIONS Built-in HXW Unboxed HXN	mers 1 to 99 minutes access level (per zone) TURES y features e safety cut off WEIGHT (D (mm) VXD (mm)	
Automatic p. Elapsed time Number of ti Timer direct SAFETY FEA Pack 10 safet Thermocoup DIMENSIONS Built-in HxW Unboxed HxI Packed prod	mers 1 to 99 minutes access level (per zone) TURES  y features e safety cut off i- WEIGHT (D (mm) VXD (mm) uct HXWXD (mm)	
Automatic p. Elapsed time Number of ti Timer direct SAFETY FEA Pack 10 safet Thermocoup DIMENSIONS Built-in HxW Unboxed HxI Packed prod	mers 1 to 99 minutes access level (per zone) TURES y features e safety cut off WEIGHT (D (mm) VXD (mm)	
Automatic p. Elapsed time Number of ti Timer direct SAFETY FEA Pack 10 safet Thermocoup DIMENSIONS Built-in HxW Unboxed HxI Packed prod	mers 1 to 99 minutes access level (per zone) TURES  y features e safety cut off i - WEIGHT (D (mm) VXD (mm) Just HXWXD (mm) (g)/Gross weight (kg)	
Automatic p. Elapsed time Number of ti Timer direct SAFETY FEA Pack 10 safet Thermocoup DIMENSIONS Built-in HxW Unboxed HxI Packed prod Net weight (i	mers 1 to 99 minutes access level (per zone) TURES  y features e safety cut off i - WEIGHT (D (mm) VXD (mm) Just HXWXD (mm) (g)/Gross weight (kg)	
Automatic p. Elapsed time Number of ti Timer direct SAFETY FEA Pack 10 safet Thermocoup DIMENSIONS Built-in HxW Unboxed HxV Packed prod Net weight (i Delivered wit Connection	mers 1 to 99 minutes access level (per zone) TURES  y features e safety cut off i - WEIGHT (D (mm) VXD (mm) Just HXWXD (mm) (g)/Gross weight (kg)	
Automatic p. Elapsed time Number of ti Timer direct SAFETY FEA Pack 10 safet Thermocoup DIMENSIONS Built-in HxW Unboxed HxV Packed prod Net weight (i Delivered wit Connection	mers 1 to 99 minutes access level (per zone) TURES y features e safety cut off i- WEIGHT (D (mm) VXD (mm) UxD (mm) uct HxWxD (mm) gg)/Gross weight (kg) h cable	
Automatic p. Elapsed time Number of ti Timer direct SAFETY FEA Pack 10 safet Thermocoup DIMENSIONS Built-in HxW Unboxed Hx¹ Packed prod Net weight (I Delivered wit Connection Electrical / g	mers 1 to 99 minutes access level (per zone) TURES y features e safety cut off i- WEIGHT (D (mm) VXD (mm) UxD (mm) uct HxWxD (mm) gg)/Gross weight (kg) h cable	
Automatic p. Elapsed time Number of ti Timer direct SAFETY FEA Pack 10 safet Thermocoup DIMENSIONS Built-in HxW Unboxed Hx' Packed prod Net weight (i Connection Electrical / g EAN CODE	mers 1 to 99 minutes access level (per zone) TURES y features e safety cut off i- WEIGHT (D (mm) VXD (mm) UxD (mm) uct HxWxD (mm) gg)/Gross weight (kg) h cable	
Automatic p. Elapsed time Number of ti Timer direct SAFETY FEA Pack 10 safet Thermocoup DIMENSIONS Built-in HxW Unboxed Hx\text{Packed prod} Net weight (i Delivered wif Connection Electrical / g EAN CODE Heritage	mers 1 to 99 minutes access level (per zone) TURES y features e safety cut off i- WEIGHT (D (mm) VXD (mm) UxD (mm) uct HxWxD (mm) gg)/Gross weight (kg) h cable	
Automatic por Elapsed time Number of ti Timer direct SAFETY FEA Pack 10 safet Thermocoup DIMENSIONS Built-in HxW. Unboxed Hx¹ Packed prod Net weight (i Delivered with Connection Electrical / g EAN CODE Heritage Infinite Black	mers 1 to 99 minutes access level (per zone) TURES y features e safety cut off i- WEIGHT (D (mm) VXD (mm) UxD (mm) uct HxWxD (mm) gg)/Gross weight (kg) h cable	

DPI4602HM	DPG4640HM
65	65
Touch-sensitive buttons/Knobs	Knobs
2	3
Yes	Yes
Con Oleman (cont)	Flored
Gas (Very fast)	Electric
106 3,100	145 1,500
65.5	191.6
Induction	Gas (Very fast)
160	106
2,200	3,100
182.7	65.5
Gas (Semi-rapid)	Gas (Rapid)
72	93
1,500	2,250
57.9	61.3
Induction	Gas (Auxiliary)
210	44
3,100	850
170.4	-
15	-
-	-
Yes	-
-	-
-	-
Yes	-
2	
-	-
Yes	
Yes	Yes
103	163
58X555X478	106X560X480
108X650X515	106X650X515
170X860X600	170X860X600
12/13.1	12.4/13.5
Yes/120 cm	Yes/93 cm
220-240V/50Hz/16A	220-240V/50Hz/10A
3.2/4.6	1.5/6.2
3660767996922	3660767996748

# VITROCERAMIC HOBS

REFERENCES
Heritage
Infinite Black
Master Black
Stellar Steel
Eternal White
PRODUCT SHEET
Width (cm)
Control type
POWER / DIAMETER OF ZONES  Left Free zone
Dimensions (WxD in cm)
Max power (booster in W)
Power consumption (EC) Wh/kg
Rear left
Diameter (in mm)
Max power (booster in W)
Power consumption (EC) Wh/kg
Front left
Diameter (in mm)
Max power (booster in W)
Power consumption (EC) Wh/kg
Right Free zone
Dimensions (WxD in cm)
Max power (booster in W)
Power consumption (EC) Wh/kg
Right
Diameter (in mm)
Max power (booster in W)
Power consumption (EC) Wh/kg
Center
Diameter (in mm)
Max power (booster in W)
Power consumption (EC) Wh/kg
Rear right
Diameter (in mm)
Max power (booster in W)
Power consumption (EC) Wh/kg
Front right Diameter (in mm)
Max power (booster in W)
Power consumption (EC) Wh/kg
GENERAL FEATURES
Number of cooking positions
Boost
Clean lock
Elapsed time
Programmable and adjustable direct
access level (per zone)
Number of timers 1 to 99 minutes
Timer direct access level (per zone)
SAFETY FEATURES
Power indicator
Power indicator  DIMENSIONS - WEIGHT
Built-in HxWxD (mm)
Unboxed HxWxD (mm)
Packed product HxWxD (mm)
Net weight (kg)/Gross weight (kg)
Delivered with cable
Connection
Electrical power (kW)
Electrical power (kW)  EAN CODE
Electrical power (kW)  EAN CODE  Heritage
Electrical power (kW)  EAN CODE  Heritage Infinite Black
Electrical power (kW)  EAN CODE  Heritage Infinite Black Master Black

vitroTech	-	-
DPV4605HB		
	DPV4601B	DPV4502B
60	65	65
Touch-sensitive buttons	Touch-sensitive buttons	Touch-sensitive buttons
TOUCH-Sensitive Duttons	TOUCH-SENSITIVE DULLOTS	TOUCH-Sensitive buttons
Vitroceramic	-	-
41.5x18	-	-
4,000	-	-
-	-	-
-	Vitroceramic	Vitroceramic
-	210	180
	2,100	1,800
-	201	197
Vitroceramic	Vitroceramic	Vitroceramic
180	145	145
1,800	1,200	1,200
194.5	194.5	193
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	Vitroceramic
-	-	210-270
-	-	1,500-2,400
-	-	182
Vitroceramic	Vitroceramic	-
180	180	-
1,800	1,800	-
194.5	194	-
Vitroceramic	Vitroceramic	-
180	145	-
1,800	1,200	-
194.5	194.5	-
9	9	9
-	-	
Yes	- Yes	Yes
-	-	res -
<u> </u>		
<u>4</u>	-	3
Yes	Yes	Yes
Yes	The display is flashing 0	The display is flashing 0
63X600X510	55X650X552	63X650X553
-	-	-
90X635X563	90X685X633	90X685X633
8/9	8/9	8/9
Yes/ 110 cm	Yes/ 150 cm	Yes/ 150 cm
220-240V/50-60Hz/30A	220-240V/50Hz/32A	220-240V/50Hz/32A
7	6.3	5.4
7660767000707		
3660767998797	3660767998773	3660767998780

# **GAS HOBS**

DPG3620B

Knobs

Gas (Semi-rapid) 6.8 1,750

> Gas (Rapid) 9.3 3,000

Gas (Semi-rapid)
6.8
1,750
Gas (Auxiliary)
4.7
1,000

117X510X600

145X575X676 13.4/14.5 -220-240V/50Hz/10A

3660767995635

REFERENCES			
Heritage			DPG4640H
Infinite Black	DPG4950B	DPG4750B	
Master Black		5. 6.7.665	
Stellar Steel			
Eternal White			
PRODUCT SHEET		1	
	90	75	65
Width (cm)			
Control type	Knobs	Knobs	Knobs
Cast iron grill	5	5	4
Integrated ignition	Yes	Yes	Yes
POWER / DIAMETER OF ZONES			
Left	Gas (Double ring)	Gas (Double ring)	-
Diameter (in cm)	15	15	-
Max power (booster in W)	4,000	4,000	<del>-</del>
Energy efficiency of gas burner (EE)		-	-
Rear left		-	Gas (Semi-rapid)
Diameter (in cm)		-	7.2
Max power (booster in W)	-	-	1,500
Energy efficiency of gas burner (EE)	-	-	57.9
Center left	-	-	-
Diameter (in cm)	-	-	-
Max power (booster in W)	-	-	-
Energy efficiency of gas burner (EE)	-	-	-
Rear center	Gas (Semi-rapid)	Gas (Semi-rapid)	-
Diameter (in cm)	9.4	9.4	-
Max power (booster in W)	1,750	1,750	_
Energy efficiency of gas burner (EE)	-	-	-
Front left	-		Gas (Very fast)
Diameter (in cm)		-	10.6
Max power (booster in W)			3,100
<u> </u>			65.5
Energy efficiency of gas burner (EE)			
Rear right	Gas (Rapid)	Gas (Rapid)	Gas (Rapid)
Diameter (in cm)	12.4	12.4	9.3
Max power (booster in W)	3,000	3,000	2,250
Energy efficiency of gas burner (EE)			61.5
Front right	Gas (Semi-rapid)	Gas (Semi-rapid)	Gas (Auxiliary)
Diameter (in cm)	9.4	9.4	4.4
Max power (booster in W)	1,750	1,750	850
Energy efficiency of gas burner (EE)	<del>-</del>	-	-
Front center	Gas (Auxiliary)	Gas (Auxiliary)	-
Diameter (in cm)	7.4	7.4	-
Max power (booster in W)	1,000	1,000	
Energy efficiency of gas burner (EE)		-	
SAFETY FEATURES			
Thermocouple safety cut off	Yes	Yes	Yes
DIMENSIONS - WEIGHT			
Built-in HxWxD (mm)	103X890X510	103X750X510	106X640X515
Unboxed HxWxD (mm)		-	-
Packed product HxWxD (mm)	145X970X870	145X820X570	170X860X600
Net weight (kg)/Gross weight (kg)	22.04/23.04	15.4/16.6	13.4/14.5
Delivered with cable	Yes / 100 cm	Yes / 100 cm	Yes / 93 cm
Connection	220-240V/50Hz/10A	220-240V/50Hz/10A	220-240V/50Hz/10A
Gaz power (W)	11,500	11,500	(N/A)
EAN CODE	11,500	11,300	(N/A)
			7660767006717
Heritage	70070707007	7,007,007100	3660767996717
Infinite Black	3660767997202	3660767997189	
Master Black			
Stellar Steel			
Eternal White			

# STAINLESS STEEL HOBS AND ENAMEL HOBS

REFERENCES	
Heritage	
nfinite Black	
Master Black	
Stellar Steel	
Eternal White	
PRODUCT SHEET	
Width (cm)	
Control type	
Enameled pan support	
Cast iron grill	
ntegrated ignition	
POWER / DIAMETER OF ZONES	3
Left	
Diameter (in mm)	
Max power (booster in W)	
Energy efficiency of gas burner (	(EE)
Rear left	
Diameter (in mm)	
Max power (booster in W)	
Energy efficiency of gas burner (	(EE)
Center left	
Diameter (in mm)	
Max power (booster in W)	
Energy efficiency of gas burner (	(EE)
Rear center	
Diameter (in mm)	
Max power (booster in W)	
Energy efficiency of gas burner (	(EE)
Front left	
Diameter (in mm)	
Max power (booster in W)	
Energy efficiency of gas burner (	(EE)
Rear right	
Diameter (in mm)	
Max power (booster in W)	
Energy efficiency of gas burner (	(EE)
Front right	
Diameter (in mm)	
Max power (booster in W)	
Energy efficiency of gas burner (	(EE)
Front center	
Diameter (in mm)	
Max power (booster in W)	
Energy efficiency of gas burner (	(EE)
SAFETY FEATURES	
Thermocouple safety cut off	
DIMENSIONS - WEIGHT	
Built-in HxWxD (mm)	
Jnboxed HxWxD (mm)	
Packed product HxWxD (mm)	
Net weight (kg)/Gross weight (k	g)
Delivered with cable	
Connection	
Gaz power (W)	
Electric power (W)	
EAN CODE	
Heritage	
nfinite Black	
Master Black	
Master Black Stellar Steel	

			DPE3601B	DPE4610B	DPE4610BM
DPE4929XF	DPE4729XF	DPE4620XF	DPE3601X	DPE4610X	DPE4610XM
			DPE3601W	DPE4610W	DPE4610WM
	7-				
90	75	60	60	60	60
Knobs	Knobs	Knobs	Knobs	Knobs	Knobs
5	5	4	4	4	4
3	3	2	2	2	2
Yes	Yes	Yes	Yes	Yes	Yes
Gas (Double ring)	Gas (Double ring)				_
150	150		-	_	_
4,000	4,000	-	-	_	_
-,000	-,000				
-	-	Gas (Semi-rapid)	Gas (Rapid)	Gas (Semi-rapid)	Electric
_		70	95	72	145
-	_	1,750	3,000	1,500	1,500
-	_	-	57.1	-	-
-	_	-	-	_	_
_	_	_	-	_	_
-	_	-	-	_	-
-	_	-	-	_	_
Gas (Semi-rapid)	Gas (Semi-rapid)	-	-	_	_
94	94	-	-	_	-
1,750	1,750	-	-	_	-
-	-	-	-	_	_
-	-	Gas (Rapid)	Gas (Auxiliary)	Gas (Very fast)	Gas (Very fast)
-	-	95	50	106	106
-	-	3,000	1,000	3,100	3,100
-	-	-	-	-	-
Gas (Rapid)	Gas (Rapid)	Gas (Semi-rapid)	Gas (Semi-rapid)	Gas (Rapid)	Gas (Rapid)
124	124	70	70	93	93
3,000	3,000	1,750	1,750	2,400	2,400
-	-	-	57,3	-	-
Gas (Semi-rapid)	Gas (Semi-rapid)	Gas (Auxiliary)	Gas (Semi-rapid)	Gas (Auxiliary)	Gas (Auxiliary)
94	94	50	70	44	44
1,750	1,750	1,000	1,750	850	850
		-	57.3	-	-
Gas (Auxiliary)	Gas (Auxiliary)	-	-	-	-
74	74	-	-	-	-
1,000	1,000	-	-	-	-
-	-	-	-	-	-
Yes	Yes	Yes	Yes	Yes	Yes
1077/7507/510	0.41/7101/100	70/500/500	007/2107/200	07//500//500	07//500//50
103X750X510	84X716X480	70X590X508	96X510X600	83X580X522	83X580X522
14570207520	84X746X508	1757670750	1707507755	14576707000	1457070700
145X820X570	135X800X570	135X670X560	130X580X655	145X670X600	145X670X600
15.4/16.6	14.2/15.6	10.2/11.4 Vas. / 100am	10/10.6	8.4/9.3 Vos. / 100 cm	8.9/9.8 Vos. / 100 am
Yes / 100cm	Yes / 100cm	Yes / 100cm	Yes / 100cm 220-240V/50-	Yes / 100cm	Yes / 100cm
20-240V/50Hz/10A	220-240V/50Hz/10A	220-240V/50Hz/10A	60Hz/0,08A	220-240V/50Hz/10A	220-240V/50Hz/10
11,500	11,500	7,500	7,500	7,700	6,350
-	-	-	-	-	1,500
			3660767995437	3660767996823	3660767996854

# **DOMINOS HOBS**

REFERENCES	horiZone	-	-
Heritage			DPI4220H
Infinite Black			
Master Black			
Stellar Steel	DPI4230X	DPE4400X	
Eternal White			
PRODUCT SHEET			
Width (cm)	38	38	30
Control type	Touch-sensitive buttons	Knob	Touch control
Cast iron grill		-	-
Integrated ignition	<u> </u>	-	-
POWER / DIAMETER OF ZONES			
Center	Induction	-	-
Diameter (in cm)	23X20	-	-
Max power (booster in W)	2,800	2,500	-
Energy efficiency of gas burner (EE)	-	-	-
Power consumption (EC) Wh/kg	179.7	-	-
Front	-	-	Induction
Diameter (in cm)	-	-	16
Max power (booster in W)	-	-	2,400
Energy efficiency of gas burner (EE)	-	-	175.1
Power consumption (EC) Wh/kg	-	-	-
Rear	-	-	Induction
Diameter (in cm)	-	-	23
Max power (booster in W)		-	3,700
Energy efficiency of gas burner (EE)	-	-	170.2
Power consumption (EC) Wh/kg		-	-
Total energy efficiency gas (EE) in %	-	-	-
Total power consumption (EC) in Wh/kg	179.7	-	172.7
GENERAL FEATURES			
Number of cooking positions	20	-	20
Culinary guide	Yes	-	Yes
Boost	Yes	-	Yes
Lock	Yes	-	Yes
ICS	Yes	-	Yes
Clean lock	Yes	-	Yes
Boil	Yes	-	Yes
Elapsed time	Yes	-	Yes
Warm keeping	Yes	-	Yes
Simmer	Yes	-	Yes
Sear	Yes	-	Yes
Recall	Yes	-	Yes
Blanch	Yes	-	Yes
Piano		-	-
Automatic pan detection	Yes	-	Yes
Grill/plancha (horizone play)		-	-
Number of timers 1 to 99 minutes	2	-	2
Timer direct access level (per zone)	4	-	4
SAFETY FEATURES			
Thermocouple safety cut off	-	-	-
Power indicator	Yes	Yes	Yes
Pack 10 safety features	Yes	-	Yes
DIMENSIONS - WEIGHT			
Built-in HxWxD (mm)	60X380X515	116X340X490	60X300X515
Unboxed HxWxD (mm)	-	116X380X520	-
Packed product HxWxD (mm)	205X475X595	125X580X450	175X375X595
Net weight (kg)/Gross weight (kg)	6.7/7.3	11.4/12.5	5.7/6.5
Delivered with cable	Yes / 130 cm	Yes / 100 cm	Yes / 130 cm
Connection	220-240V/50-60Hz/16A	220-240V/50-60Hz/16A	220-240V/50-60Hz/16A
Electrical power (W)	3,700	2,500	3,700
Gaz power (W)	-	-	-
EAN CODE			
Heritage			
Infinite Black			3660767991491
Master Black			
Stellar Steel	3660767994225	3660767997356	
Eternal White			

HOODS

REFERENCES
Heritage
Infinite Black
Stellar Steel
Eternal White
PRODUCT SHEET
Hood type
Width (cm)
GENERAL FEATURES
Motor type
Control type
Number of motors/fans
Number of speed setting (boost excluded)
Annual Energy Consumption (AEC hood)
Energy efficiency class of the model
Fluid dynamic efficiency class
Light efficiency class of the model  Grease filtration efficiency class
Airflow to the minimum speed/Max
in normal operation
Airflow in intensive or 'boost' mode
Accoustic emissions of air weighted
of the value A. the minium/maximum
speed available. in normal operation
Accoustic emissions of air Weighted value A. to the intensive or 'boost' speed
Light type
Lighting power
Inox or aluminium filter(s)
Carbon filter(s) reference
Filter saturation indicator
FUNCTIONS
On/Off
Light
Boost
Delayed stop
Timer
Mood lighting
Light intensity dimmer
Independent lighting
INSTALLATION
Extraction/Recycling
Version supplied
Motor output diameter (mm)
Motor output adapter (mm)
DIMENSIONS - WEIGHT
Dimension excluding chimney HxWxD (mm)
Packed product HxWxD (mm)
Net weight (kg)/Gross weight (kg)
Connection
Motor nower
Motor power  EAN CODE
Heritage
Infinite Black
Stellar Steel  Eternal White
ETERNAL VVIII P

1/1	DHV4984B	DHV4684B	DHB4984B	DHB4684B	DHG2684B
Brushless	Vertical	Vertical	Box	Box	Canopy
Sensitive control   Sensitive control   Sensitive control   I/1					
1/1	Brushless	Brushless	Brushless	Brushless	Brushless
3         3         4         3         3           39.6         33.4         36         40         38.1           A+         A+         A+         A+         A         A         A           A         A         A         A         A         A         B           E         E         E         E         E         D         D         230/555         200/510         190/540         165/365         165/470         745         700         735         660         630         630         42/64         41/63         42/57         40/58         43/62         43/62         42/64         41/63         42/57         40/58         43/62         43/62         40/58         43/62         43/62         40/58         43/62         43/62         40/58         43/62         40/58         43/62         40/58         43/62         40/58         43/62         40/58         43/62         40/58         43/62         40/58         43/62         40/58         43/62         40/58         43/62         40/58         43/62         40/58         43/62         40/58         43/62         40/58         43/62         40/58         43/62         40/58         43/62	klit electronic control	Backlit electronic control	Sensitive control	Sensitive control	Electronic contro
39.6   33.4   36   40   38.1     A+	1/1	1/1	1/1	1/1	1/1
A+         A+         A+         A+         A           A         A         A         A         A           C         B         B         A         B           E         E         E         E         E         D           230/555         200/510         190/540         165/365         165/470           745         700         735         660         630           42/64         41/63         42/57         40/58         43/62           T1         70         72         70         69           LED STRIPE         LED STRIPE         LED STRIPE         LONG LED STRIPE           1x8W         1x5W         1x8W         2x4W         1x6W           1x8W         1x5W         1x8W         2x4W         1x6W           2/Alu         1/Alu         1/Alu         2/Alu         1/Alu         1/Alu           2/Alu         1/Alu         1/Alu         2/Alu         1/Alu         1/Alu           Yes         Yes         Yes         -         -           Yes         Yes         Yes         -         -           Yes         Yes         Yes         -	3	3	4	3	3
A         A         A         A         A         B         B         B         A         B         A         B         B         B         A	39.6	33.4	36	40	38.1
C         B         B         A         B           E         E         E         E         D           230/555         200/510         190/540         165/365         165/470           745         700         735         660         630           42/64         41/63         42/57         40/58         43/62           71         70         72         70         69           LED STRIPE         LED STRIPE         LED STRIPE         LED STRIPE         LONG LED STR           1x8W         1x5W         1x8W         2x4W         1x6W           2/Alu         1/Alu         2/Alu         2/Alu         1/Alu           FWND-185         FWK240         FWND-185         FWK385           -         -         -         -         -           Yes         Yes         Yes         Yes         Yes         Yes           Yes	A+		A+	A+	A
E         E         E         E         D           230/555         200/510         190/540         165/365         165/470           745         700         735         660         630           42/64         41/63         42/57         40/58         43/62           71         70         72         70         69           LED STRIPE         LED STRIPE         LED STRIPE         LONG LED STR           1x8W         1x5W         1x8W         2x4W         1x6W           2/Alu         1/Alu         2/Alu         2/Alu         1/Alu           2/Alu         1/Alu         2/Alu         2/Alu         1/Alu           FWND-185         FWK240         FWND-185         FWK385           -         -         -         -         -           Yes         Yes         Yes         -         -         -         -           Yes         Yes </td <td>А</td> <td>A</td> <td>А</td> <td>A</td> <td>A</td>	А	A	А	A	A
230/555   200/510   190/540   165/365   165/470     745	С		В		В
745         700         735         660         630           42/64         41/63         42/57         40/58         43/62           71         70         72         70         69           LED STRIPE         LED STRIPE         LED STRIPE         LONG LED STR           1x8W         1x5W         1x8W         2x4W         1x6W           2/Alu         1/Alu         2/Alu         2/Alu         1/Alu           FWND-185         FWK240         FWND-185         FWK385           -         -         -         -           Yes         Yes         Yes         Yes           Yes         Yes         Yes         Yes/Yes         Yes/Yes <td>E</td> <td>E</td> <td>E</td> <td>E</td> <td>D</td>	E	E	E	E	D
42/64         41/63         42/57         40/58         43/62           71         70         72         70         69           LED STRIPE         LED STRIPE         LED STRIPE         LED STRIPE         LONG LED STR           1x8W         1x5W         1x8W         2x4W         1x6W           2/Alu         1/Alu         2/Alu         2/Alu         1/Alu           FWND-185         FWND-185         FWK240         FWND-185         FWK385           -         -         -         -         -           Yes         Yes         Yes         -         -           Yes         Yes         Yes         -         -           Yes         Yes         Yes         Yes         Yes           Yes         Yes         Yes         Yes         Yes           Yes         Yes         Yes         Yes         -           Yes         Yes         Yes         Yes         -           Yes         Yes         Yes         Yes         -           Yes         Yes         Yes         Yes         -         -           Yes         Yes         Yes         Yes         Yes	230/555	200/510	190/540	165/365	165/470
71         70         72         70         69           LED STRIPE         LED STRIPE         LED STRIPE         LED STRIPE         LONG LED STR           1x8W         1x5W         1x8W         2x4W         1x6W           2/Alu         1/Alu         2/Alu         2/Alu         1/Alu           FWND-185         FWND-185         FWK240         FWND-185         FWK385           -         -         -         -         -           Yes         Yes         Yes         -         -           Yes         Yes         Yes         -         -           Yes         Yes         Yes         Yes         Yes           Yes         Yes         Yes         Yes         -           Yes         Yes         Yes         -         -           Yes         Yes         Yes         -         -           Yes         Yes         Yes         Yes/Yes         Yes/Yes           <	745	700	735	660	630
LED STRIPE         LED STRIPE         LED STRIPE         LONG LED STRIPE           1x8W         1x5W         1x8W         2x4W         1x6W           2/Alu         1/Alu         2/Alu         2/Alu         1/Alu           FWND-185         FWND-185         FWK240         FWND-185         FWK385           -         -         -         -         -           Yes         Yes         Yes         -         -           Yes         Yes         Yes         -         -           Yes         Yes         Yes         Yes         Yes           Yes         Yes         Yes         Yes         -           Yes         Yes         Yes         Yes         -           Yes         Yes         Yes         -         -           Yes         Yes         Yes         -         -           Yes         Yes         Yes         -         -           Yes         Yes         Yes         Yes/Yes         Yes/Yes           Yes/Yes         Yes/Yes         Yes/Yes         Yes/Yes           Recycling         Extraction         Extraction         Recycling           150	42/64	41/63	42/57	40/58	43/62
1x8W         1x5W         1x8W         2x4W         1x6W           2/Alu         1/Alu         2/Alu         2/Alu         1/Alu           FWND-185         FWND-185         FWK240         FWND-185         FWK385           -         -         -         -         -           Yes         Yes         Yes         -         -           Yes         Yes         Yes         -         -           Yes         Yes         Yes         Yes         Yes           Yes         Yes         Yes         Yes         Yes           Yes         Yes         Yes         Yes         -           Yes         Yes         Yes         Yes         -           Yes         Yes         Yes         -         -           Yes         Yes         Yes         -         -           Yes         Yes         Yes         -         -           Yes/Yes         Yes/Yes         Yes/Yes         Yes/Yes           Recycling         Recycling         Extraction         Extraction         Recycling           150         150         150         150         -           400x900x380<	71	70	72	70	69
2/Alu         1/Alu         2/Alu         2/Alu         1/Alu           FWND-185         FWND-185         FWK240         FWND-185         FWK385           -         -         -         -         -           Yes         Yes         Yes         -         -           Yes         Yes         Yes         Yes         Yes           Yes         Yes         Yes         Yes         Yes           Yes         Yes         Yes         Yes         -           Yes         Yes         Yes         Yes         -           Yes         Yes         Yes         -         -           Yes         Yes         Yes         -         -           Yes         Yes         Yes         -         -         -           Yes         Yes         Yes         -	LED STRIPE	LED STRIPE	LED STRIPE	LED STRIPE	LONG LED STRIP
FWND-185         FWND-185         FWK240         FWND-185         FWK385           -         -         -         -         -           Yes         Yes         Yes         -         -           Yes         Yes         Yes         Yes         Yes           Yes         Yes         Yes         Yes         -           Yes         Yes         Yes         -         -           Yes         Yes         Yes         -         -           Yes         Yes         Yes         -         -         -           Yes         Yes         Yes         -	1x8W	1x5W	1x8W	2x4W	1x6W
FWND-185         FWND-185         FWK240         FWND-185         FWK385           -         -         -         -         -           Yes         Yes         Yes         -         -           Yes         Yes         Yes         Yes         -           Yes         Yes         Yes         Yes         -           Yes         Yes         Yes         -         -           Yes         Yes         Yes         -         -         -           Yes         Yes         Yes         -	2/Alu	1/Alu	2/Alu	2/Alu	1/Alu
Yes         Yes         -         Yes         -           Yes         Yes         Yes         Yes           Yes         Yes         -         Yes         -           Yes         Yes         Yes         Yes         -           Yes         Yes         Yes         -         -           Yes         Yes         Yes         -         -         -           Yes/Yes         Yes/Yes <td< td=""><td></td><td>FWND-185</td><td></td><td></td><td>FWK385</td></td<>		FWND-185			FWK385
Yes         Yes         -         Yes         -           Yes         Yes         Yes         Yes           Yes         Yes         -         Yes         -           Yes         Yes         Yes         Yes         -           Yes         Yes         Yes         -         -           Yes         Yes         Yes         -         -         -           Yes/Yes         Yes/Yes <td< td=""><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td></td<>	-	-	-	-	-
Yes         Yes         -         Yes         -           Yes         Yes         Yes         Yes           Yes         Yes         -         Yes         -           Yes         Yes         Yes         Yes         -           Yes         Yes         Yes         -         -           Yes         Yes         Yes         -         -         -           Yes/Yes         Yes/Yes <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
Yes         Yes         Yes         Yes         Yes           Yes         Yes         -         Yes         -           Yes         Yes         Yes         Yes         -           Yes         Yes         Yes         -         -           -         -         -         -         -           Yes/Yes         Yes/Yes         Yes/Yes         Yes/Yes         Yes/Yes           Recycling         Recycling         Extraction         Extraction         Recycling           150         150         150         150           120/150         -         -         -           400X900X380         400X600X380         60X898X502         60X598X502         280X550X29           620X1000X460         620X700X480         540X1000X575         475X700X570         415X670X350           25.5/30.5         25.5/30.5         16.5/20.7         11/13.8         8.2/10.3           220-240V/         220-240V/         220-240V/         220-240V/         220-240V/           50-60Hz/1.28A         50-60Hz/1.11A         50-60Hz/1.24A         50-60Hz/1.15A					
Yes         Yes         -         Yes         -           Yes         Yes         Yes         Yes         -           Yes         Yes         Yes         -         -           -         -         -         -         -           -         -         -         -         -           Yes/Yes         Yes/Yes         Yes/Yes         Yes/Yes         Yes/Yes           Recycling         Recycling         Extraction         Extraction         Recycling           150         150         150         150         150           400X900X380         400X600X380         60X898X502         60X598X502         280X550X29           620X1000X460         620X700X480         540X1000X575         475X700X570         415X670X350           25.5/30.5         25.5/30.5         16.5/20.7         11/13.8         8.2/10.3           220-240V/         220-240V/         220-240V/         220-240V/         220-240V/           50-60Hz/1.28A         50-60Hz/1.11A         50-60Hz/1.24A         50-60Hz/1.15A					-
Yes         Yes         Yes         Yes         -           Yes         Yes         Yes         -         -           -         -         -         -         -           -         -         -         -         -           Yes/Yes         Yes/Yes         Yes/Yes         Yes/Yes         Yes/Yes           Recycling         Recycling         Extraction         Extraction         Recycling           150         150         150         150         150           400X900X380         400X600X380         60X898X502         60X598X502         280X550X29           620X1000X460         620X700X480         540X1000X575         475X700X570         415X670X356           25.5/30.5         25.5/30.5         16.5/20.7         11/13.8         8.2/10.3           220-240V/         220-240V/         220-240V/         220-240V/         220-240V/           50-60Hz/1.28A         50-60Hz/1.11A         50-60Hz/1.24A         50-60Hz/1.15A					
Yes         Yes         Yes         -         -           -         -         -         -         -           -         -         -         -         -           Yes/Yes         Yes/Yes         Yes/Yes         Yes/Yes         Yes/Yes           Recycling         Recycling         Extraction         Recycling         150         150           150         120/150         -         -         -         -           400X900X380         400X600X380         60X898X502         60X598X502         280X550X29           620X1000X460         620X700X480         540X1000X575         475X700X570         415X670X356           25.5/30.5         25.5/30.5         16.5/20.7         11/13.8         8.2/10.3           220-240V/         220-240V/         220-240V/         220-240V/         220-240V/           50-60Hz/1.28A         50-60Hz/1.11A         50-60Hz/1.24A         50-60Hz/1.15A					
Yes/Yes         Yes/Yes         Yes/Yes         Yes/Yes         Yes/Yes           Recycling         Recycling         Extraction         Extraction         Recycling           150         150         150         150           400X900X380         400X600X380         60X898X502         60X598X502         280X550X29           620X1000X460         620X700X480         540X1000X575         475X700X570         415X670X350           25.5/30.5         25.5/30.5         16.5/20.7         11/13.8         8.2/10.3           220-240V/         220-240V/         220-240V/         220-240V/         220-240V/           50-60Hz/1.28A         50-60Hz/1.11A         50-60Hz/1.24A         50-60Hz/1.15A	Yes		Yes	-	-
Yes/Yes         Yes/Yes         Yes/Yes         Yes/Yes         Yes/Yes           Recycling         Recycling         Extraction         Extraction         Recycling           150         150         150         150           400X900X380         400X600X380         60X898X502         60X598X502         280X550X29           620X1000X460         620X700X480         540X1000X575         475X700X570         415X670X350           25.5/30.5         25.5/30.5         16.5/20.7         11/13.8         8.2/10.3           220-240V/         220-240V/         220-240V/         220-240V/         220-240V/           50-60Hz/0A         50-60Hz/1.28A         50-60Hz/1.11A         50-60Hz/1.24A         50-60Hz/1.15A	-		-	-	-
Recycling         Recycling         Extraction         Extraction         Recycling           150         150         150         150           400X900X380         60X898X502         60X598X502         280X550X29           620X1000X460         620X700X480         540X1000X575         475X700X570         415X670X350           25.5/30.5         25.5/30.5         16.5/20.7         11/13.8         8.2/10.3           220-240V/         220-240V/         220-240V/         220-240V/         220-240V/           50-60Hz/1.28A         50-60Hz/1.11A         50-60Hz/1.24A         50-60Hz/1.15A	-	-	-	-	-
Recycling         Recycling         Extraction         Extraction         Recycling           150         150         150         150           400X900X380         60X898X502         60X598X502         280X550X29           620X1000X460         620X700X480         540X1000X575         475X700X570         415X670X350           25.5/30.5         25.5/30.5         16.5/20.7         11/13.8         8.2/10.3           220-240V/         220-240V/         220-240V/         220-240V/         220-240V/           50-60Hz/1.28A         50-60Hz/1.11A         50-60Hz/1.24A         50-60Hz/1.15A	V== /V==	\/aa /\/aa	V/V	V== /V==	\/a=/\/a=
150 150 150 150 150 150 150 150 150 120/150					
120/150		Recycling	LXIIdCIIOII		
620X1000X460         620X700X480         540X1000X575         475X700X570         415X670X350           25.5/30.5         25.5/30.5         16.5/20.7         11/13.8         8.2/10.3           220-240V/         220-240V/         220-240V/         220-240V/         220-240V/         220-240V/           50-60Hz/0A         50-60Hz/1.28A         50-60Hz/1.11A         50-60Hz/1.24A         50-60Hz/1.15A	150		120/150		
620X1000X460         620X700X480         540X1000X575         475X700X570         415X670X350           25.5/30.5         25.5/30.5         16.5/20.7         11/13.8         8.2/10.3           220-240V/         220-240V/         220-240V/         220-240V/         220-240V/         220-240V/           50-60Hz/0A         50-60Hz/1.28A         50-60Hz/1.11A         50-60Hz/1.24A         50-60Hz/1.15A					
25.5/30.5         25.5/30.5         16.5/20.7         11/13.8         8.2/10.3           220-240V/         220-240V/         220-240V/         220-240V/         220-240V/         220-240V/         50-60Hz/1.15A         50-60					280X550X290
220-240V/ 220-240V/ 220-240V/ 220-240V/ 220-240V/ 50-60Hz/0A 50-60Hz/1.28A 50-60Hz/1.11A 50-60Hz/1.24A 50-60Hz/1.15A					415X670X350
50-60Hz/0A 50-60Hz/1.28A 50-60Hz/1.11A 50-60Hz/1.24A 50-60Hz/1.15					
10044 10044 10044 10044					
	100 44	100 44	100 44	10044	100 44
3660767996366 3660767996373 3660767996557 3660767996533 36607679850		3660767996373	3660767996557	3660767996533	3660767985063

# HOODS

REFERENCES					
leritage					
nfinite Black	DHB49740B	DHB46740B	DHG4573B	DHV4973PB	DHV4974HB
tellar Steel					
ternal White					
RODUCT SHEET					
lood type	Slim Box	Slim box	Canopy	Vertical/Plasma filter	Vertical/Hepa filt
Vidth (cm)	90	60	55	90	90
SENERAL FEATURES					
1otor type	Brushless	Brushless	Brushless	Brushless	Brushless
Control type	Sensitive control	Sensitive control	Electronic control	Backlit electronic control	Backlit electronic control
lumber of motors/fans	1/1	1/1	1/1	1/1	1/1
lumber of speed setting (boost excluded)	4	3	3	3	3
Annual Energy Consumption (AEC hood)	35.4	40	38.1	36.3	33
nergy efficiency class of the model	A+	A+	A	A+	Α+
luid dynamic efficiency class	A	A	А	A	А
ight efficiency class of the model	C	С	В	С	С
Grease filtration efficiency class	E	E	D	E	E
irflow to the minimum speed/Max	210/545	210/530	165/470	220/540	225/550
irflow in intensive or 'boost' mode	735	715	630	730	745
accoustic emissions of air weighted of the value A. the minium/maximum peed available. in normal operation	42/65	45/65	43/62	40/60	40/60
occoustic emissions of air Weighted value A. to the	72	72	69	69	69
ight type	LED STRIPE	LED STRIPE	LONG LED STRIPE	LED STRIPE	LED STRIPE
ighting power	1x9W	2x3W	1x6W	1x7W	1x7W
nox or aluminium filter(s)	3/Alu	2/Alu	1/Alu	2/Alu	2/Alu
Carbon filter(s) reference	AHFC330	FWND-185	FWK385	Plasma	FWND-185
ilter saturation indicator	-	-	-	-	-
UNCTIONS					
On/Off	Yes	_	_	Yes	Yes
ight	-	Yes		Yes	Yes
loost	Yes	Yes	Yes	Yes	Yes
Delayed stop	-	Yes	-	Yes	Yes
imer	Yes	Yes	Yes	Yes	Yes
100d lighting	Yes	-	-	-	-
ight intensity dimmer	Yes	Yes -		Yes -	Yes
ndependent lighting		-	-	-	-
NSTALLATION (December 2)		/v	V /V		V /V
extraction/Recycling	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes
/ersion supplied	Extraction	Extraction	Recycling	Recycling	Recycling
Notor output diameter (mm)	100 /150	150	150	100/250	100/250
Notor output adapter (mm)	120/150		-	120/150	120/150
IMENSIONS - WEIGHT	401/05	101/05	0071/5	7.40.40	10000
Dimension excluding chimney HxWxD (mm)	40X900X405	40X600X405	267X550X290	346X900X385	400X900X404
acked product HxWxD (mm)	540X1000X575	700X475X570	370X655X315	480X1000X480	500X1000X550
let weight (kg)/Gross weight (kg)	16.5/20.7	11/13.8	8.2/10.3	20/23.5	25.5/30.5
onnection	220-240V/ 50-60Hz/1.25A	220-240V/ 50-60Hz/1.24A	220-240V/ 50-60Hz/1.15A	220-240V/ 50-60Hz/1.18A	220-240V/ 50-60Hz/1.28A
lotor power	160W	160W	160W	160W	160W
AN CODE		.5511		.55 **	.00 **
Heritage					
nfinite Black	3660767996595	3660767996540	3660767996632	3660767996519	366076799649
minico DidCR	3000/0/330333	3000707330340	3000707330032	3000707330313	3000/0/33043
itellar Steel					

HOODS

DEFEDENCES
REFERENCES
Heritage
Infinite Black
Stellar Steel
Eternal White
PRODUCT SHEET
Hood type
Width (cm)
GENERAL FEATURES
Motor type
Control type
Number of motors/fans
Number of speed setting (boost excluded)
Annual Energy Consumption (AEC hood)
Energy efficiency class of the model
Energy Efficiency Index (EEI)
Fluid dynamic efficiency class
Light efficiency class of the model
Grease filtration efficiency class
Airflow to the minimum speed/Max
in normal operation
Airflow in intensive or 'boost' mode
Accoustic emissions of air weighted
of the value A. the minium/maximum
speed available. in normal operation
Accoustic emissions of air Weighted value A. to the
intensive or 'boost' speed
Light type
Lighting power
Inox or aluminium filter(s)
Carbon filter(s) reference
Filter saturation indicator
FUNCTIONS
On/Off
Light
Boost
Delayed stop
Timer
Mood lighting
Light intensity dimmer
Independent lighting
INSTALLATION
Extraction/Recycling
Version supplied
Motor output diameter (mm)
Motor output adapter (mm)
DIMENSIONS- WEIGHT
Dimension excluding chimney HxWxD (mm)
Packed product HxWxD (mm)
Net weight (kg)/Gross weight (kg)
Connection
Motor power
EAN CODE
Heritage
Infinite Black
Stellar Steel
Stenar Steel

Eternal White

				DHB4934H
DHV4974B	DHV4674B	DHD7261B	DHD7961B	DHB4934B
5117 107 15	5117 107 15	311372013	511570015	DHB4934X
				DHB4934W
Vertical	Vertical	Downdraft	Downdraft	Box
90	60	120	86	90
Brushless	Brushless	_		Brushless
Backlit electronic	Backlit electronic	Sensitive control	Sensitive control	Rotator
controls	controls			
1/1	1/1	1/1	1/1	1/
33	33	51.9	44.5	38.9
A+	A+	A A	A	A+
41.7	41.7	54	46.8	42.8
А	А	А	А	А
С	С	А	А	А
E	E	E	E	E
225/550	225/550	280/612	268/605	190/540
745	745	791	757	735
40/60	40/60	39/58	38/61	42/65
69	69	65	68	72
LED STRIPE	LED STRIPE	LED STRIPE	LED STRIPE	LED STRIPE
1x7W	1x7W	1x9W	1x5W	2x4W
2/Alu	2/Alu	2/Alu	2/Alu	3/Alu
FWND-185	FWND-185	AK912AE1	AK700AE1	AHFC330
-	-	Yes	Yes	-
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	-
Yes	Yes	-	-	-
-	-	-	-	-
Yes -	Yes -	<u>-</u>	-	Yes
-	-	-	-	-
Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes
Recycling	Recycling	Recycling	Recycling	Extraction
		150	150	
120/150	120/150	125/150	125/150	120/150
347X900X392	347X600X392	742x1180x340	736x860x340	65X900X505
480X1000X480	500X700X500	875x1310x875	430x1010x870	540X1000X57
18.4/21.7	25.5/30.5	45/56	37/46	16.5/20.7
	220-240V/	220-240V/	220-240V/	220-240V/
220-240V/		EO COLI-/10 A	50-60Hz/10A	50-60Hz/1.2A
50-60Hz/1.18A	50-60Hz/1.28A	50-60Hz/10A		
	50-60Hz/1.28A 160W	275W	250W	160W
50-60Hz/1.18A				
50-60Hz/1.18A				160W

# HOODS

DEFERENCES					
REFERENCES					
Heritage Infinite Black	DHB4974B		DHB4674B		DHI2963B
	DHB4974B	DUDZOIDV		DUDZCIDY	DHI2903B
Stellar Steel  Eternal White		DHB391BX	DHB4674X	DHB361BX	
PRODUCT SHEET					
	Slim box	Slim box	Slim box	Slim box	Island box
Hood type Width (cm)	90	90	60	60	90
GENERAL FEATURES	90	90	60	60	90
Motor type	Brushless	Brushless	Brushless	Brushless	-
					Electronic control wi
Control type	Sensitive control	Sensitive control	Sensitive control	Sensitive control	display
Number of motors/fans	1/1	1/1	1/1	1/1	1/1
Number of speed setting (boost excluded)	3	3	3	3	4
Annual Energy Consumption (AEC hood)	38.1	40.5	40	40	58
Energy efficiency class of the model	A+	A+	A+	A+	А
Energy Efficiency Index (EEI)	43.	42.9	42.9	42.9	54.9
Fluid dynamic efficiency class	A	A	A	A	А
Light efficiency class of the model	A	A	A	A	A
Grease filtration efficiency class	E	E	E	E	E
Airflow to the minimum speed/Max	210/540	220/535	210/530	210/530	240/420
<u>in normal operation</u> Airflow in intensive or 'boost' mode	720	720	715	715	680
Accoustic emissions of air weighted	720	720	713	713	000
of the value A. the minium/maximum	45/65	45/65	45/65	45/65	51/62
speed available. in normal operation					
Accoustic emissions of air Weighted value A. to the intensive or 'boost' speed	72	72	72	72	70
Light type	LED STRIPE				
Lighting power	2x4.5W	2x4W	2x4W	2x4W	4x4W
Inox or aluminium filter(s)	3/Alu	3/Alu	3/Alu	2/Alu	3/Alu
Carbon filter(s) reference	AHFC330	FWND-185	FWK240	FWND-185	FWK240
Filter saturation indicator		-	-		-
FUNCTIONS					-
On/Off	-	-	-	-	Yes
Light	Yes	Yes	Yes	Yes	-
Boost	Yes	Yes	Yes	Yes	Yes
Delayed stop	Yes	Yes	Yes	Yes	Yes
Timer	Yes	-	Yes	-	Yes
Mood lighting	-	-	-	-	Yes
Light intensity dimmer	Yes	-	Yes	-	Yes
Independent lighting	-	-	-	-	-
INSTALLATION					
Extraction/Recycling	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes
Version supplied	Extraction	Extraction	Extraction	Extraction	Extraction
Motor output diameter (mm)	150	150	150	150	-
Motor output adapter (mm)	-	-	-	-	120/150
DIMENSIONS- WEIGHT					
Dimension excluding chimney HxWxD (mm)	40X900X406	40X900X406	40X900X406	40X600X406	40X900X610
Packed product HxWxD (mm)	540X1000X575	540X1000X575	475X700X570	475X700X570	765X1000X400
Net weight (kg)/Gross weight (kg)	12.4/16.6	12.4/16.6	12.4/16.6	11/13.8	23/27.4
Connection	220-240V/	220-240V/	220-240V/	220-240V/	220-240V/
	50-60Hz/1.18A	50-60Hz/1.18A	50-60Hz/1.18A	50-60Hz/1.24A	50-60Hz/1.03A
Motor power	160W	160W	160W	160W	260W
EAN CODE					
Heritage	700070700000		7000707000500		7000707004050
Infinite Black	3660767996625	700707000070	3660767996588	7.007.07000050	3660767984950
Stellar Steel		3660767989672	3660767999626	3660767990852	
Eternal White					

# HOODS

REFERENCES
Heritage
Infinite Black
Stellar Steel
Eternal White
PRODUCT SHEET
Hood type
Width (cm)
GENERAL FEATURES
Motor type
Control type
Number of motors/fans
Number of speed setting (boost excluded)
Annual Energy Consumption (AEC hood)
Energy efficiency class of the model
Energy Efficiency Index (EEI)
Fluid dynamic efficiency class
Light efficiency class of the model
Grease filtration efficiency class
Airflow to the minimum speed/Max in normal operation
Airflow in intensive or 'boost' mode
Accoustic emissions of air weighted
of the value A. the minium/maximum
speed available. in normal operation Accoustic emissions of air Weighted value A. to the
intensive or 'boost' speed
Light type
Lighting power
Inox or aluminium filter(s)
Carbon filter(s) reference
Filter saturation indicator
FUNCTIONS
On/Off
Light
Boost
Delayed stop
Timer
Mood lighting
Light intensity dimmer
Independent lighting
INSTALLATION
Extraction/Recycling
Version supplied
Motor output diameter (mm)
Motor output adapter (mm)
DIMENSIONS- WEIGHT
Dimension excluding chimney HxWxD (mm)
Packed product HxWxD (mm)
Net weight (kg)/Gross weight (kg)
Connection
Motor power
EAN CODE
Heritage
Infinite Black
Stellar Steel
Eternal White

	DHP2962BX	DHT3922X	DHT3622X	DHG1542X
DHL2993W	Bill 2002BX	BITTOOLEX	BITTOGEEX	311010127
Cailian	Domenaid	Talaasasia	Talassasia	C
Ceiling 90	Pyramid 90	Telescopic 90	Telescopic	Canopy 52
90	90	90	60	52
Remote Control	Electronic control	Mechanical with cursor	Mechanical with cursor	Electronic contr
1/1	1/1	1/1	1/1	1/1
3	4	3	3	4
42.4	79.1	48.5	48.5	68.9
А	В	В	В	В
53.2	-	-	-	-
А	В	С	С	В
А	А	А	А	А
D	С	С	С	D
160/450	265/570	255/425	255/425	255/550
700	710			650
44/64	52/69	57/69	57/69	49/65
70	73	-	-	68
ONG LED STRIPE	LED	LED	LED	LED
2x5W	2x2.5W	2x2.5W	2x2.5W	1x7W
2/Alu	3/Inox	2/Alu	1/Alu	1/Inox
-	DHK303AP1	AFC-36	AFC-36	AFC-33
-	-	-	-	-
Vaa	Van	Van	Vee	V
Yes -	Yes -	Yes -	Yes -	Yes
-	Yes	Yes	Yes	Yes
Yes	-	-	-	Yes
-				-
_		_		
-		-	_	-
Yes	Yes	Yes	Yes	Yes
	V - 6/-	V - 6/-	V /V	V h/
	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes
	Extraction	Recycling 120	Recycling	Recycling 150
120/150	120/150	120	120	- 150
187X900X600	350X898X523	237X864X280	237X564X280	322X514X300
725X1010X370	583X979X434	264X934X354	264X354X634	388X575X340
19.5/25.2	14.6/18.8	8.8/10.5	7.2/8.6	9.4/11.2
220-240V/	220-240V/	220-240V/	220-240V/	220-240V/
50-60Hz/0.98A 170W	50-60Hz/10A 260W	50-60Hz/0.58A 115W	50-60Hz/0.58A 115W	50-60Hz/10A 250W
17044	200 **	11244	112.44	250 11
	3660767987074	3660767992009	3660767991965	366076798480

# FULL BUILT-IN DISHWASHERS

	uilt-in
PROD	UCT SHEET
	setting number
	y efficiency class
	al energy consumption x 100 cycles (kWh)
	r consumption (L/cycle)
	ion of the cycle (min)
	rne acoustical noise emission
	(a))/Class acoustical noise emission
GENE	RAL FEATURES
Numb	er of programmes
Numb	er of washing temperatures
ICS+ 4	15-55°C
Boost	60°C
Intens	ive
Eco 45	5°C
Glass	40°C
	90 min
	35 min
	30 min
Hygier	
Prewa	
Unive	
	Silence
	cleaning
Drying	
	and Dry 55 min
Expre	
Half lo	
	ly saving
	Jet System
CONF	g mode
	ss type
	ay type
	ed start
	ining time
	ng of end programme Rinse end indicator
Salt/F	
Salt/F Disco	nnection of the automatic door opening
Salt/F Disco Autor	nnection of the automatic door opening natic opening of the door
Salt/F Disco Autor <b>EQUI</b>	nnection of the automatic door opening natic opening of the door PMENTS
Salt/F Disco Autor <b>EQUII</b> 3rd ba	nnection of the automatic door opening matic opening of the door PMENTS asket
Salt/F Disco Autor <b>EQUII</b> 3rd ba Small	nnection of the automatic door opening matic opening of the door PMENTS asket Sliding upper basket
Salt/F Disco Autor <b>EQUII</b> 3rd ba Small Uprig	nnection of the automatic door opening matic opening of the door PMENTS asket Sliding upper basket ht adjustable upper basket
Salt/F Disco Autor <b>EQUII</b> 3rd ba Small Uprig Multip	nnection of the automatic door opening matic opening of the door PMENTS asket Sliding upper basket ht adjustable upper basket
Salt/F Disco Autor EQUII 3rd ba Small Uprig Multip Maxin	nnection of the automatic door opening natic opening of the door PMENTS asket Sliding upper basket ht adjustable upper basket place cutlery basket num diameter of the lower basket plates (in m
Salt/F Disco Autor EQUII 3rd ba Small Uprig Multip Maxin Maxin	nnection of the automatic door opening matic opening of the door  PMENTS asket  Sliding upper basket bl adjustable upper basket olace cutlery basket num diameter of the lower basket plates (in manuficial diameter of the upper
Salt/F Disco Autor EQUII 3rd ba Small Uprig Multip Maxin Maxin baske	nnection of the automatic door opening matic opening of the door  PMENTS asket  Sliding upper basket ht adjustable upper basket blace cutlery basket num diameter of the lower basket plates (in minum diameter of the upper
Salt/F Disco Autor EQUII 3rd ba Small Uprig Multip Maxin Maxin baske	nnection of the automatic door opening matic opening of the door PMENTS asket Sliding upper basket ht adjustable upper basket place cutlery basket num diameter of the lower basket plates (in minum diameter of the upper t plates (in mm) TY FEATURES
Salt/F Disco Autor EQUII 3rd ba Small Uprig Multip Maxin Maxin baske SAFE	nnection of the automatic door opening natic opening of the door PMENTS asket Sliding upper basket ht adjustable upper basket olace cutlery basket num diameter of the lower basket plates (in m num diameter of the upper t
Salt/F Disco Autor EQUII 3rd ba Small Uprig Multip Maxin Maxin baske SAFE Aqual	nnection of the automatic door opening matic opening of the door  PMENTS asket  Sliding upper basket ht adjustable upper basket olace cutlery basket num diameter of the lower basket plates (in minum diameter of the upper t plates (in mm) TY FEATURES Safe (Anti-overflow/Anti-leak) Block (Anti-overflow + Anti-leak
Salt/F Disco Autor EQUII 3rd ba Small Uprig Multip Maxin Maxin baske SAFE Aqual 4 Elec	nnection of the automatic door opening matic opening of the door PMENTS asket Sliding upper basket ht adjustable upper basket olace cutlery basket num diameter of the lower basket plates (in minum diameter of the upper tel plates (in mm) TY FEATURES Safe (Anti-overflow/Anti-leak) Block (Anti-overflow + Anti-leak trical water intake cut off)
Salt/F Disco Autor EQUII 3rd ba Small Uprig Multip Maxin Maxin baske SAFE Aqual 4 Elec DIME	nnection of the automatic door opening matic opening of the door PMENTS asket Sliding upper basket ht adjustable upper basket place cutlery basket num diameter of the lower basket plates (in minum diameter of the upper te plates (in mm) TY FEATURES Safe (Anti-overflow/Anti-leak) Black (Anti-overflow + Anti-leak trical water intake cut off) NSIONS - WEIGHT
Salt/F Disco Autor EQUII 3rd ba Small Uprig Multip Maxin Maxin baske SAFE Aqual + Elec DIME Built-	nnection of the automatic door opening matic opening of the door PMENTS asket Sliding upper basket ht adjustable upper basket place cutlery basket num diameter of the lower basket plates (in minum diameter of the upper tic plates (in mm) TY FEATURES Safe (Anti-overflow/Anti-leak) Block (Anti-overflow + Anti-leak strical water intake cut off) NSIONS - WEIGHT in HXWXD (mm)
Salt/F Disco Autor EQUII 3rd ba Small Uprig Multip Maxin Maxin baske SAFE Aqual + Elec DIME Built-i Unbox	nnection of the automatic door opening natic opening of the door PMENTS asket Sliding upper basket ht adjustable upper basket blace cutlery basket num diameter of the lower basket plates (in minum diameter of the upper it plates (in mm) TY FEATURES Safe (Anti-overflow/Anti-leak) Block (Anti-overflow + Anti-leak ctrical water intake cut off) NSIONS - WEIGHT in HXWXD (mm) ted HXWXD (mm)
Salt/FD Discoo Autor EQUIII 3rd ba Small Uprig Multiprig Muker Maxim Maxim Maxim Aqual Aqual + Elecate DIMEE Built-i Unbox Packe	nnection of the automatic door opening natic opening of the door PMENTS asket Sliding upper basket ht adjustable upper basket place cutlery basket num diameter of the lower basket plates (in minum diameter of the upper tt plates (in mm) TY FEATURES Safe (Anti-overflow/Anti-leak) Block (Anti-overflow + Anti-leak trical water intake cut off) NSIONS - WEIGHT in HXWXD (mm) ted HXWXD (mm) d product HXWXD (mm)
Salt/FD Discoo Autoro Autoro EQUIII 3rd ba Small Uprig Multip Maxim Maxim Maxim Aqual 4 Elecate DIMEE Built-i Unbox Packe	nnection of the automatic door opening matic opening of the door  PMENTS asket  Sliding upper basket ht adjustable upper basket olace cutlery basket num diameter of the lower basket plates (in minum diameter of the upper te plates (in mm) TY FEATURES Safe (Anti-overflow/Anti-leak) Block (Anti-overflow + Anti-leak strical water intake cut off) NSIONS - WEIGHT in HXWXD (mm) ded HXWXD (mm) ded product HXWXD (mm) eight (kg)/Gross weight (kg)

DCJ632DQB	DCJ632DQX	DCJ532DQX	DCJ534DQX
16	16	15	15
В	C	C	C
66	77	76	76
9.3	9.5	9.8	9.8
215	205	198	198
42/B	42/B	42/B	44/B
		_	_
9	9	8	8
6	6	5	5
Yes	Yes	Yes	Yes
-	-	Yes	Yes
-	<u>-</u>	Yes	Yes
Yes	Yes	Yes	Yes
-	-	Yes	Yes
Yes	Yes	Yes	Yes
Yes	Yes	-	-
-	-	Yes	Yes
Yes	Yes	-	-
Yes	Yes	Yes	Yes
-	-	Yes	Yes
Yes	Yes	-	-
Yes	Yes	-	-
Yes	Yes	Yes	Yes
Yes	Yes	-	-
Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes
-	-	Yes	Yes
Yes	Yes	-	-
Natural convection	Natural convection	Natural convection	Natural convection
Touch-sensitive	Touch-sensitive	Touch-sensitive	Touch-sensitive
Digits	Digits	Digits	Digits
1 to 24h	1 to 24h	1 to 24h	1 to 24h
Yes	Yes	Yes	Yes
Spotlight + buzzer	Spotlight + buzzer	Spotlight + buzzer	Spotlight + buzze
Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes
- Yes	- Yes	Yes	- Yes
Yes	Yes	Yes	Yes
-	-	-	-
Yes -	Yes -	Yes -	Yes -
330	330	300	300
250	250	250	250
Yes	Yes	Yes	Yes
Yes	-	Yes	Yes
860X600X580	860X600X580	820X600X580	820X600X580
857X598X550	857X598X550	815X598X550	815X598X550
890X670X665	890X670X665	890X645X645	890X645X645
38.8/42.3	38.8/42.3	43.3/50.5	43.3/50.5
230V/50Hz/10A	230V/50Hz/10A	230V/50Hz/10A	230V/50Hz/10A
3660767995550	3660767983519	3660767978874	3660767978850

# FULL BUILT-IN DISHWASHERS

REFERE	NCES
Full built	
	CT SHEET
	tting number
	efficiency class
Annual	energy consumption x 100 cycles (kWh)
Water c	onsumption (L/cycle)
Duration	n of the cycle (min)
Airborn	e acoustical noise emission
(dB(A))	/Class acoustical noise emission
<b>GENERA</b>	AL FEATURES
Number	of programmes
Numbor	of washing tomporatures
Auto	of washing temperatures
Masterw	la
	dSII
Fragile	
ICS+ 45-	55°C
Boost 60	)°C
Intensive	
Eco 45°0	r.
Glass 40	
Daily 90	
Rapid 35	
Rapid 30	) min
Super 50	) min
Hygiene	9 +
Prewash	
Univers	
Steam v	
Soaking	J
Night Si	llence
Tank cle	eaning
Drying -	
	nd Dry 55 min
Express	
Half loa	
Autodo	se
Alternat	tive wash
Energy	saving
Delayed	start
	et System
Drying r	
CONFO	
Access	
Display t	:ype
Delayed	start
Remainii	ng time
	of end programme
	se end indicator
	ection of the automatic door opening
	tic opening of the door
EQUIPM	
3rd bas	ket
Small SI	liding upper basket
	adjustable upper basket
	ice cutlery basket
	m diameter of the lower basket plates (in mm)
	m diameter of the lower basket plates (in min) m diameter of the upper
	m diameter of the upper plates (in mm)
	/ FEATURES
	fe (Anti-overflow/Anti-leak)
	ock (Anti-overflow + Anti-leak
	ical water intake cut off)
	SIONS - WEIGHT
	HxWxD (mm)
	d HxWxD (mm)
Packed	product HxWxD (mm)
Net wei	ght (kg)/Gross weight (kg)
Connec	
EAN CC	
Full keep	
Full buil	t-in

DDFI532QB	DV1434QJ	DBJ434DQA	DBJ422DQX
15	15	14	14
D	D	В	В
86	86	65	65
9	9	9.8	9.8
254	254	235	220
42/B	44/B	42/B	42/B
9	8		8 5
Yes	-	Yes	-
-	Yes	-	_
Yes	-	Yes	-
-	Yes	-	Yes
-	-	Yes	Yes
Yes	-	-	Yes
Yes	Yes	Yes	Yes
-	-	-	Yes
-	-	-	Yes
- Yes	Yes	Yes	- Yes
100	Yes	-	-
Yes	Yes	Yes	-
-	-	-	Yes
-	-	<u>-</u>	Yes -
-	Yes		
-	Yes	Yes Yes	
_	-	-	_
Yes	Yes	_	_
-	-	-	-
-	Yes	Yes	Yes
Yes	Yes	-	Yes
-	-	Yes	-
-	-	Yes	-
Yes	-	<u>-</u>	Yes -
Yes -	Yes -	<del>-</del>	
Natural convection	Air vented	Natural convection	Natural convectio
Touch-sensitive	Micro switch	Touch-sensitive	Touch-sensitive
Digits	Digits	Digits	Digits
1 to 19h	1 to 19h	1 to 24h	1 to 24h
Yes	Yes	Yes	Yes
Spotlight + buzzer	Spotlight + buzzer	Spotlight + buzzer	Spotlight + buzze
Yes/Yes Yes	Yes/Yes -	Yes/Yes	Yes/Yes
Yes	- -	Yes Yes	Yes Yes
Yes -	Yes -	Yes -	
Yes	Yes	Yes	Yes
-	Yes	-	-
700		300	300
300	300		
300 250	250	250	250
			250 Yes
250	250	250	
250 - Yes	250 Yes -	250 Yes Yes	Yes Yes
250 - Yes 820X600X580	250 Yes - 820X600X580	250 Yes Yes 820X600X580	Yes Yes 820X600X580
250  - Yes  820X600X580 820X598X550	250  Yes  -  820X600X580 820X598X550	250  Yes  Yes  820X600X580 815X598X550	Yes Yes 820X600X580 815X598X550
250  - Yes  820X600X580 820X598X550 851X644X661	250  Yes  -  820X600X580 820X598X550 884X630X635	250  Yes  Yes  820X600X580 815X598X550 890X645X645	Yes Yes 820X600X580 815X598X550 890X645X645
250  - Yes  820X600X580 820X598X550	250  Yes  -  820X600X580 820X598X550	250  Yes  Yes  820X600X580 815X598X550	Yes Yes 820X600X580 815X598X550

# FULL BUILT-IN DISHWASHERS

REFERENCES		1		
Full built-in	DCJ434DB	DCJ422QSX	DCJ424DQX	KDLV434SJ
PRODUCT SHEET				
Place setting number	14	14	14	14
Energy efficiency class	C	С	С	С
Annual energy consumption x 100 cycles (kWh)	75	75	75	75
Water consumption (L/cycle)	9.8	9.8	9.8	9.8
Duration of the cycle (min)	220	198	198	220
Airborne acoustical noise emission (dB(A))/Class acoustical noise emission	42/B	42/B	44/B	44/B
GENERAL FEATURES				
Number of programmes	7	8	8	6
Number of washing temperatures	5	5	5	4
Auto Masterwash	Yes	<u> </u>	-	<u>-</u>
Fragile	Yes	-		
ICS+ 45-55°C		Yes	Yes	Yes
Boost 60°C	Yes	Yes	Yes	-
Intensive	-	Yes	Yes	Yes
Eco 45°C	Yes	Yes	Yes	Yes
Glass 40°C	-	Yes	Yes	Yes
Daily 90 min	-	Yes	Yes	-
Rapid 35 min	-	-	-	-
Rapid 30 min	Yes	Yes	Yes	Yes
Super 50 min	-	-	-	-
Hygiene +	Yes	-	-	-
Prewash		Yes	Yes	-
Universal		Yes	Yes	-
Steam wash		-	-	-
Soaking	Yes	-	-	-
Night Silence	Yes	-	-	-
Tank cleaning	-	-	-	-
Drying +		Yes	Yes -	<u>-</u>
Wash and Dry 55 min		Vos		
Express Half load	Yes	Yes Yes	Yes Yes	Yes Yes
Autodose	-	-	-	-
Alternative wash	Yes	_	_	_
Energy saving	-	Yes	Yes	-
Delayed start	-	-	-	-
Clean Jet System	_	-	-	-
Drying mode	Natural convection	Natural convection	Natural convection	Natural convection
CONFORT				
Access type	Touch-sensitive	Touch-sensitive	Touch-sensitive	Micro switch
Display type	Digits	Digits	Digits	Leds
Delayed start	1 to 24h	1 to 24h	1 to 24h	1 to 12h
Remaining time	Yes	Yes	Yes	-
Viewing of end programme	Spotlight + buzzer	Spotlight + buzzer	Spotlight + buzzer	Spotlight + buzzer
Salt/Rinse end indicator	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes
Disconnection of the automatic door opening	Yes	-	-	Yes
Automatic opening of the door	Yes	Yes	Yes	Yes
EQUIPMENTS  Zeed to a select	V	Van		Vee
3rd basket	Yes -	Yes	-	Yes
Small Sliding upper basket		Yes		- V
Upright adjustable upper basket  Multiplace cutlery basket	Yes	Yes Yes	Yes Yes	Yes -
Maximum diameter of the lower basket plates (in mm)	300	300	300	300
Maximum diameter of the lower basket places (II IIIII)				
basket plates (in mm)	250	250	250	250
SAFETY FEATURES				
AquaSafe (Anti-overflow/Anti-leak)	Yes	Yes	Yes	Yes
AquaBlock (Anti-overflow + Anti-leak	Yes	Yes	Yes	-
+ Electrical water intake cut off)  DIMENSIONS - WEIGHT				
Built-in HxWxD (mm)	820X600X580	820X600X580	820X600X580	820X600X580
Unboxed HxWxD (mm)	815X598X550	815X598X550	815X598X550	815X598X550
Packed product HxWxD (mm)	890X645X645	890X645X645	890X645X645	890X645X645
Net weight (kg)/Gross weight (kg)	36.8/43.8	39.5/46	43.5/50.5	38.8/46
Connection	230V/50Hz/10A	230V/50Hz/10A	230V/50Hz/10A	230V/50Hz/10A
EAN CODE	, ,	, ,	, ,	, ,
	70007070055.47	7000707004407	700070707070	7000707007700
Full built-in	3660767995543	3660767984493	3660767978836	3660767993389

# FULL BUILT-IN DISHWASHERS

REFERE	NCES
Full buil	t-in
	CT SHEET
	tting number
Energy	efficiency class
Annual	energy consumption x 100 cycles (kWh)
Water o	consumption (L/cycle)
Duratio	n of the cycle (min)
	e acoustical noise emission
	/Class acoustical noise emission
	AL FEATURES
	of programmes
Number	of washing temperatures
Auto	
Masterw	vash
Fragile	
ICS+ 45	-EE°C
Boost 6	D°C
Intensiv	9
Eco 45°	C
Glass 40	0°C
60 min	
58 min	
Daily 90	l min
Rapid 35	
Rapid 3	
Super 5	0 min
Hygiene	e +
Prewas	n
Univers	al
Steam	
Soaking	
Night S	
Tank cle	
Drying	
	nd Dry 55 min
Express	;
Half loa	d
Autodo	se
Alterna	tive wash
Energy	
Delayed	
	et System
Drying	
CONFO	RT
Access t	:ype
Display	type
Delayed	
Remaini	
	of end programme
	se end indicator
	ection of the automatic door opening
	atic opening of the door
EQUIP	1ENTS
3rd bas	ket
Small S	liding upper basket
	adjustable upper basket
	ace cutlery basket
	ım diameter of the lower basket plates (in mn
	im diameter of the lower basket plates (in fill) Im diameter of the upper
	plates (in mm)
	Y FEATURES
	afe (Anti-overflow/Anti-leak)
	ock (Anti-overflow + Anti-leak
	rical water intake cut off)
	SIONS - WEIGHT
	HxWxD (mm)
Built-in	ed HxWxD (mm)
Built-in Unboxe	
Built-in Unboxe	product HxWxD (mm)
Built-in Unboxe Packed	
Built-in Unboxe Packed Net wei	product HxWxD (mm) ight (kg)/Gross weight (kg)
Built-in Unboxe Packed Net wei Connec	product HxWxD (mm) ight (kg)/Gross weight (kg) ition
Built-in Unboxe Packed Net wei Connec <b>EAN CC</b>	product HxWxD (mm) ight (kg)/Gross weight (kg) ition DDE
Built-in Unboxe Packed Net wei Connec	product HxWxD (mm) ight (kg)/Gross weight (kg) ition DDE

DKFI44QSB	DVC1434J2	KDLV3326J	DV301044J
14	14	13	10
D	D	C	С
85	85	74	59
9	10	9.8	8.5
254	198		
		220	215
44/B	44/B	44/B	44/B
8	6	6	8
6	4	4	4
-	-	-	-
Yes	_		_
-			
Yes	Yes	Yes	Yes
-	-	-	
			Yes
-	Yes	Yes	Yes
Yes	Yes	Yes	Yes
-	Yes	Yes	Yes
-	Yes	-	-
-	-	Yes	-
-	-		Yes
-	-	-	-
Yes	Yes	Yes	Yes
Yes	-	-	-
Yes	-	-	-
-	-	-	Yes
-	-	-	Yes
Yes	-	-	-
-	-	_	-
Yes	-	_	_
-	_	_	-
Yes	-	-	Yes
-	-		-
	-		
Yes		Yes	Yes
Yes	Yes	-	Yes
-	-	-	-
-	-	-	-
-	-	-	Yes
Yes	-	-	
- ^:	- National association	National agenciation	Nistrusi sasusatia
Air vented	Natural convection	Natural convection	Natural convection
Micro switch	Micro switch	Micro switch	Touch-sensitive
Digits	Leds	Leds	Digits
1 to 19h	1 to 12h	1 to 12h	1 to 24h
Yes	No	No	Yes
Spotlight + buzzer	Spotlight + buzzer	Spotlight + buzzer	Spotlight + buzze
Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes
-	-	-	-
-	Yes	Yes	Yes
-	Yes	-	-
-	-	_	_
Yes	Yes	Yes	Yes
Yes	-	Yes	Yes
300	300	300	300
250	250	250	250
Yes	Yes	Yes	Yes
-	Yes	-	Yes
820X600X580	820X600X580	820X600X580	820X450X575
820X598X550	815X598X550	815X598X550	815X448X550
851X644X661	890X645X645	890X645X645	890X495X645
38/40	39.5/46	36.8/44	35/38
	070) (/5011- /10 4	230V/50Hz/10A	270\//E0U=/10A
230V/50Hz/10A	230V/50Hz/10A	230 V/ 30HZ/ TOA	230V/50Hz/10A
230V/50Hz/10A 3660767988873	3660767984462	3660767996953	3660767995826

# WASHING MACHINES

REFERENCES	Freestanding	Built-in
White	DWF394QWE	DWF484QJE
PRODUCT SHEET		
Dry laundry (kg) / Drying (kg)	9	8
capacity Spin speed rpm/min	1400	1400
Water consumption per cycle on	_	
Eco 40-60 program (L/Cycle)	50	48
Weighted consumption x100 cycles (kW/h)	49	47
Programme duration in cotton	228	218
60°C full load		
Noise level (db(A))		76
Energy efficiency class	A	A
Spin efficiency	C	В
GENERAL FEATURES	_	
Inox drum volume in litres		59
Automatic variable capacity	Yes	Yes
Remaining time display	Yes	Yes
Products dispenser (number of compartments)	3	3
PROGRAMMES		
Electronic type	Digits	Digits
Washing programme number		- Digits
Cotton	Yes	Yes
Rapid programmes	Yes	Yes
	Yes	Yes
Hygiene	_	Yes
Jeans Eco 40-60 °C		Yes
Colours	Yes	Yes
Intensive	Yes	Yes
Wool	Yes	Yes
Sport	Yes	Yes
Hand-wash	Yes	Yes
Mixte/Shirt	Yes	Yes
Rinse/Spin		Yes
Delayed start	Yes	Yes
Steam	Yes	
Rinsing +	Yes	Yes
Prewash	Yes	Yes
Anti-allergy	Yes	Yes
Quick wash	Yes	Yes
Soiling level		Yes
Easy iron	<u> </u>	Yes
Eco wash	Yes	<u> </u>
Delayed start	1 to 23h	1 to 23h
SAFETY FEATURES		
Anti-overflow/Anti-foam system	Yes/No	Yes/No
DIMENSIONS - WEIGHT		
Built-in HxWxD (mm)	<u> </u>	-
Unboxed HxWxD (mm)	845X597X582	817X597X544
Packed product HxWxD (mm)	881X641X640	853X654X600
Net weight (kg)/Gross weight (kg)	71/72.5	71/72.5
Connection	220-240V/50Hz/10A	220-240V/50Hz/10A
EAN CODE		·
White	3660767990258	3660767994089

# DRYER AND WASHER DRYER

REFERENCES
White
PRODUCT SHEET
Dry laundry (kg) / Drying (kg)
capacity
Washing capacity (kg)
Drying type
Spin speed rpm/min
Annual energy consumption (kW/year)
Noise level (db(A))
Weighted consumption x 100 cycles (kW/h)
Energy efficiency class
GENERAL FEATURES
Inox drum volume in litres
Remaining time display
Automatic variable capacity
Clean filter indicator
Full tank indicator
PROGRAMMES
Electronic type
Washing / Drying programme number
Outdoor
Rapid programmes
Eco 40-60 °C
Cotton
Synthetics 20°C
Rinse/Spin
Washing + Drying
Hygiene
Jeans
Shirts
30 min
Refresh
Wool
Mixed
Duvet
Baby clothes
Bed Linen
Cupboard-dry-synthetics
Cupboard-dry-cotton
Delicate
Drying timer Night
-
Delayed start
Energy efficiency bar
Silence dry
Anti crease
Prewash  Discipate
Rinsing +
Easy iron
Add laundry Delayed start
Delayed start
SAFETY FEATURES
Full tub safety
Child safety
Balance control system
DIMENSIONS - WEIGHT
Built-in HxWxD (mm)
Unboxed HxWxD (mm)
Packed product HxWxD (mm)
Net weight (kg)/Gross weight (kg)
Connection
EAN CODE
White

Freestanding Dryer	Built-in Washer Dryer	
DDF394HWE	DWD485QJE	
9	8	
-		
	5 	
Heat pump	1400	
- 194	-	
65	75	
-	47	
A+++	A	
A		
113	58	
Yes	Yes	
-	Yes	
Yes	Yes	
Yes	No	
Digits	Digits	
15	15	
Yes	-	
Yes	Yes	
-	Yes	
Yes	Yes	
Yes	-	
Yes	Yes	
Yes	Yes	
Yes	-	
Yes	-	
Yes	Yes	
Yes	<u>-</u>	
Yes	-	
Yes	-	
Yes		
Yes	<u>-</u>	
Yes	<u>-</u>	
Yes		
Yes	<del>-</del>	
Yes	<u>-</u>	
-	Yes	
1 to 23h	1 to 23h	
Yes	-	
Yes	-	
-	Yes	
-	830X600X570	
845X596X609	817X597X544	
881X641X638	853X654X600	
47.3/48.8	65/67	
220-240V/50Hz/10A	220-240V/50Hz/10A	
3660767990265	3660767994102	

# **BUILT-IN FRIDGE FREEZERS**

FRIDGE FREEZER

Fridge Freezer

242 (179/63)

3.3 T 39

242

Mechanical

Yes

Leds

Fan assisted

Yes

No Frost

Yes

187

1770X560X560

1770X540X545

3660767995840

Fridge Freezer

242 (179/63)

3.3

242

Electronic Digital

Yes

Leds

Fan assisted

Yes

Yes

Yes Yes

No Frost

Yes

Yes

R600a 187

1770X560X560

1770X540X545

3660767994485

REFERENCES	FRIDGE FREEZER	FRIDGE FREEZER
White	DRC9455EN	DRC1775EN
PRODUCT SHEET	Cabinet height 194cm	Cabinet height 177c
Category	Fridge Freezer	Fridge Freezer
Energy efficiency class	E	E
Energy consumption (kWh/year)	245	218
Net volume Fridge/Freezer (litres)	300 (213/87)	242 (179/63)
Number of stars	4	4
Freezer autonomy (h)	9	8
Freezing capacity (kg/24h)	6	3.3
Climatic class	SN-T	T
Noise emission (dB(A))	35	39
Airborne acoustic noise emission class	B	С
GENERAL FEATURES	700	242
Total net volume (litres)	300	242
Temperature control	Electronic	Electronic
Display  Deversible deer	Leds	Digital
Reversible door Interior light	Yes Leds	Yes Leds
Energy efficiency class (lighting)	Leus	Leus
FRIDGE		
Cooling type	No Frost	Fan Assisted
Automatic defrost	Yes	Yes
Refrigerator booster	Yes	Yes
Fresh zone	Yes	-
Super cooling function		
Holidays function	Yes	Yes
Eco function		Yes
SMART function		-
Ultrafresh		-
Drink		Yes
Cool Mode		Yes
Easy adapt racks		Yes
Maxi Fresh Preserver	-	Yes
Safety glass shelves	3	3
Hook holder		
Under shelf drawer		
Top of the vegetable drawer		
Vegetables drawer	1	1
Door rack	3	3
Bottle rack	1	1
Egg tray	1	1
Cheese box		1
Alarm	Yes	Yes
FREEZER		
Cooling type	No Frost	No Frost
Automatic defrost	Yes	Yes
Freezer booster	Yes	Yes
Super freezing function		-
Eco function		-
Drawers Challenge with floor	2	2
Shelves with flap	<u>-</u>	l l
Shelves Twint loo	<del></del>	-
Twist Ice		<del>-</del> 1
Ice cube tray		· · · · · · · · · · · · · · · · · · ·
CONSUMPTIONS - CONNECTION	R600a	R600a
Gas type Total power (W)		187
Electrical connection	220-240V/50Hz/1.2A	220-240V/50Hz/0.8
INSTALLATION	220 240 V/ 30112/ 1.2A	220 240 0/ 30112/ 0.0
Sliding system fixing	Yes	Yes
Door on door fixing system		-
DIMENSIONS - WEIGHT		
Built-in HxWxD (mm)	1945X564X570	1770X560X560
Unboxed HxWxD (mm)	1940X540X550	1770X540X545
Packed product HxWxD (mm)	2055X580X610	1834X584X577
Net weight (kg)/Gross weight (kg)	70/77	49.5/53
	. 5,	10.0,00
EAN CODE		

REFERENCES	LARDER SINGLE DOOR	LARDER SINGLE DOOR
White	DRL1770EB	DRL1770ED
PRODUCT SHEET	Cabinet height 177cm	Cabinet height 177cm
Category	Larder single door	Larder single door
Energy efficiency class	E	E
Energy consumption (kWh/year)	112	112
	_	
Net volume Fridge/Freezer (litres)		294(294/0)
Number of stars	<u> </u>	-
Freezer autonomy (h)	<u> </u>	-
Freezing capacity (kg/24h)	<u> </u>	-
Climatic class	SN-ST	SN-ST
Noise emission (dB(A))	39	39
Airborne acoustic noise emission class		С
GENERAL FEATURES		
Total net volume (litres)	294	294
	_	201
Temperature control	Electronic	
Pindo	Pictul	
Display	Digital	
Reversible door	Yes	Yes
Interior light	LED	LED
Energy efficiency class (lighting)	F	F
FRIDGE		
Cooling type	Fan assisted	Fan assisted
Automatic defrost	Yes	Yes
Refrigerator booster		Yes -
Fresh zone		
Super cooling function	<u> </u>	<u>-</u>
Holidays function	<u> </u>	-
Eco function	Yes	Yes
SMART function	-	-
Ultrafresh	-	Yes
Drink	-	-
Cool Mode		-
Easy adapt racks		-
Maxi Fresh Preserver	Yes	
Safety glass shelves	4	4
	1	1
Hook holder		
Under shelf drawer	0	2
Top of the vegetable drawer	Yes	Yes
Vegetables drawer	2	2
Door rack	4	4
Bottle rack	1	1
Egg tray	1	1
Cheese box	1	1
Alarm	Audible	Audible
FREEZER		
Cooling type	-	-
Automatic defrost		-
Freezer booster		-
Super freezing function		
		<u> </u>
Eco function	<u> </u>	<u> </u>
Drawers Challenge with floor	<del></del>	<del>-</del>
Shelves with flap	<u> </u>	-
Shelves		-
Twist Ice	<u> </u>	-
Ice cube tray	<u> </u>	-
CONSUMPTIONS - CONNECTION		
Gas type	R600a	R600a
Total power (W)	98	98
Electrical connection	220-240V/50Hz/0.5A	220-240V/50Hz/0.5A
INSTALLATION		
Sliding system fixing	Yes	-
Door on door fixing system	-	Yes
DIMENSIONS - WEIGHT		
Built-in HxWxD (mm)	1770 x 560 x 560	1770 x 560 x 560
Unboxed HxWxD (mm)	1770 x 540 x 545	1770 x 540 x 545
Packed product HxWxD (mm)	1834 x 584 x 577	1834 x 584 x 577
Net weight (kg)/Gross weight (kg)	49/53	49/53
EAN CODE	_	
White	3660767981874	3660767994409

# **BUILT-IN LARDER SINGLE DOORS**

REFERENCES	LARDER SINGLE DOOR	LARDER SINGLE DOOR	LARDER SINGLE DOOR	LARDER SINGLE DOOR	LARDER SINGLE DOOR
White	DRL1247ES	DRL1240ED	DRL1220ES	DRL880ES	DRL880ED
PRODUCT SHEET	Cabinet height 122.5cm	Cabinet height 122.5cm	Cabinet height 122cm	Cabinet height 87.5cm	Cabinet height 87.5cm
Category	Larder single door	Larder single door	Larder single door	Larder single door	Larder single door
Energy efficiency class	E	E 100	E	E	E
Energy consumption (kWh/year)  Net volume Fridge/Freezer	100	100	100	100	100
(litres)	193	193	199	126	126
Number of stars	-	-	-	-	-
Freezer autonomy (h)	-	-	-	-	-
Freezing capacity (kg/24h)	-	-	-	-	-
Climatic class	N	N	SN-T	SN	SN
Noise emission (dB(A))	35	35	37	35	35
Airborne acoustic noise emission class	В	B	С	В	В
GENERAL FEATURES					
Total net volume (litres)	193	193	199	126	126
Temperature control	Electronic	Electronic	Electronic	Electronic	Electronic
Display	LED	- V	LED	- -	- -
Reversible door	Yes LED	Yes LED	Yes LED	Yes LED	Yes LED
Interior light Energy efficiency class (lighting)	E	F	G	F	F
FRIDGE	Г				
Cooling type	Static	Static	Static	Static	Static
Automatic defrost	Yes	Yes	Yes	Yes	Yes
Refrigerator booster	Yes	-	-	-	-
Fresh zone	-	-	-	-	-
Super cooling function	-	-	-	-	-
Holidays function	-	-	-	-	-
Eco function	Yes	-	-	-	-
SMART function	-	-	-	-	-
Ultrafresh	-	Yes	-	-	-
Drink		-	-	-	-
Cool Mode	-	-	-	-	-
Easy adapt racks		-	-	-	-
Maxi Fresh Preserver		-	-	-	-
Safety glass shelves	4	4	4	3	3
Hook holder	1	11	-	-	1
Under shelf drawer	- Yes	- Vee	1 Van	- V	- V
Top of the vegetable drawer  Vegetables drawer	1	Yes 1	Yes 1	Yes 1	Yes 1
Door rack	3	3	2	2	2
Bottle rack	1	1	1	1	1
Egg tray	1	1	1	1	1
Cheese box	1	1	-	1	1
Alarm	-	-	1	-	-
FREEZER					
Cooling type	-	-	-	-	-
Automatic defrost	-	-	-	-	-
Freezer booster	-	-	-	-	-
Super freezing function	-	-	-	-	-
Eco function	-	-	-	-	-
Drawers	-	-	-	-	-
Shelves with flap		-	-	-	-
Shelves	-	-	-	-	-
Twist Ice	-	-	-	-	-
Ice cube tray	-	-	-	-	-
CONSUMPTIONS - CONNECTION	DCCC.	DCCC :	DCCC.	DCCC	DCCC.
Gas type	R600a	R600a	R600a	R600a	R600a
Total power (W)	50 220-240\//50Hz/0.7A	220-240V/50Hz/0.26A	80 220-240V/50Hz/0.6A	89 220-240V/50Hz/0.54A	89 220-240V/50Hz/0.54A
Electrical connection INSTALLATION	220-240V/50Hz/0.7A	220-240V/50Hz/0.26A	220-240V/50Hz/0.6A	220-240V/50Hz/0.54A	ZZU-Z4U V/ SUHZ/ U.S4A
Sliding system fixing	Yes		Yes	Yes	
Door on door fixing system	- res	Yes	162	162	Yes
DIMENSIONS - WEIGHT		163			163
Built-in HxWxD (mm)	1225 x 560 x 560	1225 x 560 x 560	1220 x 560 x 560	875 x 560 x 560	875 x 560 x 560
Unboxed HxWxD (mm)	1225 x 540 x 545	1225 x 540 x 545	1220 x 540 x 540	875 x 540 x 545	875 x 540 x 545
Packed product HxWxD (mm)	1289 x 584 x 577	1289 x 584 x 577	1292 x 575 x 560	939 x 584 x 577	939 x 584 x 577
Net weight (kg)/Gross weight	33.5/36	37.5/40	34/38	26/28	28/30
(kg)	33.3/30	37.3/40	J4/ J0	20/20	20/30
EAN CODE	7000707000500	7000707004404	700070707100	700070700000	7000707004700
White	3660767998568	3660767994461	3660767993129	3660767990821	3660767994386

# **BUILT-IN SINGLE DOORS**

REFERENCES	SINGLE DOOR	SINGLE DOOR	SINGLE DOOR
White	DRS1244ED	DRS1247ES	DRS1224ES
PRODUCT SHEET	Cabinet height 122.5cm	Cabinet height 122.5cm	Cabinet height 122cm
Category	Single door	Single door	Single door
Energy efficiency class	E	E	E
Energy consumption (kWh/year)	149	149	146
Net volume Fridge/Freezer (litres)	178 (162 / 16)	178 (162 / 16)	181 (167 / 14)
Number of stars	4	4	4
Freezer autonomy (h)	8	8	6
Freezing capacity (kg/24h)	2.6	2.6	2
Climatic class	N	N	ST
Noise emission (dB(A))		38	39
Airborne acoustic noise emission class	C	С	С
GENERAL FEATURES			
Total net volume (litres)	178	178	146
Temperature control	Electronic	Electronic	Electronic
Display	<u> </u>	<u>-</u>	LED
Reversible door	Yes	Yes	Yes
Interior light	LED	LED	LED
Energy efficiency class (lighting)	F	F	G
FRIDGE			
Cooling type	Static	Static	Static
Automatic defrost	Yes	Yes	Yes
Refrigerator booster			-
Fresh zone	_	<u>-</u>	<del>-</del>
Super cooling function	_ <del></del>	<u>-</u>	-
Holidays function  Eco function		<u> </u>	<u> </u>
SMART function		<u> </u>	<u> </u>
Ultrafresh	Yes	<u> </u>	
Drink			
Cool Mode		_	_
Easy adapt racks		_	_
Maxi Fresh Preserver			-
Safety glass shelves		3	3
Hook holder		1	-
Under shelf drawer	1	- -	1
Top of the vegetable drawer	Yes	Yes	Yes
Vegetables drawer	1	1	1
Door rack		3	2
Bottle rack	1	1	1
Egg tray	1	1	1
Cheese box	1	1	-
Alarm	-	-	Yes
FREEZER			
Cooling type	Static	Static	Static
Automatic defrost	Manual	Manual	Manual
Freezer booster	Yes	Yes	-
Super freezing function	<u> </u>		-
Eco function			
Drawers	_ 1	1	1
Shelves with flap		-	-
Shelves		<u>-</u>	<del>-</del>
Twist Ice		<u>-</u>	-
Ice cube tray	1	1	1
CONSUMPTIONS - CONNECTION			
Gas type	R600a	R600a	R600a
Total power (W)	103	105	100
Electrical connection	220-240V/50Hz/0.47A	220-240V/50Hz/0.65A	220-240V/50Hz/0.75A
INSTALLATION			
Sliding system fixing		Yes	Yes
Door on door fixing system	Yes	-	
DIMENSIONS - WEIGHT		***************************************	400
Built-in HxWxD (mm)	1225 x 560 x 560	1225 x 560 x 560	1220 x 560 x 560
Unboxed HxWxD (mm)	1225 x 540 x 545	1225 x 540 x 540	1220 x 540 x 540
Packed product HxWxD (mm)	1289 x 584 x 577	1289 x 584 x 577	1292 x 575 x 560
Net weight (kg)/Gross weight (kg)	37.5/40	35.5/38	37/41
EAN CODE			
White	3660767994447	3660767998544	3660767993143

# **BUILT-IN UPRIGHT FREEZERS**

REFERENCES	UPRIGHT FREEZER	UPRIGHT FREEZER	UPRIGHT FREEZER
White	DFU1781ED	DFU1781EN	DFU884ES
PRODUCT SHEET	Cabinet height 177cm	Cabinet height 177cm	Cabinet height 87.5cm
ategory	Upright freezer	Upright freezer	Upright freezer
nergy efficiency class	E	E	E
nergy consumption (kWh/year)	231	231	175
et volume Fridge/Freezer (litres)	196 (0 / 196)	196 (0 / 196)	94 (0 / 94)
reezer autonomy (h)	4	4	4
reezing capacity (kg/24h)	6	6	8
imatic class	11.5	11.5	6
oise emission (dB(A))	SN-T	SN-T	SN-T
rborne acoustic noise emission class	40	40	38
ENERAL FEATURES	C	C	C
tal net volume (litres)			
mperature control	196	196	94
splay	Electronic	Electronic	Mechanical
versible door	LED	LED	-
erior light	Yes	Yes	Yes
ergy efficiency class (lighting)	LED	LED	- Tes
	<u></u>	E	
IDGE	F	F	-
IDGE			
oling type	<del>-</del>	<del>-</del>	-
eezer booster	<del>-</del>		
frigerator booster		-	
esh zone		-	-
per cooling function		<u>-</u>	<u> </u>
olidays function	<u> </u>	-	
o function	<u> </u>	-	
1ART function	<u> </u>	-	-
trafresh	-	-	-
ink	-	-	-
ool Mode	-	-	-
asy adapt racks	-	-	-
axi Fresh Preserver		-	-
fety glass shelves		-	_
ook holder		_	
pp of the vegetable drawer		_	_
egetables drawer			
por rack		_	
ottle rack			
ng tray			
neese box			
arm		-	-
REEZER			01.11
poling type	No Frost	No Frost	Static
utomatic defrost	Automatic	Automatic	Manual
per freezing function	Yes	Yes	<u>-</u>
o function	Yes	Yes	
awers	6	6	3
elves with flap	2	2	1
elves	Audible	Audible	-
vist Ice	1	1	-
e cube tray		-	1
NSUMPTIONS - CONNECTION			
as type	R600a	R600a	R600a
tal power (W)	168	168	159
ectrical connection	220-240V/50Hz/1.16A	220-240V/50Hz/1.16A	220-240V/50Hz/0.72A
STALLATION		, , , , , , , , , , , , , , , , ,	
ding system fixing		Yes	Yes
oor on door fixing system	Yes	162	163
	162		
MENSIONS - WEIGHT	1770 500 500	1770 + 500 - 500	075 + 500 + 500
uilt-in HxWxD (mm)	1770 x 560 x 560	1770 x 560 x 560	875 x 560 x 560
boxed HxWxD (mm)	1770 x 540 x 545	1770 x 540 x 545	875 x 540 x 545
cked product HxWxD (mm)	1854 x 584 x 577	1854 x 584 x 577	939 x 584 x 577
et weight (kg)/Gross weight (kg)	58.5/62.5	52.5/56.5	34.5/37
AN CODE			
/hite	3660767994492	3660767990807	3660767983625

# FREESTANDING FRIDGE FREEZERS

Stainless steel look	
PRODUCT SHEET	
Category	
Energy efficiency class	
Energy consumption (kWl	n/year)
Net volume Fridge/Freeze	er (litres)
Number of stars	
Freezer autonomy (h)	
Freezing capacity (kg/24h)	
Climatic class	
Noise emission (dB(A))	
Airborne acoustic noise emis	ssion class
GENERAL FEATURES	
Temperature control	
Display Reversible door	
Interior light Energy efficiency class (light	ina)
FRIDGE	.1119)
Total net volume (litres)	
Cooling type	
Automatic defrost	
Refrigerator booster	
Super cooling function	
Holidays function	
Eco function	
SMART function	
Fresh Drink function	
Cool Mode	
Fresh zone	
Ultrafresh	
Purebeam+	
Purif'Air	
Easy adapt racks	
Maxi Fresh Preserver	
Safety glass shelves	
Hook holder	
Under shelf drawer (tiroir	
Top of the vegetable draw	er
Vegetables drawer	
Door rack	
Door rack cover	
Bottle rack	
Egg tray Water dispenser	
Water dispenser	
Cheese box Sound door alarm	
Sound door alarm FREEZER	
Total net volume (litres)	
Cooling type	
Automatic defrost	
Freezer booster	
Super freezing function	
Drawers	
Shelves with flap	
Shelves	
Freezer racks	
Twist Ice	
CONSUMPTIONS - CONN	ECTION
Gas type	
Total power (W)	
Electrical connection	
INSTALLATION	
Hinges	
DIMENSIONS - WEIGHT	
Built-in HxWxD (mm)	
DIMENSIONS - WEIGHT Built-in HxWxD (mm) Unboxed HxWxD (mm) Packed product HxWxD (r	mm)
Built-in HxWxD (mm) Unboxed HxWxD (mm) Packed product HxWxD (r	
Built-in HxWxD (mm) Unboxed HxWxD (mm)	

MULTI DOOR	SIDE BY SIDE	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER
DFM9085EA			DFC6020NA	DFC7092NA
0.11.11.11.105	DFA9077DX	DFC6020DX	0.111.004	0.1: .1.:1.100
Cabinet height 185cm Multi door	Cabinet height 177cm Side by side	Cabinet height 201cm Fridge freezer	Cabinet height 201cm Fridge freezer	Cabinet height 192cm Fridge freezer
E	E Side by side	D D	D D	E Fridge freezer
335	340	200	200	287
588 (398 / 190)	592 (367 / 225)	366 (266 / 100)	366 (266 / 100)	481 (344 / 137)
4	4	4	4	4
12	10	10	10	14
16.5	15	8	8	8
SN-T	SN-ST	SN-T	SN-T	SN-T
41	39	36	36	41
С	С	С	С	С
Electronic	Electronic	Electronic	Electronic	-
Digital	Digital	Digital	Digital	Digital
Yes	No	No	No	No
LED	LED	LED	LED	LED
398	367	266	266	344
No Frost	Fast No Frost	No Frost	No Frost	No Frost
Yes Yes	Yes -	Yes Yes	Yes Yes	Yes Yes
-		-	- ies	-
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes
-	-	-	-	-
Yes	-	Yes	Yes	Yes
	-	-	-	-
Yes	Yes	Yes	Yes	Yes
Yes	-	Yes	Yes	- Van
Yes	-	Yes -	Yes -	Yes -
-				
-	-	-	-	Yes
2	2	3	3	3
-	1	1	1	1
-	-	-	-	-
1	1	1	1	1
2	2	1 7	1 7	1 7
4	3	3	<u> </u>	3
2	1	1	1	1
1	1	1	1	1
-	1	-	-	-
1	-	1	1	1
Visual and audible	Audible	Visual and audible	Visual and audible	Visual and audible
190	225	100	100	137
No Frost	Fast No Frost	No Frost	No Frost	No Frost
Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
-	-	-	-	-
4	3	2	2	2
-	-	-	-	1
2	2	2	2	2
	4	-	-	-
Yes	Yes	Yes	Yes	Yes
DEOO	DEOOs	DEOOs	DEOOs	DEOOs
R600a 197	R600a 150	R600a 180	R600a 180	R600a 206
220-240V/50Hz/1.39A	220-240V/50Hz/1.5A	220-240V/50Hz/1.1A	220-240V/50Hz/1.1A	220-240V/50Hz/1.27A
Right-hand side	-	Right-hand side	Right-hand side	Right-hand side
-	-	-	-	-
1850 x 910 x 775	1770 x 900 x 730	2010 x 595 x 650	2010 x 595 x 650	1920 x 700 x 712
1950 x 1025 x 858	1862 x 972 x 770	2066 x 664 x 713	2066 x 664 x 713	1997 x 768 x 785
134/143	90/100	72/77	72/77	84.5/90
3660767998223			3660767984790	3660767984769
3000707330223	3660767991866	Z66076700Z8Z0	3000707304730	3000707304703

# **BUILT-IN WINE CELLAR**

nfinite black	
PRODUCT SHEE	Т
Category	
Energy efficien	*
Energy consum	ption (kWh/year)
Storage capaci	ty (bottles)
Capacity of the	cavity (litres)
Zone number	
Climatic class	
Noise emission (	
Airborne acousti	c noise emission class
GENERAL FEAT	JRES
Temperature con	itrol
Display	
Controls	
Temperature ran	ge
Door opening sy	stem
Reversible door	
Door with anti-U	V filter
Anti-vibration s	ystem
nterior lighting	
Energy efficien	cy class (lighting)
Adjustable feet	
WINE CELLAR	
Type of cooling	
Number of shel	ves
Type of shelves	;
Hygrometer	
Carbon filter	
CONSUMPTIONS	S - CONNECTION
Gas type	
Total power (W	
Electrical conne	
Power cord wit	h plug
DIMENSIONS - V	VEIGHT
Built-in HxWxD	· · ·
Jnboxed HxWx	D (mm)
Packed produc	t HxWxD (mm)
Net weight (kg)	)/Gross weight (kg)
EAN CODE	

WINE AGING CELLAR	WINE AGING CELLAR	WINE SERVICE CELLAR	WINE SERVICE CELLAR
DUW20FB	DUW46DFB	DIW36DFB	DIW28FB
Under counter 30cm	Under counter 60cm	Cabinet height 60cm	Cabinet height 45cm
Inder counter wine cellar	Under counter wine cellar	Built-in wine cellar	Built-in wine cellar
F	F	F	F
98	105	102	99
20	46 (14/32)	36 (24/12)	28
56	129	85	62
1	2	2	1
SN-ST	SN-ST	SN-ST	SN-ST
38	39	38	39
С	С	С	С
Electronic	Electronic	Electronic	Electronic
Digital	Digital	Digital	Digital
Touch	Touch	Touch	Touch
5 to 20°C	5 to 22°C	5 to 22°C	5 to 20°C
External handle	Push to open	Push to open	Push to open
No	No	No	No
Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes
LED	LED	LED	LED
-	-	-	-
Yes / 4	Yes / 4	-	-
Ventilated	Ventilated	Ventilated	Ventilated
5	5	2	3
Wood / honeycombed	Wood / honeycombed	Wood / honeycombed	Wood / honeycombed
Yes	Yes	No	No
No	Yes	No	No
R600a	R600a	R600a	R600a
65	180	65	65
220-240V/50Hz/0.8A	220-240V/50Hz/0.8A	220-240V/50Hz/0.8A	220-240V/50Hz/0.8A
Yes	Yes	Yes	Yes
825 x 300 x 575	825 x 600 x 575	590 x 560 x 550	450 x 560 x 550
820 x 295 x 570	820 x 595 x 570	595 x 590 x 563	455 x 590 x 563
895 x 390 x 625	890 x 696 x 625	696 x 650 x 655	696 x 650 x 515
27.1 / 30.7	44.6 / 48.8	33.2 / 36.8	26.6 / 30
27.1 / 30.7	44.0 / 40.0	33.2 / 30.0	20.0 / 30

# **De Dietrich**

89 boulevard Franklin Roosevelt 92584 Rueil-Malmaison Cedex www.dedietrich-electromenager.fr

#### THE DE DIETRICH BRAND BELONGS TO THE GROUPE BRANDT

Brandt France. SAS au capital de 35 082 000 € RCS Nanterre 801 250 531 Edition 2024 / 2025

For all information. go to the website **www.dedietrich.com** 



#### **CONCEPTION:**



LOLLIPOP / LMDC 140 rue Victor Hugo 92300 LEVALLOIS-PERRET

#### www.lollipop-communication.com

Contractual photos. Please note that our products are constantly evolving, and we reserve the right to make any modifications to their characteristics as we deem necessary. The total or partial reproduction of these photos is strictly prohibited.

In this catalogue, you will find the complete international range of the Philharmonie Collection. To learn about the products available locally, we recommend consulting our importers in your respective country.