

kluge



CATALOG 2026

QUALITY BUILT-IN APPLIANCES

Offer valid until May 30, 2026 or until the next offer is issued.




kluge

APPLIANCES CREATED WITH A PASSION FOR DESIGN AND QUALITY

The Kluge brand is young and dynamically growing, yet fully established and trusted by customers. Kluge appliances are designed by leading European designers, inspired by clean Scandinavian design. In its early days, Kluge specialized in kitchen range hoods. These design-innovative and technologically advanced range hoods have become an integral part of Czech households. Thanks to Kluge's own testing and certification center, these appliances are fine-tuned to achieve maximum extraction performance with low noise levels and energy consumption. Today, Kluge offers a complete range of built-in kitchen appliances, allowing you to equip your entire kitchen with stylishly coordinated and high-performing Kluge appliances tailored to your preferences. Kluge appliances always deliver the best value for money, performance, and quality on our market.


Modern and Intuitive Kluge Oven Control Panels

Kluge ovens are equipped with a clear, glass control panel measuring just 9 cm in height. Depending on the model, the control panel may feature one of the following **five types of displays and selectors**. All control panel types **allow adjustment of brightness intensity and sound signals**.



Premium TFT display

The premium 6.86" TFT display with high resolution offers a clear image and intuitive operation, enhancing the modern appearance of the appliance. All functions can be easily set using the SMART dial.




SMART TFT display

A clear, fully graphic 4.3" color display in Czech and Slovak, combined with sequential rotary selectors, enables quick and intuitive navigation through the oven's menu.



LCD display SINGLE CONTROL

The LCD SINGLE Control display offers clear functions and easy operation. Its intuitive interface with a single rotary knob allows for quick and precise setting of programs and cooking parameters.



LCD display VISIO FAMILY

A touch display with rotary selectors for easy and quick control of all oven functions.



LCD display White on Black

A clear and high-contrast LCD display with touch buttons and rotary selectors for easy and quick operation (white numbers and symbols on a black background).



KTE1050B

A

- Multifunctional oven in black finish • Oven capacity: 78 l
- Energy class A • Large 6.86" high-resolution color TFT display
- Automatic recipes • Over 200 baking programs in total
- Variable grill with 4 power levels • VAP Clean steam cleaning
- Soft Open and Soft Close - slow opening and closing of the door
- Cool Touch - 3 glass layers in the door • AIR FRY hot air frying
- Drying function, Slow baking, Yogurt preparation
- Step Cooking function – multi-step baking process
- Hot Air Shield - protection against hot air • Safety features
- Accessories: Side racks, 100% telescopic rails, safety grid, shallow and deep tray
- Dimensions (HxWxD): 59.5 x 59.5 x 57.5 cm

RRP: 709 €

Air Fry

Healthy Frying

Selected Kluge oven models are equipped with a special Air Fry function, which allows you to prepare your favorite fried dishes in a healthier way. Thanks to intense hot air circulation, fries, chicken wings, or vegetable chips come out crispy on the outside and juicy on the inside—using little to no oil. The Air Fry function is ideal for anyone who doesn't want to compromise between taste and a healthy lifestyle. Preparation takes place directly in the oven, eliminating the need for a separate air fryer and saving space in the kitchen. The Kluge KTE1050B oven also includes a special rack designed for this function, ensuring optimal airflow around the food. Air Fry in Kluge ovens combines practicality, excellent performance, and delicious results that the whole family will love.

Step Cooking

Multi-Step Baking

The Kluge KTE1050B oven offers a step cooking function that allows you to pre-program the entire cooking process without needing to intervene during baking. You can input multiple steps into the oven's memory—for example, preheating at 200 °C for 20 minutes, followed by baking with hot air for 45 minutes, and finishing with intensive grilling at 230 °C for 10 minutes. Everything runs fully automatically, so you can focus on other tasks while the oven precisely follows the set procedure. This technology is ideal for complex recipes that require a combination of different heating methods, ensuring consistent results even without professional experience. Step Cooking in Kluge ovens combines comfort, precision, and the assurance that even demanding dishes will always be perfectly prepared.

Hot Air Shield

Perfect Protection Against Hot Air

Perfect protection for the user against hot air escaping from the oven when the door is opened. This is an effective deflector placed at the hot air outlet, which immediately flips to a vertical position when the door is opened. Available on models KTE1050B, KTE1040B, and KTE1031B.





CAPACITY 75 l

STEAM+
BAKING WITH STEAM SUPPORT

154
AUTO. BAKING PROGRAMS

KTE1040B

A

- **Multifunctional oven with a capacity of 78 l**
- Black glass finish, black handle, black sequential selectors
- Fully graphic **4.3" color TFT display in Czech**
- **154 automatic programs** (meat and fish, pastries, desserts, cakes, fusion recipes, yogurt, drying, etc.)
- 9 oven functions (including Hot Air Baking, Grill, or Pizza)
- **STEAM+** baking with steam support
- **VAP Clean+** steam cleaning, Easy Clean enamel
- **Cool Touch** - 3 glass layers with easy removal for cleaning
- **Hot Air Shield** - protection against hot air when opening the door
- **Soft Open and Soft Close** - slow opening and closing of the oven door
- **Accessories:** Chrome-plated side guide rails (up to 10 levels for trays), 2 telescopic rails, 1 shallow tray, 1 deep tray, 1 safety grid
- Dimensions (HxWxD): 59.5 x 59.5 x 57.5 cm


RRP: 709 €

Automatic programs

For preparing perfect dishes

The top-tier **KTE1050B** and **KTE1040B** oven models offer unmatched convenience and ease of use with automatic cooking programs, including programs with steam support.

You can choose from a **wide range of over 200 automatic baking programs** divided into several categories, such as red meat, poultry, fish, roasted dishes, bread and pastries, desserts, pizzas, cakes, pies, cookies, or modern fusion cuisine combining recipes from several global cuisines. The oven can also make yogurt, optimally defrost food, or dry tomatoes, eggplants, or zucchini.



Soft Close / Soft Open




Elegant and practical soft-close and soft-open oven door with smooth motion.

COOL TOUCH



COOL DOOR with 3 easily removable full-surface glass panels for convenient cleaning. The outer glass can be simply removed by pushing it downward toward the hinges.




KTP2030B

A

- Multifunctional pyrolytic oven
- Black color finish
- White LCD display • Oven capacity: 81 l
- Energy class A • Pyrolytic cleaning
- 4D Hot Air for even baking
- 10 baking functions, including steam-supported baking
- Soft Close - slow door closing
- Cool Touch - 4 glass layers in the door (removable)
- Accessories: Side racks, telescopic rails, safety grid, deep and shallow tray
- Dimensions (HxWxD): 59.5 x 59.4 x 57.5 cm

RRP: **589 €**



KTE2020B

A


- Multifunctional oven
- Black color finish
- White LCD display
- Oven capacity: 81 l • Energy class A
- 4D Hot Air for even baking
- 10 baking functions, including steam-supported baking
- Cool Touch - 3 glass layers in the door (removable)
- Accessories: Side racks, telescopic rails, safety grid, deep and shallow tray
- Dimensions (HxWxD): 59.5 x 59.4 x 57.5 cm

RRP: **499 €**

Pyrolytic cleaning

Perfectly clean oven without effort

Pyrolytic cleaning transforms even the toughest dirt and food residues into fine ash. The oven heats to a very high temperature, burning off grease and deposits without the need for chemical agents. After the program ends, simply wipe the interior with a cloth. The cleaning process is fully automatic, highly effective, and environmentally friendly. Pyrolytic technology saves you time and effort, ensuring your oven remains perfectly clean.





CAPACITY 75 l

HOT AIR SHIELD

SOFT CLOSE /
SOFT OPEN

STEAM BASE
BAKING WITH STEAM SUPPORT

KTE1031B

A

- Multifunctional oven with 75 l capacity
- Black glass finish, black handle, black rotary selectors • Energy class A
- Visio Touch LCD display with baking timer and minute minder
- 9 oven functions (including 3D baking, Hot Air baking, Grill, or Pizza)
- **STEAM BASE** - steam-supported baking
- **VAP Clean** - steam cleaning of the oven interior
- **Hot Air Shield** - protection against hot air
- **Cool Touch • Soft Close and Soft Open** - slow door closing and opening
- **Accessories:** Chrome-plated side guide rails (up to 7 levels) • **1 pair of 100% telescopic rails**, 1 shallow tray, 1 deep tray, 1 safety grid
- **Dimensions (HxWxD):** 59.5 x 59.5 x 57.5 cm

RRP: **539 €**



CAPACITY 78 l

LCD DISPLAY VISIO
TOUCH

STEAM BASE
BAKING WITH STEAM SUPPORT

KTE1021B

A

- Multifunctional oven with 78 l capacity
- Black glass finish, black handle, black rotary selectors • Energy class A
- **STEAM BASE** - steam-supported baking
- **Visio Touch LCD display** with baking timer and minute minder
- 9 oven functions (including **3D baking**, Hot Air baking, Grill, or Pizza)
- **VAP Clean** - steam cleaning of the oven interior
- **Cool Touch** - 3 glass layers in the door
- **Accessories:** Chrome-plated side guide rails (up to 7 levels), 1 pair of 50% telescopic rails, 1 shallow tray, 1 deep tray, 1 safety grid
- **Dimensions (HxWxD):** 59.5 x 59.5 x 57.5 cm

RRP: **459 €**



3D BAKING FUNCTION

COOL TOUCH

VAP CLEAN

BAKING WITH STEAM
SUPPORT

KTE1021X

A

- Multifunctional oven with 78 l capacity • Energy class A
- Black glass finish, black handle, black rotary selectors, stainless steel control panel
- **STEAM BASE** - steam-supported baking
- **Visio Touch LCD display** with baking timer and minute minder
- 9 oven functions (including **3D baking**, Hot Air baking, Grill, or Pizza)
- **VAP Clean** - steam cleaning of the oven interior
- **Cool Touch** - 3 glass layers in the door
- **Accessories:** Chrome-plated side guide rails (up to 7 levels), 1 pair of 50% telescopic rails, 1 shallow tray, 1 deep tray, 1 safety grid
- **Dimensions (HxWxD):** 59.5 x 59.5 x 57.5 cm

RRP: **459 €**

Hot Air baking with circular heating element

All KLUGE ovens are equipped with a circular heating element and an active fan for even baking of dishes, even at lower temperatures. This function also enables uniform baking on multiple levels simultaneously.




LCD display Visio Touch

Touchscreen display with rotary knobs for easy and quick control of all oven functions.



Maxi capacity up to 81 l



For models: KTP2030B and KTE2020B

With a maxi capacity of up to 81 l, Kluge ovens are among the largest on the Czech market and are equipped with removable chrome-plated guide rails. They offer up to 10 levels for placing trays or grids, providing exceptional versatility for arranging large trays during baking.

Telescopic rails



Telescopic rails for convenient and safe handling of baking trays and grids. They can be placed at any level of the side racks and can be easily and quickly removed if needed (e.g., during oven cleaning). Selected models feature telescopic rails with 100% extension, allowing the baking tray or safety grid to be fully extended from the oven.



KTE1020B

A

- Multifunctional oven with 75 l capacity
- Black glass finish, black handle, black rotary selectors
- Energy Class A
- 6 oven functions
- Hot Air Baking
- Grill
- Cool Touch - 2 glass layers in the door
- **Accessories:** Chrome-plated side guide rails, 1 shallow tray, 1 deep tray, 1 safety grid, 1 telescopic rail
- **Dimensions (HxWxD):** 59.5 x 59.5 x 57.5 cm

RRP: **419 €**



VAP CLEAN+

Thanks to the combination of powerful VAP CLEAN+ steam cleaning (in models KTE1040B, KTE1031B, KTE1021B, and KTE1031X) and the Easy Clean enameled surface, oven cleaning is simple, quick, and highly effective.



STEAM BASE Steam-supported baking

The STEAM BASE steam-supported baking function creates fluffy pastries and juicier meat. Water is poured into a reservoir at the bottom of the oven.





9 BAKING FUNCTIONS

HOT AIR BAKING

COOL TOUCH

KTE1010B


A

- Multifunctional oven with 69 l capacity
- Black glass finish, black handle, black rotary selectors
- Energy Class A
- **9 oven functions • Hot Air Baking**
- Grill, Pizza • 2 glass layers in the door
- **Accessories:** Chrome-plated side guide rails, 1 shallow tray
- **Dimensions (HxWxD):** 59.5 x 59.5 x 57.5 cm

RRP: 339 €

Optional accessory: **Deep baking tray 5V978**

RRP: 17,90 €



NO LOGO ON THE PRODUCT

CAPACITY 25 l

FULLY TOUCH CONTROL

GRILL

DEPTH
40,1 cm

KTM2620B

- Built-in microwave oven with grill in full-glass (including frame) Black Finish
- **Capacity: 25 liters • Stainless steel interior**
- **No logo on the product, suitable for pairing with ovens of other brands**
- **Microwave power: 900 W / Grill power: 1100 W**
- White LED display, touch control
- Turntable diameter: 31.5 cm
- **8 automatic cooking programs**
- Timer (up to 95 minutes) • End-of-program sound signal
- Interior lighting • Grill
- **Product dimensions (HxWxD):** 38.8 x 59.5 x 40.1 cm

RRP: 369 €

LZE UMÍSTIT DO
HORNÍ SKŘÍNKY

CAPACITY 20 l

NO LOGO ON THE PRODUCT

GRILL 1000 W

DEPTH
31,5 cm

KTM2011B

- Built-in microwave oven **for upper cabinet** in black finish
- No frame, full-glass front
- Capacity: 20 liters • Stainless steel interior
- **Microwave power: 800 W • Grill: 1000 W**
- **No logo on the product, suitable for pairing with ovens of other brands**
- Intuitive touch control and rotary knob
- **5 power levels including defrosting**
- End-of-program sound signal, interior lighting • Timer: 1 to 95 minutes
- Turntable diameter: 24.5 cm • Accessory: Grill rack
- **Product dimensions (HxWxD):** 34.5 x 59.4 x 31.5 cm

RRP: 279 €



Practical Pre-set functions

GRILL FUNCTION

Grill like a professional with the Kluge induction cooktop. Make full use of the grill function on your Kluge induction cooktop with the Flexi zone.



FLEXI ZONE

Cook with maximum flexibility thanks to the Flexi zone. The Flexi zone on Kluge induction cooktops allows you to adapt the cooking surface to your needs.




KPI6045BP control panel Induction hob with slider


This KLUGE induction cooktop is equipped with 4 individual slider controls, allowing quick and precise adjustment of each cooking zone's power. Practical functions - melting, defrosting, keeping warm, gentle cooking, frying, and automatic cooking - simplify meal preparation and ensure perfect results every time. The control is clear, intuitive, and provides maximum comfort for daily cooking.




KPV6020B control panel Glass ceramic hob with slider

Fast and intuitive Slider Control touch operation, making it effortless to set the correct cooking level.






80 cm



60 cm



60 cm

KHI8000B

- Induction hob with integrated extractor hood, width 80 cm
- Matte black glass surface with white LED backlighting
- ANTI SCRATCH scratch-resistant surface
- 4 cooking zones: front left and right 190×190 mm (1.5/2.0 kW), rear left and right 190×190 mm (2.0/2.8 kW) • Residual heat indicator
- Integrated extractor hood with quiet BLDC motor • Max. extraction power: 593 m³/h
- Noise level: 78 dB(A) • 9 power levels for cooking zones • 2x Flexi zone
- 3 cooking functions • Smart pause function • Timer with up to 99 minutes setting
- Child lock • Pot detection • Automatic safety shut-off
- Total power: 7.57 kW • Dimensions (HxWxD): 20 x 77 x 52 cm

RRP: 1 249 €

* Availability: March 2026

KHI6000B

- Induction hob with integrated extractor hood, width 60 cm
- Black glass surface with white LED backlighting
- 4 cooking zones: front left and right 190×190 mm (1.5/2.0 kW), rear left and right 190×190 mm (2.0/2.8 kW)
- Integrated range hood with quiet BLDC motor • Max. extraction power: 593 m³/h
- Noise level: 78 dB(A) • 9 power levels for cooking zones • 1x Bridge zone
- 3 cooking functions • Smart pause function • Timer with up to 99 minutes setting
- Residual heat indicator • Child lock
- Pot detection • Automatic safety shut-off • Total power: 7.57 kW
- Dimensions (HxWxD): 20 x 59 x 52 cm

RRP: 909 €

* Availability: March 2026

KPI6032BP

- Induction hob with a width of 60 cm
- Matte black glass surface with red LED backlighting
- ANTI SCRATCH scratch-resistant surface
- 4 cooking zones: front left 190×190 mm (1.5/1.8/2.0 kW), rear left 190×190 mm (2.0/2.4/2.8 kW), rear right 180 mm (1.8/2.0/2.4 kW), front right 160 mm (1.2/1.3/1.5 kW)
- 9 power levels • Flexi zone • Multi slider control touch control
- 5 cooking functions • Smart pause function • Timer with up to 99 minutes setting
- Residual heat indicator • Child lock • Pot detection
- Safety shut-off function • Total power: 7.2 kW
- Power management: 2.8 / 4.5 / 6.0 / 7.2 kW • Dimensions (HxWxD): 5.8 x 59 x 52 cm

RRP: 419 €

* Availability: March 2026



Integrated extractor hood with BLDC motor

This compact 2-in-1 solution combines a modern induction hob and a powerful extractor hood in a single appliance. The BLDC motor with a capacity of 593 m³/h ensures quiet and reliable operation, effectively removing steam and odors directly at the source. This keeps the kitchen clean and odor-free, even during intensive cooking. The elegant design saves space and eliminates the need to install an overhead extractor hood in the kitchen. In addition, modern technology ensures lower energy consumption and a long service life.


Slider control

The modern slider allows you to adjust the power of the cooking zone with a simple swipe of your finger. Quick, precise, and without unnecessary button pressing – all it takes is one smooth movement. Each power level is clearly backlit, allowing you to control how intensely the hob heats up. Intuitive and convenient control for gently melting chocolate or bringing water to a boil. The smooth surface without mechanical elements is very easy to clean – just wipe it with a soft cloth. The slider control combines simplicity, elegance, and maximum comfort when cooking.

2× FLEXI ZONE (190×190 mm)

Two flexible zones allow you to cook in pots and pans of various sizes and shapes. Each zone has an active area of 190 × 190 mm, so you can easily use smaller pots and larger baking dishes. This flexibility makes it easier to prepare multiple courses at once and increases comfort during everyday cooking.






KPI9041B

- Induction hob with a width of 90 cm
- Black glass surface with white LED backlighting
- 5 cooking zones: front left 190×190 mm (1.5/1.8/2.0 kW), front right 190×190 mm (1.5/1.8/2.0 kW), rear left 190×190 mm (2.0/2.4/2.8 kW), rear right 190×190 mm (2.0/2.4/2.8 kW), center 280 mm (2.3/3.0/3.3 kW)
- 9 power levels • 2x Flexi zone
- Multi Slider Control touch control • 5 cooking functions • Smart Pause function
- Timer with up to 99 minutes setting • Residual heat indicator
- Child lock • Pot detection • Automatic safety shut-off
- Total power: 9.0 kW • Dimensions (HxWxD): 6 x 90 x 52 cm

RRP: **669 €**



KPI8031B

- Induction hob with 80 cm width, Black glass surface
- **4 induction cooking zones:** 1x FLEX zone 39.5 x 20 cm / 2.8 kW (3.5 kW Booster) + 1x 16 cm / 1.5 kW (1.8 kW Booster) + 1x MAXI zone 28 cm / 2.3 kW (3.0 kW Booster)
- **9 power levels + Booster**
- Touch control with sliders for each zone, for quick power and time adjustment
- Timer up to 99 minutes for each zone
- Pot detection, residual heat indicator
- Child lock • Keep Warm function • **Grill function**
- **Safety shut-off function**
- Total power: 7.4 kW • Dimensions (HxWxD): 6 x 80 x 52 cm

RRP: **539 €**



KG01 (Grill plate)

- Large grilling surface 43 x 23 cm
- Solid and durable design
- Instant heating thanks to induction
- Precise power control
- Easy to clean
- **Use the grill plate at a maximum temperature of 210°C**

Take full advantage of the possibilities offered by the new Kluge induction hobs with the practical cast iron grill. The grill function with a direct button on the hob control panel offers optimal settings for convenient home grilling with excellent results. Thanks to the unique features of the grill, you will no longer need a large garden grill or bulky electric grills. Grilling on Kluge induction hobs is quick, easy, and safe. Grill like a chef and prepare fragrant and juicy home-grilled steaks, skewers, sausages, fish, or vegetables right in your kitchen.

RRP: **54,90 €**



KPI6055H

- Induction hob with 60 cm width
- Black glass surface with a clean design without cooking zone graphics
- Touch control for power adjustment
- 9 power levels ● Hob to Hood function
- 4 cooking zones ● Bridge function - connects 2 cooking zones
- Timer for each zone ● Pot detection
- Residual heat indicator ● Safety shut-off function
- Control lock ● Child lock
- Total power: 7.2 kW
- Dimensions (HxWxD): 6.5 x 60 x 51.5 cm

RRP: 579 €

Hob to Hood

The Hob to Hood function connects your induction hob to the extractor hood and ensures perfect comfort when cooking. As soon as you start cooking, the extractor hood switches on automatically and adjusts its power to the intensity of the heat.

You don't have to think about any other buttons – you can just concentrate on preparing your food. The air in your kitchen will remain clean, free of unwanted vapors and odors, and you will enjoy comfortable cooking with maximum control. Hob to Hood combines modern technology, practicality, and elegant design into one perfectly harmonious whole.

ANTISCRATCH matte black glass

The elegant matte black glass gives the hob a premium look and is also extremely scratch-resistant. Thanks to a special treatment, it retains its beautiful appearance even with daily intensive use and is easy to clean. The modern backlit display in white or red ensures perfect readability and stylishly complements the minimalist design. The combination of durable glass and subtle backlighting makes the Kluge induction hob not only a practical helper, but also a design element in your kitchen.

SMART PAUSE


The Smart Pause function is ideal for those moments when something unexpected happens in the kitchen. With a single touch, it temporarily pauses all cooking zones and switches them to energy-saving mode. As soon as you return, the hob immediately returns to its original power setting and continues exactly where you left off.

You don't have to reset the temperature or time – everything is ready exactly as it was. Smart Pause gives you the confidence that your food won't burn or boil over, and cooking remains fully under control. It is a smart, safe, and extremely practical solution for everyday life.





60 cm



60 cm

Power Management

Thanks to the Power Management function, you can set the maximum power consumption of the induction hob according to your household's capabilities – 2.8 / 3.5 or 7.4 kW. This ensures that the hob will operate safely and without the risk of overloading the electrical network. The setting is simple and also gives you flexibility: you can use higher power for intensive cooking, while lower values are suitable where the circuit breaker capacity is limited. Power Management thus combines high performance with maximum safety and energy savings.

KPI6045BP

- Induction hob with 60 cm width • Black glass surface with straight edges
- 4 cooking zones: 2x 19x19 cm / 1.5 (1.8 Boost, 2.0 Power Boost) kW, 2x 19x19 cm / 2.0 (2.4 Boost, 2.8 Power Boost) kW • 9 power settings • White backlight
- Touch control with 4x slider for power adjustment
- Functions: defrosting, thawing, keeping warm and gentle cooking, frying, automatic boiling • Timer for minute minder or shut-off up to 99 min. • 2x Flex zone
- Smart pause • Residual heat warning • Child lock
- Cookware detection • Safety shut-off function
- Total power consumption: 7.4 kW • Power management: 2.8 / 4.5 / 6.0 / 7.4 kW
- Dimensions (HxWxD): 5.8 x 59 x 52 cm


RRP: 459 €

KPI6016BP

- Induction hob with 60 cm width
- Black glass surface with straight edges • **Bridge Zone**
- 4 cooking zones: 2x 16 cm / 1.2 (1.3 Boost, 1.5 Power Boost) kW, 1x 18 cm / 1.8 (2.0 Boost, 2.4 Power Boost) kW, 1x 21 cm / 2.2 (2.4 Boost, 2.6 Power Boost) kW
- 9 power levels • Red backlighting • Slider touch control
- Functions: melting, defrosting, keep warm and gentle cooking, frying, automatic boiling
- Timer for minute minder or shut-off up to 99 minutes
- Pot detection • Safety shut-off function • Child lock
- Total power: 7.4 kW • Power management: 2.8 / 3.5 / 7.4 kW
- Dimensions (HxWxD): 5.8 x 59 x 52 cm

RRP: 329 €





KPI6022B

- Induction hob with 60 cm width
- Black glass surface with straight edges • **Bridge Zone**
- 4 cooking zones: 2x 18 cm / 1.5 (2.1 Boost) kW, 2x 16 cm / 1.2 (1.5 Boost) kW
- 9 power levels • Red backlighting
- Slider touch control for power adjustment
- Functions: melting, defrosting, keep warm and gentle cooking
- Timer for minute minder or shut-off up to 99 minutes
- Smart Pause • Residual heat indicator • Child lock
- Pot detection • Safety shut-off function • Total power: 7.2 kW
- Dimensions (HxWxD): 5.8 x 59 x 52 cm

RRP: 329 €



KPI6015B


- Induction hob with 60 cm width
- Black glass surface with straight edges
- 9 power levels • Red backlighting
- 4 cooking zones: 2x 18 cm / 1.5 (2.1 Boost) kW, 2x 16 cm / 1.2 (1.5 Boost) kW
- Slider touch control for power adjustment
- Functions: melting, defrosting, keep warm and gentle cooking
- Timer for minute minder or shut-off up to 99 minutes
- Smart Pause • Residual heat indicator • Child lock
- Pot detection • Safety shut-off function • Total power: 7.2 kW
- Dimensions (HxWxD): 5.8 x 59 x 52 cm

RRP: 289 €

Flex zone

Flex Zone technology gives you complete freedom when cooking. Instead of fixed hotplates, you get one large cooking zone where you can place pots and pans of any shape or size. The hob automatically recognizes the cookware and adjusts the heat to ensure optimal performance. Whether you're cooking in a small saucepan or using a large roasting pan, Flex Zone adapts perfectly to your needs. This makes cooking more convenient, faster, and much more efficient.






POT DETECTION

ROTARY CONTROLS

60 cm



POT DETECTION

ROTARY CONTROLS

30 cm

KPI6023BB

- Induction hob with 60 cm width
- Black glass surface with straight edges
- 4 cooking zones: 2 x 18 cm / 2.0 kW, 2 x 16 cm / 1.5 kW
- 8 power levels • Red backlighting
- Control via rotary knobs
- Pot detection • Safety shut-off function
- Residual heat indicator
- Timer for minute minder or shut-off up to 99 minutes
- Total power: 7.0 kW
- Dimensions (HxWxD): 5.8 x 59 x 52 cm

RRP: 329 €

KPI3003BB


- Domino Induction hob, 30 cm width
- Black glass surface with straight edges
- 2 induction cooking zones: 16 cm / 1.5 kW + 18 cm / 2.0 kW
- 8 power levels • Red backlighting
- Control via rotary knobs
- Pot detection • Safety shut-off function
- Residual heat indicator
- Timer for minute minder or shut-off up to 99 minutes
- Total power: 3.5 kW • Plug-in connection
- Dimensions (HxWxD): 5.8 x 29 x 52 cm

RRP: 229 €

Control via rotary selectors

Induction hobs with mechanical controls are the ideal choice for anyone who prefers simplicity, reliability, and maximum clarity. Rotary knobs allow you to quickly and accurately set the desired power without having to navigate touch menus. The controls are intuitive and respond immediately – perfect even for those who prefer a traditional approach to cooking. Mechanical controls are also durable and easy to clean, ensuring a long service life and carefree use. Thanks to the combination of modern induction technology and classic controls, you get a hob that combines the best of both worlds – high performance, safety, and easy operation.






60 cm

KPV6020B

- Glass ceramic hob with 60 cm width, black glass surface
- Straight edges, suitable for flush installation into the countertop
- 4 Hi-Light cooking zones: 2 x 14.5 cm / 1.2 kW + 1 x 18 cm dual zone / 1.7 kW + 1 x 14.5 cm oval zone / 1.8 kW
- Slider touch control for quick power and time adjustment
- Timer • Smart Pause
- Residual heat indicator
- Display lock
- Total power: 5.9 kW
- Dimensions (HxWxD): 5.2 x 59 x 52 cm

RRP: 289 €



60 cm

KPV6011B

- Glass ceramic hob with 60 cm width
- Black glass surface with straight edges
- Touch control
- 9 power levels • Red backlighting
- 4 cooking zones: 2 x 16.5 cm / 1.2 kW + 2 x 20.0 cm / 1.8 kW
- Timer with shut-off setting up to 99 minutes
- Residual heat indicator • Child lock
- Pot detection • Safety shut-off function
- Total power: 6 kW
- Dimensions (HxWxD): 5.2 x 59 x 52 cm

RRP: 209 €




30 cm

KPI3002B

- Domino induction hob, 30 cm width
- Black glass surface with straight edges
- 2 induction cooking zones: 16 cm / 1.2 kW (1.5 kW Booster) + 18 cm / 2.0 kW (2.3 kW Booster)
- 9 power levels • Touch control with slider buttons
- Pot detection • Safety shut-off function • Residual heat indicator
- Timer for minute minder or shut-off up to 99 minutes
- Total power: 3.5 kW • Plug-in connection
- Dimensions (HxWxD): 5.8 x 29 x 52 cm

RRP: 189 €



30 cm

KPV3001B

- Domino glass ceramic hob, 30 cm width
- Black glass surface
- 2 Hi-Light cooking zones: 1 x 16.5 cm / 1.2 kW + 1 x 20 cm / 1.8 kW
- Intuitive touch control
- 9 power levels
- Timer with acoustic signal
- Residual heat indicator
- Display lock
- Total power: 3.0 kW
- Dimensions (HxWxD): 5.2 x 28.8 x 52 cm

RRP: 169 €



BLACK GLASS

MASSIVE CAST IRON GRATES

WOK BURNER

KPG7020BG

- Gas hob with 70 cm width
- Black glass surface
- Robust and durable cast iron grates
- Front-mounted rotary controls with automatic burner ignition
- Right front burner (auxiliary): 0.95 kW (Ø 5.5 cm), right rear burner (rapid): 2.9 kW (Ø 10 cm), left front and left rear burners (medium): 1.70 kW (Ø 7.5 cm), center burner (WOK): 3.5 kW (Ø 13.1 cm)
- Gas Stop safety feature to prevent gas leaks
- Operates on natural gas or LPG
- Dimensions (HxWxD): 10.85 x 69 x 52 cm

RRP: **369 €**



BLACK GLASS

MASSIVE CAST IRON GRATES

WOK BURNER

KPG6010BG

- Gas hob with 60 cm width
- Black glass surface
- Robust and durable cast iron grates
- Front-mounted rotary controls with automatic burner ignition
- Left front burner (WOK): 3.5 kW (Ø 13.1 cm), right front burner (auxiliary): 0.95 kW (Ø 5.5 cm), right and left rear burners (medium): 1.70 kW (Ø 7.5 cm)
- Gas Stop safety feature to prevent gas leaks
- Operates on natural gas or LPG
- Dimensions (HxWxD): 10.85 x 59 x 52 cm

RRP: **309 €**



WHITE GLASS

MASSIVE CAST IRON GRATES

WOK BURNER

KPG6010WG

- Gas hob with 60 cm width
- White glass surface
- Robust and durable cast iron grates
- Front-mounted rotary controls with automatic burner ignition
- Left front burner (WOK): 3.5 kW (Ø 13.1 cm), right front burner (auxiliary): 0.95 kW (Ø 5.5 cm), right and left rear burners (medium): 1.70 kW (Ø 7.5 cm)
- Gas Stop safety feature to prevent gas leaks
- Operates on natural gas or LPG
- Dimensions (HxWxD): 10.85 x 59 x 52 cm

RRP: **329 €**



KPG6000X

- Gas hob with 60 cm width
- Stainless steel surface
- Robust and durable cast iron grates
- FLAT design, recessed into the countertop for elegantly low-profile grates
- Front-mounted rotary controls with automatic burner ignition
- Left front burner (WOK): 3.5 kW (Ø 13.1 cm), right front burner (auxiliary): 0.95 kW (Ø 5.5 cm), right and left rear burners (medium): 1.70 kW (Ø 7.5 cm)
- Gas Stop safety feature to prevent gas leaks
- Operates on natural gas or LPG
- Dimensions (HxWxD): 10.85 x 59 x 52 cm

RRP: 249 €




KVD6012P

- Capacity: 13 place settings
- Energy class E
- 9 washing programs / 5 washing temperatures
- Sliding Door system for attaching furniture doors up to 8 cm
- White LED display, electronic buttons
- EcoWash – half-load washing (3 modes)
- Mini Active Drying – energy-efficient and quiet drying system
- Info LED – program progress indicator projected onto the floor
- Delayed start of washing program up to 19 hours
- Eco Tray cutlery drawer, fully foldable modules in the lower basket
- Soft Touch – cushioned glass holders in the upper basket
- Aquastop safety hose
- Noise level: 45 dB(A) • Energy consumption (100 cycles) / water (cycle): 94 kWh / 9 l
- Dimensions (HxWxD): 82-87 x 59.8 x 57 cm

RRP: 709 €

Control panel



INFOLED 2.0

SLIDING DOOR

DIVISIBLE CUTLERY
DRAWER



MINI ACTIVE
DRYING

CUTLERY DRAWER

HALF LOAD
ECOWASH

KVD6002P

- **Capacity: 13 place settings**
- Energy class E
- 5 washing programs / 4 washing temperatures
- Button control with LED indicators
- **Mini Active Drying** – energy-efficient drying system
- End-of-cycle indicator, acoustic signal
- Salt and rinse aid level indicator
- **Delayed start by 3, 6, or 9 hours**
- Overflow and leak protection
- Removable third upper shelf for cutlery **EcoTray**
- **Aquastop safety hose**
- Bottle holder, cup shelf • Noise level: 45 dB(A)
- Energy consumption (100 cycles) / water (cycle): 94 kWh / 9 l
- Dimensions (HxWxD): 82-87 x 59.8 x 57 cm

RRP: 539 €

Control panel






KVD6012B



- **Capacity: 13 place settings** • Energy class E
- 6 washing programs / 4 washing temperatures
- White LED display, black control panel
- **EcoWash** – half-load washing (3 modes)
- **Mini Active Drying** – energy-efficient and quiet drying system
- Delayed start of washing program up to 24 hours
- **Eco Tray cutlery drawer**, fully foldable modules in the lower basket
- **Soft Touch** – cushioned glass holders in the upper basket
- **Aquastop safety hose**
- Noise level: 45 dB(A) • Energy consumption (100 cycles) / water (cycle): 94 kWh / 9 l
- Dimensions (HxWxD): 82-87 x 59.8 x 57 cm

RRP: **669 €**



Control panel



Low noise level of 45 dB(A)



Kluge dishwashers are equipped with quiet pumps and insulation to reduce noise during washing. You will appreciate the low noise level especially in a kitchen connected to a dining room or living room.



Mini Active Drying

The economical and quiet MINI ACTIVE DRYING active condensation drying system can dry your dishes quickly and efficiently.

Height-adjustable upper basket



The upper basket of Kluge dishwashers can be easily raised to a higher position even when fully loaded with dishes. This allows you to fit tall pots or plates into the lower basket.



Convenient detergent dispenser

The detergent dispenser is now located in the center of the door for easier dispensing. It is also adapted for use with multi-function tablets. The special shape of the upper basket provides the necessary space for the tablet to fall out of the dispenser.

KVD4610P



- **Capacity: 11 place settings**
- Width of only 45 cm
- Sliding Door system for attaching furniture doors up to 8 cm
- White LED display
- Touch control • INFO TIME LIGHT – time projection onto the floor
- 6 washing programs / 6 temperatures
- Inverter motor
- Delayed start of washing program up to 24 hours
- Third upper cutlery drawer • Adjustable upper basket
- Salt and rinse aid level indicator • Automatic door opening
- Washing modes: upper, lower, or both simultaneously
- Noise level: 45 dB(A) • Energy class C
- Energy consumption (100 cycles) / water (cycle): 63 kWh / 9.2 l
- Dimensions (HxWxD): 81.5 ~ 87.5 x 44.8 x 55 cm

RRP: 589 €

Control panel



SLIDING DOOR

The Sliding Door technology brings maximum convenience when installing a built-in dishwasher. The dishwasher door smoothly slides up to 8 cm upward during opening and closing, perfectly following the movement of the furniture front. This allows the dishwasher to be seamlessly integrated into kitchens with low plinths or unconventional designs. The Sliding Door ensures not only an elegant look for the entire kitchen but also trouble-free daily use. No more doors hitting the floor or difficult opening—everything operates smoothly and quietly. This smart technology combines aesthetics with practicality, making the dishwasher a natural part of your kitchen.

INFO TIME LIGHT



INFOTIME LIGHT technology projects the remaining time until the end of the wash cycle onto the floor. This means you always have an overview without having to open the door or check the display. A simple and practical way to keep your washing under control.

ECO Wash function

You can run your Kluge dishwasher without hesitation even if it's only half full. The Eco Wash function enables washing smaller loads with appropriate energy and time savings. The Eco Wash function offers three washing modes: in the upper basket, lower basket, or both baskets simultaneously. In all cases, less water and detergent are used, and the washing time is shorter.

Super 50' program at 65°C

Effective and efficient washing doesn't have to take long. The special SUPER 50' program washes a fully loaded dishwasher at 65 °C in just 50 minutes. This program is most commonly used for washing dishes during the day. Fast washing means a clean table without dirty dishes every time!






KVD4600P



- Capacity: 11 place settings
- Width of only 45 cm
- White LED display
- Touch control
- 4 washing programs / 4 temperatures
- Inverter motor
- Delayed start of washing program up to 24 hours
- Third upper cutlery drawer
- Adjustable upper basket
- Salt and rinse aid level indicator
- Washing modes: upper, lower, or both simultaneously
- Noise level: 47 dB(A) • Energy class D
- Energy consumption (100 cycles) / water (cycle): 70 kWh / 9.8 l
- Dimensions (HxWxD): 81.5 ~ 87.5 x 44.8 x 55 cm

RRP: **459 €**

Control panel





KCN2382J



- Built-in combined refrigerator with bottom freezer
- Total No Frost System
- Net capacity refrigerator/freezer: 281 l / 101 l
- Touch display
- Humidity Zone
- Rails for integration into kitchen cabinetry
- Internal LED lighting, electronic temperature control
- Special functions: Holiday, SmartCool – intelligent cooling, Rapid Cooling
- Freezing capacity: 8 kg/24 h
- Power outage endurance: 8 h
- Energy class D
- Noise level: 33 dB(A)
- Annual energy consumption: 216 kWh
- Dimensions (HxWxD): 193.5 x 69 x 55 cm

RRP: 1 219 €

*Availability March 2026



KCN2700J



- Built-in combined refrigerator with bottom freezer
- Total No Frost System
- Metal Cooling in stainless steel finish
- Net capacity refrigerator/freezer: 206 l / 64 l
- Internal LED lighting
- White backlit controls
- 4 adjustable + 1 fixed safety glass shelf
- 3 standard compartments and a bottle compartment in the door
- Fresh Zone with 26 l capacity
- 3 spacious freezer drawers
- Rails for integration into kitchen cabinetry
- Furniture door installation: Sliding rails
- Inverter compressor
- Freezing capacity: 3.2 kg/24 h
- Energy class D
- Annual energy consumption: 182 kWh
- Noise level: 37 dB(A)
- Dimensions (HxWxD): 193.7 x 54 x 55 cm

RRP: 929 €



KC2300J



- Built-in combined refrigerator with bottom freezer
- Net capacity refrigerator/freezer: 225 l / 75 l
- Internal LED lighting
- White backlit controls
- 4 safety glass shelves
- Bottle holder
- 3 standard compartments and a bottle compartment in the door
- 3 spacious freezer drawers
- Less Frost System
- Manual defrosting
- Inverter compressor
- Rails for integration into kitchen cabinetry
- Freezing capacity: 3.5 kg/24 h
- Power outage endurance: 11 h
- Energy class D
- Annual energy consumption: 177 kWh
- Noise level: 38 dB(A)
- Dimensions (HxWxD): 193.7 x 54 x 55 cm

RRP: 849 €

TOTAL NO FROST technology

Forget about unpleasant defrosting and ice build-up in the refrigerator. Total No Frost technology ensures a constant flow of cold air that circulates evenly throughout the interior. This prevents frost from forming, food from sticking together, and preserves its natural freshness and taste. Not only will you enjoy more comfort, but also more storage space. In addition, the temperature remains stable, so every food item is stored in optimal conditions. The result is less hassle, lower energy consumption, and more time for you.

METAL COOLING technology

Enjoy perfectly fresh food even when the door is opened frequently. The metal panel with Metal Cooling technology helps to quickly balance the temperature and keeps the cold evenly distributed throughout the refrigerator. This means that vegetables, meat, and beverages are protected from temperature fluctuations and stay fresh longer. The metal surface also contributes to the luxurious and modern look of the appliance's interior. Metal Cooling technology combines cutting-edge design and practical functionality for maximum freshness without compromise.





KCN2233J



- Built-in combined refrigerator with bottom freezer
- **Dual No Frost System**
- **Metal Cooling in Dark Inox finish**
- Net capacity refrigerator/freezer: 170 l / 63 l
- **Internal Side LED lighting**
- White backlit display
- 3 safety glass shelves
- Fruit and vegetable drawer
- 3 standard compartments and a bottle compartment in the door
- 2 spacious freezer drawers
- **Upper pull-out Sliding Tray shelf**
- Freezing capacity: 3.3 kg/24 h • Power outage endurance: 8 h
- Rails for integration into kitchen cabinetry
- Energy class D
- Annual energy consumption: 218 kWh
- **Noise level: only 36 dB(A)**
- Dimensions (HxWxD): 177 x 54 x 54.5 cm

RRP: **769 €**



KCN2256J



- Built-in combined refrigerator with bottom freezer
- Energy class E
- **Dual No Frost System** without drying out food
- Net capacity refrigerator/freezer: 180 l / 63 l
- Internal LED lighting
- 4 safety glass shelves
- 3 standard compartments and a bottle compartment in the door
- 3 spacious freezer drawers
- Freezing capacity: 3 kg/24 h / Power outage endurance: 12 h
- Rails for integration into kitchen cabinetry
- Annual energy consumption: 218 kWh
- Noise level: only 41 dB(A)
- Dimensions (HxWxD): 177 x 54 x 54.5 cm

RRP: **709 €**



KC2200J



- Built-in combined refrigerator with bottom freezer
- Net capacity refrigerator/freezer: 195 l / 75 l
- Less Frost System
- Inverter compressor
- Internal LED lighting
- White backlit controls
- 3 adjustable and 1 fixed safety glass shelf
- 2 standard compartments and a bottle compartment in the door
- 3 spacious freezer drawers
- Manual freezer defrosting
- Rails for integration into kitchen cabinetry
- Freezing capacity: 3.5 kg/24 h
- Power outage endurance: 15 h
- Energy class E
- Annual energy consumption: 221 kWh
- Noise level: 35 dB(A)
- Dimensions (HxWxD): 176.9 x 54 x 55 cm

RRP: 599 €



KC2394J



- Built-in refrigerator with top freezer compartment
- Refrigerator capacity: 253 l
- Freezer compartment capacity: 33 l
- Internal LED lighting
- Inverter compressor
- 3 adjustable and 1 fixed safety glass shelf
- 2 fruit and vegetable drawers
- 2 standard, 2 narrow, and 1 deep door compartment
- Rails for integration into kitchen cabinetry
- Reversible door option
- Freezing capacity: 2.6 kg/24 h
- Noise level: 38 dB(A)
- Energy class E
- Energy consumption: 148 kWh
- Dimensions (HxWxD): 176.9 x 54 x 54 cm

RRP: 849 €

KC2294J



- Built-in single-door monoclimate refrigerator
- Net refrigerator capacity: 294 l • Internal LED lighting
- Electronic control with LED indicators
- COLD AIR FLOW - even cold air circulation to shelves via a rear panel
- Automatic refrigerator defrosting
- 4 adjustable and 1 fixed safety glass shelf
- 4 standard and 1 deep door compartment
- 2 fruit and vegetable drawers • Noise level: only 39 dB(A)
- Annual energy consumption: 112 kWh • Energy class E
- Rails for integration into kitchen units • Dimensions (HxWxD): 177 x 54 x 54.5 cm

RRP: 809 €



Control panel

KF2197J



- **Built-in drawer freezer**
- Net freezer capacity: 197 l
- **Internal LED lighting**
- **Electronic control with LED indicators • NO FROST frost-free system**
- 6 spacious drawers and 2 compartments with flip-down front
- Freezing capacity: 11.5 kg/24 h • Power outage endurance: 6 h
- Annual energy consumption: 231 kWh • Energy class E
- **Noise level: only 40 dB(A)**
- Rails for integration into kitchen units
- Dimensions (HxWxD): 177 x 54 x 54.5 cm

RRP: 849 €



Control panel





KC2193J



- Built-in refrigerator with top freezer compartment
- Refrigerator capacity: 162 l
- Freezer compartment capacity: 16 l
- Internal lighting
- 3 adjustable and 1 fixed safety glass shelf
- 3 door compartments and bottle holder
- Rails for integration into kitchen cabinetry
- Freezing capacity: 2.6 kg/24 h
- Noise level: only 38 dB(A)
- Energy class E
- Annual energy consumption: 149 kWh
- Dimensions (HxWxD): 122.5 x 54 x 54.5 cm

RRP: 629 €

MULTI AIRFLOW

No matter whether you store food at the top, bottom, or back of the refrigerator, Multi Airflow technology ensures that ideal conditions prevail throughout. Cold air flows evenly throughout the interior, maintaining a constant temperature and humidity.

Fruits and vegetables retain their freshness and crispness, while meat and dairy products stay safe for consumption longer. No more worrying about "dead zones" in the refrigerator where food spoils faster. Multi Airflow ensures every piece of food is stored in optimal conditions. Additionally, it helps newly added food cool down faster. The result is more freshness, less waste, and greater comfort for you and your family.

FRESH ZONE

Do you want your fruit, vegetables, or meat to stay fresh longer? The special Fresh Zone drawer creates an optimal microclimate that maintains a lower and stable temperature with ideal humidity. This allows food to retain not only its freshness, but also its vitamins, minerals, and natural flavor. Vegetables stay crisp, meat stays juicy, and fish tastes as good as when you bought it. The Fresh Zone is the ideal helper if you want to shop ahead and be sure that your food will stay in perfect condition for longer. The drawer also offers plenty of space and a practical layout for easy access. Thanks to this technology, healthy and fresh cooking becomes a daily routine.





KC2124J



- Built-in table top refrigerator with freezer compartment
- Net refrigerator capacity: 95 l
- Net freezer compartment capacity: 16 l
- Internal LED lighting
- Inverter compressor
- Pantographic hinges - fixed door installation
- Reversible door option
- Automatic refrigerator defrosting
- Manual freezer defrosting
- 2 safety glass shelves
- 2 fruit and vegetable compartments
- 1 standard and 1 bottle compartment in the door
- Freezing capacity: 2.6 kg/24 h
- Noise level: only 35 dB(A)
- Energy class D
- Annual energy consumption: 117 kWh
- Dimensions (HxWxD): 82 x 59.6 x 55 cm

RRP: 499 €



KF2096J



- Built-in table top freezer with continuous plinth
- Net freezer capacity: 96 l
- Manual defrosting
- Pantographic hinges - fixed door installation
- 3 drawers
- Ice tray
- Freezing capacity: 5 kg/24 h
- Power outage endurance: 12 h
- Energy class E
- Annual energy consumption: 176 kWh
- **Noise level: only 39 dB(A)**
- Dimensions (HxWxD): 81.8 x 59.5 x 54.8 cm

RRP: 519 €



KCM600GD



- Elegant 4-Door No Frost refrigerator • Metal Cooling
- Tempered glass doors in black finish
- Net refrigerator/freezer capacity: 429 l/171 l (Flexible zone: 90 l)
- Flexible zone temperature range: -20°C to 5°C / Off
- Internal LED lighting • Touch display on the door
- Refrigerator: 3 glass shelves, 2 fruit and vegetable drawers, 6 door compartments
- Freezer: 2 open-front drawers, 4 spacious drawers including 1 Flexible zone
- Freezing capacity: 10.4 kg/24 h
- Noise level: only 39 dB(A)
- Functions: ECO / Holiday / Super Freeze
- Open door alarm
- **Energy class D**
- Annual energy consumption: 261 kWh
- Dimensions (HxWxD): 190.5 x 91 x 69 cm

RRP: 1 299 €



KCSN577LD



- Freestanding 2-door combined refrigerator with left-side freezer
- No Frost System
- Metal Cooling
- White backlit display
- Net refrigerator/freezer capacity: 337 l/240 l
- Chilled water and ice dispenser (cubes or crushed ice) in the door
- Water connection with filter
- Internal LED lighting
- Inverter motor
- Functions: ECO, Holiday, Super Freezing, Display Lock
- Refrigerator: 4 glass shelves, vegetable drawer, Flexi zone, 4 door compartments
- Freezer: 4 glass shelves, 2 drawers, door compartment
- Freezing capacity: 13 kg/24 h
- Power outage endurance: up to 7 h
- Energy class D
- Annual energy consumption: 270 kWh
- Noise level: 39 dB(A)
- Dimensions (HxWxD): 177 x 91 x 73 cm

RRP: 1 259 €



KCN5372LD



- Combined refrigerator with No Frost system
- Dark Stainless Steel color
- Metal Cooling
- Refrigerator/freezer capacity: 264 l / 113 l
- Functions: ECO, Holiday, Super Freezing, Display Lock
- Internal LED lighting
- Open door signal
- Inverter motor
- Wooden design wine rack
- 4 safety glass shelves
- 2 spacious refrigerator drawers
- 3 standard compartments and a deep bottle compartment in the door
- 3 spacious freezer drawers
- Ice cube tray
- Freezing capacity: 10 kg/24 h
- Power outage endurance: 13.5 h
- Energy class C • Annual energy consumption: 168 kWh • Noise level: 39 dB(A)
- Dimensions (HxWxD): 200.5 x 60 x 67.5 cm

RRP: 729 €



KCN4326LD



- Freestanding combined refrigerator with bottom freezer
- **Total No Frost** system
- **Dark Inox (Dark Stainless Steel)** color
- Net refrigerator/freezer capacity: 243 l / 83 l
- Electronic control with internal LED lighting
- **Low-temperature drawer for fresh food**
- 2 standard compartments and a bottle compartment in the door
- 3 spacious freezer drawers
- Freezing capacity: 3.8 kg/24 h
- Power outage endurance: up to 9.5 h
- **Energy class D**
- Annual energy consumption: 185 kWh
- **Noise level: 39 dB(A)**
- Dimensions (HxWxD): 201 x 60 x 60.5 cm

RRP: 619 €



KCN5340W



- Freestanding combined refrigerator with No Frost system
- White color finish
- Vertical handle
- Refrigerator/freezer capacity: 246 l / 100 l
- Functions: ECO, Holiday, Super Freezing, Display Lock
- Internal LED lighting
- Open door signal
- 3 spacious freezer drawers
- Ice cube tray
- Freezing capacity: 4.6 kg/24 h
- Power outage endurance: 11 h
- Noise level: 37 dB(A)
- Energy class D
- Annual energy consumption: 207 kWh
- Dimensions (HxWxD): 201 x 59.5 x 65 cm

RRP: 619 €



KCN5326W



- Freestanding combined refrigerator with No Frost system
- White color finish
- Vertical handle
- Refrigerator/freezer capacity: 214 l / 100 l
- Functions: ECO, Holiday, Super Freezing, Display Lock
- Internal LED lighting
- Open door signal
- 3 spacious freezer drawers
- Ice cube tray
- Freezing capacity: 4.6 kg/24 h
- Power outage endurance: 11 h
- Noise level: 37 dB(A)
- Energy class D
- Annual energy consumption: 205 kWh
- Dimensions (HxWxD): 186 x 59.5 x 65 cm

RRP: 599 €



KCW2801B



28

- Built-in wine cooler with 1 cooling zone
- **Capacity: 28 bottles, no logo on the product**
- Temperature range: 5-20 °C
- Glass door with black frame and black handle, double-layered glass with UV filter
- White LED lighting with switch
- **Electronic temperature control with display**
- **Automatic defrosting, active ventilation system**
- 2 wooden semi-pull-out shelves
- Energy class G • **Anti-vibration system**
- Annual energy consumption: 99 kWh
- Noise level: only 41 dB(A)
- Dimensions (HxWxD): 45.5 x 59 x 56.3 cm

RRP: 799 €





KWF2481BI




- Built-in front-loading washing machine with **8 kg capacity of laundry**
- **Energy class A**
- Touch control with ergonomic rotary selector and LED display
- Steam Assist - steam support
- Spin speed up to **1400 RPM**
- **15 washing programs and 8 temperatures**
- **Delayed start up to 23 hours**
- **Quiet, energy-efficient, and reliable inverter motor**
- **Anti-allergy program**
- Energy consumption (100 cycles) / water (cycle): 47 kWh / 48 l
- Weight: 66.2 kg
- Dimensions (HxWxD): 81.74 x 59.74 x 54.43 cm

RRP: 589 €

Quiet and powerful inverter motor

The latest generation of **inverter** (also known as brushless or BLDC) motors are incomparably **quieter and more economical** than conventional carbon motors. They are electronically controlled, which ensures the highest possible operating efficiency and **maximum performance with minimum energy consumption**.

Another advantage of inverter motors is their much **higher reliability**. In conventional motors equipped with carbon brushes, friction with the rotor causes wear. In inverter motors, these brushes are replaced by a rotor with magnets. This minimizes the risk of mechanical wear and tear, ensuring that inverter motors will serve you reliably for a long time.



Steam Assist



Smart Steam Assist technology **adds hot steam to wash cycles**, penetrating deep into the fabric, loosening fibers and removing creases.

It leaves clothes soft, smooth, fragrant, and, above all, hygienically clean. Thanks to the additional Steam Assist system, ironing laundry afterwards is quick and easy.




KWF2491DG


- Front-Loading Washing Machine with 9 kg Capacity
- Energy class A
- Spin speed up to 1400 RPM
- Steam Assist - steam support • Energy-efficient inverter motor
- LED display, touch control + rotary selector, Czech labels
- 15 washing programs: Super Quick 12', Quick, Eco 40-60°C, etc.
- 5 washing temperatures: 20 °C to 90 °C and no heating
- Functions: Delayed start, Quick Wash, etc. • Fault detection system
- Energy consumption (100 cycles) / water (cycle): 45 kWh / 43 l
- Dimensions (HxWxD): 84.5 x 59.7 x 52.7 cm

RRP: 589 €

KHD2091DG


- Heat Pump Dryer with 9 kg Capacity
- LED display and control panel in Czech
- Gentle pearl drum with internal LED lighting
- 15 drying programs • Functions: Delayed start, Drying level, Drying time, etc.
- Adjustable time, intensity, and drying level settings
- Anti-crease protection • Option for stacking on washing machine
- Indicators for filter clogging, water tank, and condenser cleaning
- Acoustic signal for program interruption and completion
- Energy class C • Consumption: 110 kWh/100 cycles • Noise level: 64 dB(A)
- Dimensions (HxWxD): 84.5 x 59.6 x 60.9 cm

RRP: 669 €
KSKD02DG


- Connecting kit for washing machine and dryer
- Equipped with a practical pull-out shelf for laundry or detergent
- Maximum shelf load capacity: 15 kg
- Compatible with KLUGE washing machine KWF2490DG and dryer KHD2090DG
- Made of durable plastic
- Dimensions (HxWxD): 6.3 x 60.3 x 54.3 cm

RRP: 82,90 €

Care for your clothes with a sapphire drum.



The sapphire drum of Kluge washing machines stands out thanks to its specially designed surface structure and unique blade shape, which minimise friction and optimize the distribution of water and detergent.

This makes washing more efficient and gentler on your laundry. The innovative seal design ensures perfect insulation, minimizes noise and the risk of water leakage, and thus guarantees the safety, reliability, and quiet operation of the washing machine.



Quiet and powerful inverter motor

Introducing a new generation of inverter (also known as brushless) motors, which **are not only incomparably quieter and more economical than conventional carbon** (or brush) motors, but also **much more reliable**. They are electronically controlled, which ensures the highest possible operating efficiency, i.e., maximum performance with minimum energy consumption. Thanks to the absence of carbon brushes, brushless motors are also significantly less susceptible to mechanical wear and tear and will serve you reliably for a long time.



Connect 2H function

The function connecting the KPI6045HTH induction hob with selected KLUGE cooker hoods allows you to conveniently control the cooker hood from the hob's touch panel. Once switched on, it adjusts the extraction power according to the power selected on the cooking zone. You will never forget to turn on the cooker hood or change its power again, and you will always cook with optimal extraction.





PERFORMANCE

696 m³/h



NOISE

72 dB(A)



KLD9500BLG

A+

- Downdraft range hood with retractable clear glass, 90 cm
- Color finish: clear and black glass
- Touch control with white backlighting
- 8 extraction intensity levels + BOOST
- Lighting with adjustable glass color: White, Red, Green, Blue, Yellow, Purple, Orange, Lime Green
- Quiet brushless (inverter) motor • Anti-pinch protection
- Installation for extraction or recirculation • Delayed shut-off
- Extraction power: 302.8 – 629.4 m³/h (696 m³/h in Boost mode)
- Noise level: 50 – 66 dB(A) (72 dB(A) in Boost mode)
- Energy class A+ • Annual energy consumption: 26.8 kWh
- Dimensions (WxDxH): 86.8 x 23 x 55.2 cm

RRP: 1 369 €

CLEAR GLASS PULL-OUT
PANEL

8 LEVELS OF SUCTION
INTENSITY

QUIET INVERTER
MOTOR


PERFORMANCE

713,8 m³/h



NOISE

72 dB(A)



KLD9000BLG

A++

- Countertop retractable range hood, 90 cm
- Color finish: black • Extraction height up to 33 cm
- Touch control with slider and white backlighting
- 8 extraction intensity levels + BOOST
- Delayed shut-off • Lighting: 4W LED strip
- Adjustable brightness and light temperature from 3200K to 6500K
- Anti-pinch protection
- Quiet brushless (inverter) motor
- Installation for extraction or recirculation
- Extraction power: 262.9 – 640 m³/h (713.8 m³/h in Boost mode)
- Noise level: 52 – 68 dB(A) (72 dB(A) in Boost mode)
- Energy class A++ • Annual energy consumption: 20.3 kWh
- Dimensions (WxDxH): 86.9 x 37.9 x 72.7 cm

RRP: 959 €

QUIET INVERTER
MOTOR

8 LEVELS OF SUCTION
INTENSITY



PERFORMANCE

713,8 m³/h



NOISE

72 dB(A)



KLD6000BLG

A++

- Countertop retractable range hood, 60 cm
- Color finish: black • Extraction height up to 33 cm
- Touch control with slider and white backlighting
- 8 extraction intensity levels + BOOST
- Delayed shut-off • Lighting: 3W LED strip
- Adjustable brightness and light temperature from 3200K to 6500K
- Anti-pinch protection
- Quiet brushless (inverter) motor
- Installation for extraction or recirculation
- Extraction power: 262.9 – 640 m³/h (713.8 m³/h in Boost mode)
- Noise level: 52 – 68 dB(A) (72 dB(A) in Boost mode)
- Energy class A++
- Annual energy consumption: 19.6 kWh
- Dimensions (WxDxH): 60 x 37.9 x 72.7 cm

RRP: 829 €

QUIET INVERTER
MOTOR

8 LEVELS OF SUCTION
INTENSITY



PERFORMANCE

705 m³/h



NOISE

69 dB(A)



KOI9500BL

A++

- Island range hood, 90 cm
- Color finish: matte black metal • Panel height: 8 cm
- Gesture control and remote control
- HTH function - automatic hood control from the cooktop
- Lighting: 1x LED panel with adjustable brightness and light temperature
- Extraction power: 250–500 m³/h, 705 m³/h in BOOST mode
- Noise level: 45–62 dB(A), 69 dB(A) in BOOST mode
- Filters: aluminum grease filter and carbon filter for recirculation
- Quiet brushless (inverter) motor
- Adjustable height • Energy class: A++
- Air outlet diameter: 150 mm
- Dimensions (HxWxD): min. 80.0 – max. 110.0 x 89.9 x 63.6 cm

RRP: 999 €

QUIET INVERTER
MOTOR

LED PANEL WITH BRIGHTNESS
AND TEMPERATURE SETTINGS

GESTURE CONTROL

HTH FUNCTION

PERFORMANCE
590 m³/h

NOISE
59 dB(A)



KMI4500BLG



- Island range hood 45x45 cm
- Black finish with black glass
- **Touch control** • White-on-black display
- Remote control
- 3 extraction intensity levels + BOOST
- **4x LED bulb**
- **Max. extraction power: 590 m³/h**
- Noise level: 44-59 dB(A)
- Height: 795-1155 mm
- **2 pcs - carbon filter FR-7944: RRP 12.90 € (per piece)**

RRP: 579 €

TOUCH CONTROL

DISPLAY WHITE
ON BLACK

Including
remote
controller



KOI4200BL

B

PERFORMANCE
742 m³/h

NOISE
60 dB(A)

2X LED STRIP WITH
TEMPERATURE CONTROL

HIGH PERFORMANCE



Island range hood 39 cm • Black finish • **Max. extraction power 742 m³/h** • Noise level: 46-60 dB(A) • **2x LED strip with adjustable light temperature** • 3 extraction intensity levels + BOOST • **Soft touch control with display** • Extraction and recirculation • **1 pc - carbon filter FR-7258: RRP 15,90 € (per piece)**

RRP: 749 €

KMI3500BL

B

PERFORMANCE
565 m³/h

NOISE
65 dB(A)



Island range hood 39 cm • Black finish • **Max. extraction power 565 m³/h** • Noise level: 51-65 dB(A) • **2x LED strip** • 3 extraction intensity levels + BOOST • **Soft touch control with display** • Extraction and recirculation • **1 pc - carbon filter FR-0846: RRP 24,90 € (per piece)**

RRP: 709 €

Remote control

Odsavač je vybaven elegantním a skladným dálkovým ovladačem, který vám umožní ovládat všechny funkce spotřebiče pohodlně na dálku, například od kuchyňského stolu.





PERFORMANCE

544,9 m³/h


NOISE

67 dB(A)

**LIGHT TEMPERATURE
FROM 3200K TO 6500K**

**QUIET INVERTER
MOTOR**

3 SUCTION LEVELS



38 cm

KLI3800BL

A

- Island range hood
- Black metal color finish
- Hood diameter: 38 cm
- Electronic backlit button control
- 3 extraction levels + Boost • Lighting type: 7.5 W
- Lower LED panel and light ring
- Adjustable brightness and light temperature from 3200K to 6500K
- Extraction power: 250.5 – 485 m³/h (544.9 m³/h in Boost mode)
- Noise level: 49 – 64 dB(A) (67 dB(A) in Boost mode)
- Carbon filters for recirculation (optional)
- Energy class A
- Quiet brushless (inverter) motor
- Annual energy consumption: 29 kWh
- Dimensions (HxWxD): 92.3 - 96.2 x 38 x 38 cm

RRP: 579 €



PERFORMANCE

700 m³/h

NOISE

64 dB(A)

HTH FUNCTION

**4X LED STRIP WITH
TEMPERATURE CONTROL**

**HEIGHT OF THE FRONT
PANEL ONLY 4 CM**

**QUIET INVERTER
MOTOR**



90 cm

KOI9213BLGH

A

- Island range hood 90 cm • Control panel height only 4 cm
- Matte black metal + black glass finish
- Stainless steel finish with black glass front panel
- **Quiet brushless (inverter) motor**
- **Max. extraction power: 700 m³/h** • Extraction and recirculation
- **HTH function** - automatic hood control from the cooktop
- 4 extraction intensity levels + BOOST
- Delayed shut-off
- **4x LED strip with adjustable light temperature**
- **Touch control with display**
- Noise level: 45-64 dB(A)
- Height with chimney: 805-1005 mm
- **3 pcs - carbon filter FR-7708: RRP 15.90 € (per piece)**

RRP: 789 €



Control
panel



PERFORMANCE

580 m³/h

NOISE

68 dB(A)**KMS9040BLG****B**

- Chimney range hood 90 cm
- Color finish: black front glass
- **Touch control on glass**
- 3 extraction intensity levels
- Lighting type: LED strip
- Extraction power: 335 - 580 m³/h
- Noise level: 57-68 dB(A)
- Annual energy consumption: 53.4 kWh
- Height with chimney: 761 - 1026 mm
- Dimensions (HxWxD): 48 x 89.6 x 43 cm
- **2 pcs - carbon filter FR-7944: RRP 12.90 € (per piece)**

RRP: 329 €

TOUCH CONTROL

LED LIGHTING

Boost function and Delayed End of Extraction

Boost function - allows instant transition to maximum extraction power when needed to extract higher concentrations of vapors or odors.

Delayed shut-off function - the delayed shut-off function allows you to set a delay for the extractor to switch off, so that even at a low power setting, residual vapors and odors can be safely removed after cooking. This makes it very easy and convenient to clean and refresh the air in the kitchen for pleasant and undisturbed dining. This function is particularly suitable for open spaces where the kitchen is connected to the living room or dining room.



LED light panel

The KLUGE T-Light extractor hood impresses not only with its performance, but also with its unique LED light panel across its entire width (60 or 90 cm). This panel provides even and pleasant lighting for the work surface, so you always have a perfect view when cooking. Thanks to the option of adjusting the color of the light, you can customize the atmosphere of your kitchen – from a cool white tone for maximum concentration to a warmer shade suitable for evening relaxation. The T-shaped design looks elegant on both chimney and island hoods. The combination of modern looks and smart lighting technology makes T-Light not only a practical helper, but also a striking design element in your kitchen.

Soft touch buttons



Modern electronic soft-touch buttons with low stroke ensure comfortable operation and reliable pressing in all circumstances.

PERFORMANCE
700 m³/h

NOISE
63 dB(A)



80 cm

KOS8301BLG

A+

- Chimney range hood 80 cm
- Color finish: black glass + clear glass around the perimeter
- Energy class A+
- **Extremely quiet, energy-efficient, and powerful new-generation inverter motor**
- **Touch control on glass with LED display**
- 4 extraction intensity levels + BOOST
- **LED strip with adjustable light temperature**
- Extraction power: 210 - 515 m³/h (700 m³/h in BOOST mode)
- Noise level: 43-63 dB(A)
- Delayed shut-off function
- Height with chimney: 775 - 970 mm
- **2 pcs - carbon filter FR-8705: RRP 12.90 € (per piece)**

RRP: 709 €

QUIET INVERTER
MOTOR

LED STRIP WITH
TEMPERATURE CONTROL

KOS6301BLG

A+

PERFORMANCE
700 m³/h

NOISE
63 dB(A)

QUIET INVERTER
MOTOR




60 cm

Chimney range hood 60 cm • Black finish with black glass and transparent perimeter trim • **Max. extraction power 700 m³/h** • **New-generation inverter motor** • Noise level: 43-63 dB(A) • Touch control on glass • 4 extraction intensity levels + BOOST • **1x LED strip with adjustable light temperature** • Height with chimney: 770-960 mm • **2 pcs - carbon filter FR-8705: 12.90 € (per piece)**

RRP: 579 €

Plasma and Long Life filters for cooker hoods

Universal carbon long life and plasma filters ensure consistently high extraction efficiency and fresh air.



Long Life

KVSULLF750


119,90 €



Long Life

KVSUFW100

105,90 €



Long Life

KVSFW217

59,90 €



Long Life

KVSUFW50

88,90 €



Plasma

KPLQA800SLIM

1 309 €



Plasma

KPLQA800

999 €



Plasma

KPLA600210W


799,90 €



Plasma

KPLA500210

649,90 €



Plasma

KPLRON800210

649,90 €

PERFORMANCE
580 m³/h

NOISE
68 dB(A)

**CONTROL TOUCH
CONTROL**



KMS6040BLG | KMS6040WHG

B

- Chimney range hood 60 cm
- **KMS6040BLG:** Black finish with black glass
- **KMS6040WHG:** White glass finish
- Touch control on glass
- 3 extraction intensity levels
- 1x LED strip
- Max. extraction power: 580 m³/h
- Noise level: 57-68 dB(A)
- Height with chimney: 761 - 1026 mm
- **2 pcs - carbon filter FR-7944:** RRP 12.90 € (per piece)


RRP: 309 €

PERFORMANCE
565 m³/h

NOISE
68 dB(A)



Including remote control



KMK3500BL

B

- Wall-mounted range hood 35 cm diameter
- Black metal and glass finish
- White backlit display
- Soft touch backlit button control
- Remote control
- 3 extraction intensity levels + Boost
- Lighting type: 2x LED strip
- Light color: 3800K
- Extraction power: 260 - 490 m³/h (565 m³/h in BOOST)
- Noise level: 51 - 65 dB(A) (68 dB(A) in BOOST)
- 2x carbon filter FR-0846 for recirculation
- Energy class B
- Annual energy consumption: 65.7 kWh
- Dimensions (HxWxD): 80 x 35 x 35 cm

RRP: 539 €



PERFORMANCE

705 m³/h

NOISE

69 dB(A)



KOK9500BL

A++

- Chimney range hood 90 cm
- Color finish: matte black metal • Panel height: 8 cm
- Gesture control and remote control
- HTH function - automatic hood control from the cooktop
- Lighting: 1× LED panel with adjustable brightness and light temperature
- Extraction power: 250–500 m³/h, 705 m³/h in BOOST mode
- Noise level: 45–62 dB(A), 69 dB(A) in BOOST mode
- Filters: aluminum grease filter and carbon filter for recirculation
- High grease filtration efficiency
- Quiet brushless (inverter) motor
- Energy class: A++ • Air outlet diameter: 150 mm
- Dimensions (HxWxD): min. 80.0 – max. 110.0 x 89.9 x 63.6 cm

RRP: 789 €

QUIET INVERTER
MOTOR

LED PANEL WITH BRIGHTNESS
AND TEMPERATURE SETTINGS

GESTURE CONTROL

HTH FUNCTION




PERFORMANCE

755 m³/h

NOISE

75 dB(A)



KMK9070BLG

A

- Chimney range hood 90 cm
- Black metal and glass finish
- Backlit touch control on the front panel
- Remote control
- 3 extraction intensity levels + Boost
- Lighting type: LED strip
- Light color: 3800K
- Extraction power: 220 - 440 m³/h (755 m³/h in BOOST)
- Noise level: 47 - 66 dB(A) (75 dB(A) in BOOST)
- Carbon filter FWOR for recirculation
- Energy class A
- Annual energy consumption: 48.9 kWh
- Chimney height: 44 - 76 cm
- Dimensions (HxWxD): 4.5 x 89.6 x 42.5 cm

RRP: 499 €

PERFORMANCE
700 m³/h
NOISE
69 dB(A)

QUIET INVERTER
MOTOR

GESTURE CONTROL

LED PANEL WITH BRIGHTNESS
AND TEMPERATURE SETTINGS

HTH FUNCTION



KOK6500BL

A++

- Chimney range hood 60 cm
- Color finish: matte black metal
- Panel height: 8 cm
- Gesture control and remote control
- HTH function – automatic hood control from the cooktop
- Lighting: 1x LED panel with adjustable brightness and light temperature
- Extraction power: 210–495 m³/h, 700 m³/h in BOOST mode
- Noise level: 45–62 dB(A), 69 dB(A) in BOOST mode
- Filters: aluminum grease filter and optional carbon filter for recirculation
- High grease filtration efficiency
- Quiet brushless (inverter) motor
- Energy class: A++
- Air outlet diameter: 15 cm
- Dimensions (HxWxD): min. 77.0 – max. 95.5 x 59.9 x 49.8 cm

RRP: 709 €

PERFORMANCE
755 m³/h
NOISE
75 dB(A)

REMOTE CONTROL

BOOST FUNCTION

CONTROL TOUCH
CONTROL



KMK6070BLG

A

- Chimney range hood 90 cm
- Black metal and glass finish
- Backlit touch control on the front panel
- Remote control
- 3 extraction intensity levels + Boost
- Lighting type: LED strip
- Light color: 3800K
- Extraction power: 220 - 440 m³/h (755 m³/h in BOOST)
- Noise level: 47 - 66 dB(A) (75 dB(A) in BOOST)
- Carbon filter FWOR for recirculation
- Energy class A
- Annual energy consumption: 48.9 kWh
- Chimney height: 44 - 76 cm
- Dimensions (HxWxD): 4.5 x 89.6 x 42.5 cm

RRP: 459 €

KMK6160BL

C

PERFORMANCE
305 m³/h
NOISE
63 dB(A)



60 cm

Chimney range hood 60 cm • Black finish • Mechanical control (buttons) • 3 extraction intensity levels • **2x LED bulb** • **Max. extraction power: 305 m³/h** • Noise level: 52 - 63 dB(A) • Height with chimney: 480-774 mm • **2 pcs - carbon filter FR-0846**: RRP 12.90 € (per piece)


RRP: 249 €

LED lighting with light shade control



Selected Kluge extractor hoods feature energy-efficient, new-generation LED lighting with advanced temperature control between 2900 K (warm) and 6100 K (cool) for perfect harmony with any shade of lighting, furniture, and decorations in your kitchen. You can even adjust the color of the light to suit your current mood, and changing the settings takes just a moment.

Accessories available for purchase



- Outlet reduction and non-return valve for operation in external exhaust mode.
- Several variants of carbon filters with mounting either on the engine or on an aluminum filter for operation in recirculation mode.



KLUGE

PERFORMANCE
510 m³/h
NOISE
61 dB(A)



80 cm



KMK6160BL

KMV8020BLG

B

- Built-in range hood 80 cm
- Black glass finish
- Max. extraction power: 510 m³/h
- Noise level: 48-61 dB(A)
- **3 extraction intensity levels + BOOST**
- **1x LED strip**
- **Touch control on glass with display + remote control**
- Extraction and recirculation
- **2 pcs - carbon filter FR-7944**: (replaces FDUEEL) 12.90 € (per piece)

RRP: 459 €

ALL-GLASS
DESIGN

EXTRA QUIET

Including remote control





KMV6020BLG



KMV6020WHG

KMV6020BLG | KMV6020WHG

B

- Built-in range hood 60 cm
- **KMV6020WHG:** White glass finish
- **KMV6020BLG:** Black glass finish
- **Max. extraction power: 515 m³/h**
- Noise level: 48–61 dB(A)
- 3 extraction intensity levels + BOOST
- **1x LED strip**
- **Touch control on glass with display + remote control**
- Extraction and recirculation
- **2 pcs - carbon filter FR-7944:** RRP 12.90 € (per piece)

Including remote control



RRP: 459 €

ALL-GLASS
DESIGN

EXTRA QUIET



PERFORMANCE

515 m³/h


NOISE

61 dB(A)


PERFORMANCE

605 m³/h


NOISE

67 dB(A)

REMOTE CONTROL

BOOST FUNCTION

TOUCHLESS GESTURE
CONTROL


60 cm



Including remote control

KMV6060BLG

B

- Built-in range hood 60 cm
- Black metal and glass finish
- Contactless gesture control
- Remote control
- 3 extraction intensity levels + Boost
- 2x LED strip
- Light temperature: 3800K
- Extraction power: 270 - 505 m³/h (605 m³/h in BOOST)
- Noise level: 51 - 64 dB(A) (67 dB(A) in BOOST)
- 2x carbon filter FR-7944 for recirculation
- Energy class B
- Annual energy consumption: 65.9 kWh
- Dimensions (HxWxD): 29.5 x 59.6 x 27 cm

RRP: 419 €



PERFORMANCE

715 m³/h



NOISE

61 dB(A)

TILTING GLASS STRIP



60 cm



Opening the glass strip turns on the extractor/lighting

KOV6140BLG

A

- Built-in range hood 60 cm
- Black finish with black **tilting** glass
- Energy class A
- Touch control on the flip-up panel
- **Lighting type: 2x LED strip**
- **4 power levels including Boost**
- Extraction power in standard mode: 240 - 715 m³/h
- Noise level in standard mode: 49 - 61 dB(A)
- Extraction and recirculation
- Dimensions (HxWxD): 31.5 x 60 x 29 cm
- **2 pcs - carbon filter FR-0846: RRP 24.90 € (per set)**

RRP: 419 €



PERFORMANCE

425 m³/h



NOISE

68 dB(A)

REMOTE CONTROL

BOOST FUNCTION

TILTING GLASS STRIP



52 cm



Including remote control

KMV6740BLG

C

- Built-in range hood 52 cm
- Black finish with black **tilting** glass
- Touch control on the **tilting** panel
- 3 power levels
- 1x LED strip
- Light temperature: 3800 K
- Extraction power: 175 - 425 m³/h
- Noise level: 52 - 68 dB(A)
- Extraction mode and recirculation option
- Energy class C
- Annual energy consumption: 55.7 kWh
- Dimensions (HxWxD): 31.6 x 52 x 27.5 cm

RRP: 289 €

PERFORMANCE
710 m³/h

NOISE
63 dB(A)

HIGH PERFORMANCE

HTH FUNCTION

LED STRIP WITH LIGHT
TEMPERATURE CONTROL



KOV5003IXH

KOV5003BLGH



54 cm

54 cm

KOV5003BLGH | KOV5003IXH

B

- Built-in range hood 54 cm
- **KOV5003BLGH:** Matte black metal + black glass finish
- **KOV5003IXH:** Stainless steel finish
- **Max. extraction power: 710 m³/h**
- **HTH function** - automatic hood control from the cooktop
- Noise level: 49-63 dB(A)
- 3 extraction intensity levels + BOOST
- **2x LED strip with adjustable light temperature**
- **Soft touch control with display + remote control**
- Extraction and recirculation
- **2 pcs - carbon filter FR-8705:** RRP 12.90 € (per piece)

RRP: **419 €**



Including remote
control

PERFORMANCE
729 m³/h

NOISE
63 dB(A)

HIGH PERFORMANCE

HTH FUNCTION

LED STRIP WITH LIGHT
TEMPERATURE CONTROL



72 cm



KOV7003BLGH

KOV7003BLGH

B

- Built-in range hood 72 cm
- Matte black metal + black glass finish
- **Max. extraction power: 729 m³/h**
- Noise level: 49-63 dB(A)
- **HTH function** - automatic hood control from the cooktop
- 3 extraction intensity levels + BOOST
- **2x LED strip with adjustable light temperature**
- **Soft touch control with display + remote control**
- Extraction and recirculation
- **2 pcs - carbon filter FR-0563:** RRP 11.90 € (per piece)

RRP: **499 €**

Including remote
control





PERFORMANCE

382 m³/h



NOISE

57 dB(A)



75 cm

KLUV7550B

A+

- Built-in range hood 75 cm
- Color finish: black glass
- Contactless gesture control
- 3 extraction levels + Boost
- Lighting: 1x LED strip, 4 W with adjustable light temperature
- Extraction power: 221–312 m³/h, 382 m³/h in BOOST mode
- Noise level: 49–57 dB(A)
- Filters: aluminum grease filter and optional carbon filter for recirculation
- Quiet brushless (inverter) motor
- Air outlet diameter: 150 mm
- Energy class: A+
- Dimensions (HxWxD): 20.5 x 75 x 28.5 cm

RRP: 289 €

** Availability December 2025*

**QUIET INVERTER
MOTOR**

**TOUCHLESS GESTURE
CONTROL**



PERFORMANCE

402 m³/h



NOISE

64 dB(A)



75 cm

KLUV7500B

A+

- Built-in range hood 75 cm
- Color finish: black glass
- Fully built-in
- Button control
- 3 extraction intensity levels
- Lighting: 1x LED strip, 4 W
- Extraction power: 255–402 m³/h
- Noise level: 52–64 dB(A)
- Filters: aluminum grease filter and optional carbon filter for recirculation
- Quiet brushless (inverter) motor
- Air outlet diameter: 150 mm
- Energy class: A+
- Dimensions (HxWxD): 17.5 x 75 x 28.5 cm

RRP: 159 €

** Availability December 2025*

**QUIET INVERTER
MOTOR**

PERFORMANCE
660 m³/h

NOISE
63 dB(A)

DESIGN
BLACK GLASS



KOV6600BLG



60 cm



KOV6600BLG

B

- Built-in range hood 60 cm
- **KOV6600BLG:** Matte black metal and black glass finish
- **Soft touch control with display + remote control**
- Delayed shut-off function: 10-90 minutes
- 4 extraction intensity levels including BOOST
- **2x LED strip**
- **Max. extraction power: 660 m³/h**
- Noise level: 63 dB(A)
- **2 pcs - carbon filter FR-8705:** RRP 12.90 € (per piece)

RRP: **309 €**

PERFORMANCE
660 m³/h

NOISE
63 dB(A)



60 cm



Including remote control

KOV6600IX

B

- Stainless Steel finish
- Width: 60 cm
- Low-profile soft touch buttons
- Remote control
- Delayed shut-off function: 10-90 minutes
- 4 extraction intensity levels including BOOST
- Lighting type: 2x LED strip
- Extraction power in standard mode: 250 - 430 m³/h
- Extraction power in BOOST mode: up to 660 m³/h
- Noise level in standard mode: 51 - 63 dB(A)
- Annual energy consumption: 66 kWh

RRP: **309 €**

REMOTE CONTROL

CONTROL TOUCH
CONTROL

BOOST FUNCTION



PERFORMANCE

330 m³/h



NOISE

65 dB(A)

B



60 cm

KOV6620BLG

- Built-in range hood 60 cm
- Color finish: black metal, black glass
- Fully built-in
- Control: mechanical via rotary dial
- 4 extraction intensity levels
- Lighting: 2x LED strip
- Extraction power: 170–330 m³/h
- Noise level: 52–65 dB(A)
- Filters: aluminum grease filter and optional carbon filter for recirculation
- Built-in installation into cabinet
- Air outlet diameter: 15 cm
- Energy class: B
- Dimensions (HxWxD): 18.2 x 59.8 x 29.0 cm

RRP: 249 €



PERFORMANCE

335 m³/h



NOISE

66 dB(A)



55 cm



KOV6150WHG



KOV6150BLG

KOV6150BLG | KOV6150WHG

B

- Built-in range hood 55 cm
- **KOV6150BLG:** Black glass
- **KOV6150WHG:** White glass
- Max. extraction power: 335 m³/h
- Noise level: 66 dB(A)
- 3 extraction intensity levels
- 1x LED strip
- Button control
- Extraction and recirculation
- **Set of 2 carbon filters FR-0846:** RRP 12.90 € (per set)

KOV6150BLG

RRP: 229 €

KOV6150WHG

RRP: 249 €

PERFORMANCE
310 m³/h

NOISE
63 dB(A)



KMV6700BLG


- Fully built-in range hood
- Width: 51 cm
- Color finish: black with black glass
- Button control
- 3 extraction intensity levels
- 1x LED strip
- Light temperature: 3800 K
- Extraction mode and recirculation option
- Max. extraction power: 140 - 310 m³/h
- Noise level: 46 - 63 dB(A)
- Energy class C
- Annual energy consumption: 60.5 kWh
- Dimensions (HxWxD): 21 x 51 x 26 cm

RRP: 189 €

PERFORMANCE
382 m³/h

NOISE
57 dB(A)



60 cm

KLV5250B


- Color finish: black glass
- Width: 60 cm
- Fully built-in
- Gesture and touch control
- 3 extraction levels + Boost
- Lighting: 1x LED strip, 4 W with adjustable light temperature
- Extraction power: 221–312 m³/h, 382 m³/h in BOOST mode
- Noise level: 49–57 dB(A)
- Filters: aluminum grease filter and optional carbon filter for recirculation
- Quiet brushless (inverter) motor
- Air outlet diameter: 150 mm
- Energy class: A+
- Dimensions (HxWxD): 20.5 x 59.5 x 28.5 cm

RRP: 249 €

* Availability December 2025

QUIET INVERTER
MOTOR

TOUCHLESS GESTURE
CONTROL



PERFORMANCE

402 m³/h



NOISE

64 dB(A)



60 cm

KLUV5200B

A+

- Color finish: black metal
- Width: 60 cm
- Fully built-in
- Button control
- 3 extraction intensity levels
- Lighting: 1x LED strip, 4 W
- Extraction power: 255–402 m³/h
- Noise level: 52–64 dB(A)
- Filters: aluminum grease filter and optional carbon filter for recirculation
- Quiet brushless (inverter) motor
- Air outlet diameter: 150 mm
- Energy class: A+
- Dimensions (HxWxD): 17.5 x 59.5 x 28.5 cm

RRP: 159 €

* Availability December 2025

**QUIET INVERTER
MOTOR**




KOV5012BL | KOV5012IX

C

- Built-in Range Hood 60 cm wide and only 17 cm high
- **KOV5012BL:** Matte black metal finish
- **KOV5012IX:** Stainless steel finish
- **Max. extraction power: 330 m³/h**
- Noise level: 66 dB(A)
- 3 extraction intensity levels
- **2x LED bulbs**
- Button control
- Extraction and recirculation
- **Set of 2 carbon filters FR-0846:** RRP 12.90 € (per set)

RRP: 169 €



KOV5012BL



KOV5012IX



PERFORMANCE

330 m³/h



NOISE

66 dB(A)



PERFORMANCE

320 m³/h

NOISE

61 dB(A)

60 cm

KMV6011BL**D**

- Built-in range hood 60 cm
- Finish: matte black metal
- **Max. extraction power: 320 m³/h**
- **Noise level: 47-61 dB(A)**
- 3 extraction intensity levels
- **1x LED strip**
- **Soft touch control with display + remote control**
- Extraction and recirculation
- **Set of 2 carbon filters FR-0846: RRP 12.90 € (per set)**

RRP: 229 €

Including remote control

EXTRA QUIET



PERFORMANCE

431 m³/h



NOISE

63 dB(A)



60 cm

KLT6100BLG

A+++

- Telescopic range hood 60 cm
- Black finish with glass pull-out panel
- Gesture and touch control with white backlighting
- 3 extraction intensity levels + Boost
- Lighting type: 2x LED 0.5 W
- Delayed shut-off
- Extraction power: 153.2 – 408.8 m³/h (431 m³/h in Boost mode)
- Noise level: 51 – 62 dB(A) (63 dB(A) in Boost mode)
- Carbon filter for recirculation mode
- Quiet brushless (inverter) motor
- Annual energy consumption: 8.3 kWh
- Dimensions (HxWxD): 24 x 59.82 x 30.9 cm, with extended front 45.9 cm

RRP: 189 €

QUIET INVERTER
MOTOR

GESTURE CONTROL




PERFORMANCE

335 m³/h



NOISE

66 dB(A)



60 cm

KOT6006BL | KOT6006IX

B

- Built-in telescopic range hood 60 cm
- **KOT6006IX:** Stainless steel finish
- **KOT6006BL:** Black finish
- Rocker switch control
- 3 extraction intensity levels
- **Lighting type: 1x LED strip**
- **Extraction power: 175 - 335 m³/h**
- Noise level: 52 - 65 dB(A)
- Annual energy consumption: 33.5 kWh
- **Carbon filter for recirculation: FR-0846 (2 pcs)**
- Dimensions (HxWxD): 18.5 x 60 x 31.5 cm, with extended front 47.5 cm

RRP: 169 €



KOT6006BL



KOT6006IX



Exclusive distributor for
the Czech Republic:

ELMAX STORE a.s.
Topolová 777/2,
735 42 Těrlicko
www.elmax.cz

+420 599 529 262

info@elmax.cz