kluge

Product catalogue

We make appliances the way they should be made.



2027

elmaxstore.eu



Honest quality, no frills

We know what a modern home needs. We believe that choosing a household appliance shouldn't be rocket science. We focus on what works and carefully design our appliances to be honest, reliable and free of unnecessary extras. We build appliances that we would gladly recommend to our friends and family. Simply put, we make appliances the way they should be made.


elmaxstore.eu

kluge

kluge

Discover our multifunction ovens

designed for great baking



Pyrolytic cleaning

A perfectly clean oven without strenuous scrubbing

Pyrolytic cleaning uses high temperatures of up to 500 °C, turning grease, baked-on food residues and other dirt into fine ash. Once the programme has finished and the oven has cooled down, simply wipe away the residue with a damp cloth – no lengthy scrubbing and no harsh cleaning agents. A thoroughly cleaned oven cavity also contributes to healthier and more hygienic cooking, especially when using steam, which could otherwise release deposited dirt that may come into contact with the food. Regular pyrolytic cleaning helps minimise this risk and keeps the oven clean and ready for your next bake.

PyroLife enamel

Durable enamel for a long service life, even with frequent pyrolysis

The special PyroLife enamel with added crushed glass increases resistance to high temperatures during pyrolysis and steam cooking. It reduces the risk of surface cracking and extends the service life of the oven, even with frequent use.

Extra-large 81 l oven

More room for baking and large trays

The extra-large 81-litre oven capacity offers plenty of room for larger portions and bulky dishes. You can easily roast a whole chicken, large roasting dishes or several trays at once – ideal for family cooking and special occasions.

4D cooking

Even results on every level

4D cooking technology uses the top, bottom and circular heating elements together with a fan that ensures even circulation of hot air throughout the oven cavity. This allows you to bake on several levels at once and achieve great results without having to swap trays.



An excellent balance of features, quality and price, with the added value of **modern design** – this is the new Kluge built-in range.



100% Steam

Healthy cooking in pure steam with maximum flavour and juiciness

The 100% steam programme allows healthy, fat-free preparation of vegetables, fish, meat and side dishes. Pure steam preserves natural flavour, juiciness and valuable vitamins and minerals. Steam is also ideal for gently reheating food without drying it out. When the programme ends, oven drying is activated automatically to make maintenance easier.



CombiSteam

Juicy inside, perfectly browned outside

CombiSteam technology combines hot air with 20 to 80% steam for juicy dishes with a perfectly browned surface. Steam helps preserve the natural flavour and delicate texture of food, while hot air ensures even cooking. Ideal for meat, fish, vegetables and fluffy bread with a crispy crust.



Powerful steam generator

Intense steam ready in just 2 minutes

The powerful steam generator produces intense steam in just 2 minutes, so you can start cooking almost immediately. Fast and even steam generation helps preserve the natural flavour, juiciness and quality of food. The practical removable 1.2 l water tank makes refilling easy and steam functions convenient for everyday cooking.



Three steam intensity levels

Adjustable steam intensity for every dish

With three intensity levels from 20 to 80% steam – HighPro, MediumPro and LowPro – you can easily adapt cooking to different types of dishes. HighPro combines intense steam with hot air and is also ideal for gently reheating and regenerating ready meals. MediumPro uses medium steam intensity for even baking while retaining juiciness. LowPro offers 4 cooking programmes with 20% steam, ideal for fish, poultry, bread and gratins. The result is a juicy inside, delicious flavour and a beautifully browned surface.



AirFry cooking

Crispy treats with minimal oil and no deep-frying

The AirFry function offers a healthier way to prepare your favourite dishes with minimal oil. Thanks to a special perforated tray, hot air can circulate freely around the food, ensuring even cooking and a crispy surface. Prepare delicious chips, chicken wings or vegetables without deep-frying in oil. The result is tasty food with less fat. KLUGE ovens also come with a practical AirFry tray or basket.

kluge



KTR2050B

Multifunction steam oven with pyrolytic cleaning and an extra-large 81-litre capacity

A++

CombiSteam | **ProPizza 350 °C** | **3 pyrolytic cleaning modes** | **Extra-large capacity**

Black finish; Capacity 81 l; Digital display; Touch control with quick selection; 12 cooking modes; 3 steam modes; 10 automatic programmes; Steam-assisted cooking; ProPizza 350 °C; 4D cooking; AirFry; Pyrolysis (3 modes); PyroLife enamel; Steam pre-cleaning; Automatic descaling; Soft Close; 4-pane glass door; Dimensions (H x W x D):
59.5 × 59.4 × 55.4 cm

Accessories

Telescopic runner; Side racks with 5 levels; Safety wire shelf; Deep and shallow tray; AirFry tray; Perforated stainless steel steam tray



Key features

Pyrolytic cleaning turns grease and dirt into ash that you simply wipe away. The special PyroLife enamel with added crushed glass ensures a long service life and helps protect the oven cavity from wear, even with frequent steam cooking and repeated pyrolysis. The ProPizza programme at up to 350 °C bakes a perfectly crispy pizza. 3 steam intensity levels – HighPro for intense action, MediumPro for balanced steam assistance and LowPro for gentle moisture when baking or grilling – let you adapt cooking to different dishes. The extra-large 81 l capacity offers plenty of room even for larger portions.

AirFry cooking

The AirFry function with a special tray ensures optimal hot air flow for healthy, crispy cooking with minimal oil and no deep-frying.

COOL Touch

The ventilated 4-pane glass door helps keep the surface temperature low, even during pyrolysis. Its removable design also makes cleaning easier.

Extra-large 81 l oven

The exceptionally large 81 l oven with XXL trays makes it easy to prepare large portions or several dishes at once for the whole family.

Powerful steam generator

Intense steam within 2 minutes for quick cooking. Removable 1.2 l water tank for easy refilling and convenient use.

4D cooking


4D cooking technology ensures even circulation of hot air for great results on several levels at once, without having to turn the trays.

Durable enamel

The special PyroLife enamel with added crushed glass offers a long service life and durability, even with frequent use of pyrolysis.

Offer valid until 30 June 2027 or until the next offer is issued

An excellent balance of features, quality and price, with the added value of **modern design** – this is the new Kluge built-in range.



3 pyrolytic cleaning modes

A perfectly clean oven without strenuous scrubbing

Pyrolytic cleaning uses high temperatures of up to 500 °C, turning grease, baked-on food residues and other dirt into fine ash. Once the programme has finished and the oven has cooled down, simply wipe away the residue with a damp cloth – no lengthy scrubbing needed. With 3 pyrolysis cycle lengths, you can easily adapt cleaning to the current level of soiling. The result is a perfectly clean oven cavity with minimal effort, saving you time on everyday maintenance and ensuring truly healthy cooking.



CombiSteam

Juicy inside, perfectly browned outside

CombiSteam technology combines hot air with steam assistance for juicy dishes with a perfectly browned surface. Steam helps preserve the natural flavour and delicate texture of food, while hot air ensures even cooking. Ideal for meat, fish, vegetables and fluffy bread with a crispy crust.



Steam regeneration

Gentle reheating of ready meals without drying them out


The special steam regeneration programme uses intense steam to gently reheat ready meals without drying them out. Steam helps restore their softness and juiciness, so meat, side dishes and other meals retain their natural flavour and pleasant texture.



ProPizza 350 °C

Crispy pizza like from an Italian pizzeria

Thanks to temperatures of up to 350 °C, the special ProPizza 350 °C programme brings conditions similar to traditional pizza ovens right into your kitchen. Fast, intense baking helps create a crispy base, fluffy crust and juicy toppings. The high temperature gives the dough its characteristic texture and lets you make pizza with an authentic taste, just like from an Italian pizzeria. The programme is also ideal for focaccia, pitta bread and other specialities that require short baking at high temperatures.



SKP-2

Pizza stone – the ideal helper for baking crispy pizza, bread or pastries

kluge



KTS2040B

Multifunction oven with 100% steam and an extra-large 81-litre capacity

A++

100% Steam | AirFry cooking | Extra-large capacity | CombiSteam

Black finish; Capacity 81 l; LED display; PyroLife enamel; Touch control; 12 cooking modes; 4 steam functions; 100%Steam cooking and baking in 100% steam; Combined steam cooking; 4D cooking; AirFry; Steam pre-cleaning; Soft Close; 3-pane glass door; Dimensions (H x W x D): 59.5 × 59.4 × 55.4 cm

Accessories

Telescopic runner; Removable 1.2 l water tank; Wire shelf; Deep and shallow tray; Perforated stainless steel steam tray

Key features

100%Steam allows healthy cooking in 100% steam as well as gentle reheating without drying out. The steam generator produces steam within 2 minutes and the removable 1.2 l water tank makes it easy to use. 3 steam intensity levels are available. 4D cooking ensures even results on several levels, while AirFry prepares crispy food with minimal fat. Comfort is rounded off by the extra-large capacity, Soft Close, Cool Touch and steam cleaning.



Touch control allows quick programme selection and easy setting of cooking temperature and time for maximum comfort.

Extra-large 81 l oven

The exceptionally large 81 l oven with XXL trays makes it easy to prepare large portions or several dishes at once for the whole family.

Soft Close

The special Soft Close mechanism slows down the oven door just before it closes. It ensures perfect closing and protects the appliance from impact.

AirFry cooking

The AirFry function with a special tray ensures optimal hot air flow for healthy and crispy cooking with minimal oil and no deep-frying.

COOL Touch

The ventilated 3-pane glass door helps keep the surface temperature low, even during pyrolysis. Its removable design also makes cleaning easier.

Durable enamel and VAP CLEAN

PyroLife enamel with added crushed glass withstands high temperatures. VAP CLEAN steam pre-cleaning loosens grease and dirt so the oven cavity can be wiped clean easily. Durability and easy maintenance.

Touch control with LCD

Allows quick programme selection and easy setting of cooking temperature and time. Intuitive controls and a clear overview of all settings ensure maximum comfort when using the oven.

Offer valid until 30 June 2027 or until the next offer is issued

An excellent balance of features, quality and price, with the added value of **modern design** – this is the new Kluge built-in range.



100% Steam

Healthy cooking in pure steam with maximum flavour and juiciness

The 100% steam programme allows healthy, fat-free preparation of vegetables, fish, meat and side dishes. Pure steam preserves natural flavour, juiciness and valuable vitamins and minerals. Steam is also ideal for gently reheating food without drying it out. When the programme ends, oven drying is activated automatically to make maintenance easier.



Powerful steam generator

Intense steam ready in just 2 minutes

The powerful steam generator produces intense steam in just 2 minutes, so you can start cooking almost immediately. Fast and even steam generation helps preserve the natural flavour, juiciness and quality of food. The practical removable 1.2 l water tank makes refilling easy and steam functions convenient for everyday cooking.



Three steam intensity levels

Adjustable steam intensity for every dish

With three intensity levels from 20 to 80% steam – HighPro, MediumPro and LowPro – you can easily adapt cooking to different types of dishes. HighPro combines intense steam with hot air and is also ideal for gently reheating and regenerating ready meals. MediumPro uses medium steam intensity for even baking while retaining juiciness. LowPro offers 4 cooking programmes with 20% steam, ideal for fish, poultry, bread and gratins. The result is a juicy inside, delicious flavour and a beautifully browned surface.



4D cooking

Even results on every level

4D cooking technology uses a sophisticated hot air circulation system that distributes heat evenly throughout the oven cavity. This allows you to bake on several levels at once and achieve great results without having to swap trays. Even air flow ensures uniformly cooked food with a beautifully golden surface and helps preserve its natural juiciness. Cooking on several levels also saves time and makes preparing larger quantities of food easier.

kluge



KTP2030B

Steam-assisted multifunction oven with pyrolytic cleaning and an extra-large 81-litre capacity

A

Pyrolytic cleaning | **4D cooking** | **Steam Base steam assist** | **Extra-large 81 l oven**

Black finish; Capacity 81 l; White LCD display; PyroLife enamel; Black rotary knob; 10 cooking programmes; Steam-assisted cooking; Fan cooking; 4D cooking; Pyrolysis; Steam pre-cleaning; Soft Close; Cool Touch; 4-pane glass door; Removable inner glass; Automatic shut-off; Child lock; Dimensions (H x W x D): 59.5 × 59.4 × 57.5 cm

Accessories

Telescopic runner; Side racks with 5 levels; Safety wire shelf with handle; Deep and shallow tray

Key features

4D cooking ensures fast and even cooking, even on several levels at once. The extra-large 81 l capacity offers plenty of room for larger portions or several dishes at once. Steam-assisted cooking helps retain juiciness inside and create a deliciously crispy surface. Pyrolytic cleaning turns grease and burnt-on dirt into fine ash that you simply wipe away once the oven has cooled down.

Pyrolytic cleaning

Pyrolytic cleaning burns grease and dirt into fine ash that is easy to wipe away once the oven has cooled.

Steam-assisted cooking

Adding water during baking creates a moister environment in the oven. Bread has a fluffy inside and a crispy crust, while meat stays juicy.

Extra-large 81 l oven

The exceptionally large 81 l oven with XXL trays makes it easy to prepare large portions or several dishes at once for the whole family.

Durable enamel

The special PyroLife enamel with added crushed glass offers a long service life and durability, even with frequent use of pyrolysis.

4D cooking

4D cooking technology ensures even circulation of hot air for great results on several levels at once, without having to turn the trays.

COOL Touch

The ventilated 4-pane glass door helps keep the surface temperature low, even during pyrolysis. Its removable design also makes cleaning easier.

Offer valid until 30 June 2027 or until the next offer is issued

An excellent balance of features, quality and price, with the added value of **modern design** – this is the new Kluge built-in range.



KTE1050B

Steam-assisted multifunction oven with a 6.86" colour TFT display

A

AirFry cooking

Baking up to 320 °C

Steam Base steam assist

140+ automatic programmes

Black finish; Capacity 78 l; 6.86" colour TFT display; Touch control with rotary knob; 11 cooking programmes; More than 140 automatic programmes; Baking up to 320 °C; Steam-assisted cooking; AirFry; Multi-stage cooking; VAP Clean – steam pre-cleaning; Soft Open and Soft Close; Cool Touch; 3-pane glass door; Hot Air Shield; Dimensions (H x W x D): 59.5 × 59.5 × 57.5 cm

Accessories

1 full-extension telescopic runner; AirFry basket; Safety wire shelf; Deep and shallow tray; Side racks with 7 levels;

Key features

The large 6.86" colour TFT display with more than 140 automatic programmes offers intuitive control and easy preparation of a wide variety of dishes. There are even special programmes for making homemade yoghurt or drying fruit and mushrooms. 3D cooking ensures even results, while the multi-stage cooking function lets you programme up to 6 consecutive cooking steps with individual temperature and time settings. Comfort is rounded off by 1 telescopic runner and Soft Open and Soft Close for gentle door opening and closing.



ProPizza 320 °C

ProPizza at up to 320 °C ensures fast, intense baking for a crispy base, fluffy crust and perfectly cooked toppings. Pizza just like from a real Italian pizzeria!

Hot Air Shield

When the door is opened, the patented Hot Air Shield system creates an air curtain that limits the escape of hot air. This contributes to greater safety and more comfortable handling of food.

140+ automatic programmes

More than 140 automatic programmes make it easy to prepare meat, vegetables and desserts. Simply choose the dish and the oven sets the ideal parameters for great results without complicated settings.

Colour TFT display

The large 6.86" colour TFT display with an English-language menu offers a clear overview of all functions. The practical rotary knob allows quick menu navigation, easy programme selection and convenient cooking settings.

Multi-stage cooking

Lets you programme cooking in up to 6 steps with different temperatures, times and heating modes. The oven switches between stages automatically for perfect results without further adjustment.

Soft Open & Soft Close

Ensures smooth, cushioned door opening and closing without impact for greater comfort in everyday use.

kluge



KTE2020B

Steam-assisted multifunction oven with an extra-large 81-litre capacity

A

4D cooking | **Steam Base steam assist** | **Extra-large 81 l capacity** | **VAP Clean steam pre-cleaning**

Black finish; Capacity 81 l; White LCD display; PyroLife enamel; Black rotary knob; 10 cooking programmes; 4D cooking; Steam-assisted cooking; Fan cooking; VAP Clean – steam pre-cleaning; Soft Close; Cool Touch; 3-pane glass door; 1 telescopic runner; Child lock; Side racks with 5 levels; Safety wire shelf with handle; Deep and shallow tray; Dimensions (H x W x D): 59.5 × 59.4 × 57.5 cm

4D cooking

4D cooking technology ensures even circulation of hot air for great results on several levels at once, without having to turn the trays.

Steam-assisted cooking

Adding water during baking creates a moister environment in the oven. Bread has a fluffy inside and a crispy crust, while meat stays juicy.

Durable enamel and steam pre-cleaning

Durable PyroLife enamel for a long service life and steam pre-cleaning that loosens grease and dirt for easy wiping. A clean oven without unnecessary scrubbing.

Extra-large 81 l oven

The exceptionally large 81 l oven with XXL trays makes it easy to prepare large portions or several dishes at once for the whole family.



KTE1021B

Steam-assisted multifunction oven

A

3D cooking | **Large 78 l capacity** | **Steam Base steam assist** | **VAP Clean steam pre-cleaning**

Black finish; Capacity 78 l; White Visio Touch LCD touch display; Rotary knobs; 9 cooking programmes; 3D cooking; Steam-assisted cooking; Fan cooking; Pizza; VAP Clean – steam pre-cleaning; Cool Touch; 3-pane glass door; 1 telescopic runner; Side racks with 7 levels; Safety wire shelf with handle; Deep and shallow tray; Dimensions (H x W x D): 59.5 × 59.5 × 57.5 cm

Offer valid until 30 June 2027 or until the next offer is issued

An excellent balance of features, quality and price, with the added value of **modern design** – this is the new Kluge built-in range.



KTE1021X

Steam-assisted multifunction oven

A

3D cooking | **Stainless steel control panel** | **Steam Base steam assist** | **VAP Clean steam pre-cleaning**

Black glass and stainless steel; Capacity 78 l; White Visio Touch LCD touch display; Rotary knobs; 9 cooking programmes; 3D cooking; Steam-assisted cooking; Fan cooking; Pizza; VAP Clean – steam pre-cleaning; Cool Touch; 3-pane glass door; 1 telescopic runner; Side racks with 7 levels; Safety wire shelf with handle; Deep and shallow tray; Dimensions (H x W x D): 59.5 × 59.5 × 57.5 cm



KTE1020B

Multifunction oven with a large 78 l capacity

A

Large 78 l capacity | **Easy Clean enamel** | **Fan cooking** | **Telescopic runner**

Black finish; Capacity 78 l; Digital display; Rotary knobs; 6 cooking programmes; Fan cooking; Fan grill; Defrost; Easy Clean enamel; 2-pane glass door; 1 telescopic runner; Halogen lighting; Side racks with 10 levels; Safety wire shelf with handle; Deep and shallow tray; Dimensions (H x W x D): 59.5 × 59.5 × 57.5 cm



KTE1010B

Multifunction oven with fan cooking

A

Easy Clean enamel | **Fan cooking** | **Racks on up to 7 levels** | **9 cooking functions**

Black finish; Capacity 69 l; White LED display; Black rotary knobs; 9 cooking programmes; Fan cooking; Grill; Pizza; Defrost; Easy Clean enamel; 2-pane glass door; Halogen lighting; Timer and minute minder; Side racks with 7 levels; Safety wire shelf with handle; Shallow tray; Dimensions (H x W x D): 59.5 × 59.5 × 57.5 cm

kluge

Discover our microwave ovens

designed for smart heating



Matching design

Perfect harmony with our ovens

The contrast of matt and glossy surfaces with a solid aluminium handle underlines the premium design. The KTC4500B model perfectly matches the KTR2050B, KTS2040B, KTP2030B and KTE2020B ovens, creating a unified kitchen look.

Touch control with LCD display

Intuitive settings and an overview of every cooking step

Clear touch controls with an LCD display allow quick and easy setting of microwave functions. The intuitive control panel makes it easy to select programmes, power and cooking time, while the display gives a clear overview of the current settings.

Grill

A crispy crust and delicious flavour every time

The grill function lets you prepare dishes with a crispy, golden-brown surface. Ideal for melting cheese and grilling toast, meat or vegetables. It expands the possibilities of your microwave and offers more ways to prepare your favourite dishes.

An excellent balance of features, quality and price, with the added value of **modern design** – this is the new Kluge built-in range.



KTC4500B

Compact microwave oven with fan cooking and grill

Microwave + grill + hot air

Compact 45 cm, capacity 35 l

Microwave power 1000 W

4-setting memory

Black finish; Capacity 35 l; LED display; Touch control; Microwave power 1 000 W; 6 power levels; Fan cooking; Grill; Combined microwave cooking modes; Defrost; Dough proving; Plate warming; 4-setting memory; Stainless steel interior; 3-pane glass door; Child lock; Glass turntable Ø 31.5 cm; Two-level wire racks; Safety wire shelf; Stainless steel tray; Dimensions (H x W x D): 45.5 × 59.4 × 53.6 cm

Key features

Versatile use includes fan cooking, defrosting and dough proving. The large 35 l capacity provides plenty of space, while 3 combined microwave programmes speed up meal preparation. The LED display with touch control ensures convenient settings. The stainless steel interior makes cleaning easier and the plate warming function keeps served food warm for longer. Equipment also includes a stainless steel tray and a 3-pane glass door.

Generous 35 l capacity

The spacious 35 l stainless steel interior offers plenty of room even for larger dishes. The durable stainless steel surface makes cleaning easier and the stainless steel tray ensures convenient baking.

Convenient controls and COOL Touch

Touch control with a clear LCD display allows easy programme selection. The 3-pane COOL Touch door helps keep the surface temperature low for safer use.

Plate warming and other practical functions for every occasion

Plate warming keeps served food warm for longer, dough proving creates ideal conditions for fluffy pastries and gentle defrosting helps preserve the natural texture and quality of food.



4 v 1

Four cooking methods

Microwaves for fast heating, hot air for even baking, combined mode for faster cooking and grill for a perfectly browned surface. Four options in one appliance for maximum convenience and versatility.



Stainless steel interior

Durable, easy to maintain and long-lasting

The stainless steel interior is highly durable, hygienic and easy to clean. It withstands high temperatures and corrosion, simplifies maintenance and ensures a long service life of the appliance.

kluge



KTM2020B

Microwave oven with grill

Microwave 900 W + grill 1000 W

6 automatic programmes

Defrost by weight

Stainless steel interior

Black finish; Capacity 25 l; Digital display; Touch control; Microwave power 900 W; 5 power levels; Grill 1 000 W; 2 combined microwave and grill modes; 6 automatic programmes; Automatic defrost by weight; Quick start; Timer; Delay start; Child lock; Stainless steel interior; Removable turntable Ø 31.5 cm; Grill rack; Dimensions (H x W x D): 39 × 59.5 × 36.7 cm

Key features

This compact microwave oven in an elegant black finish offers a 25 l capacity and convenient touch control with a display. The 900 W microwave power ensures fast heating, while the 1 000 W grill with grill rack allows you to prepare dishes with a crispy surface. Two combined microwave and grill modes combine fast heating with intense browning. Six automatic programmes and defrost by weight make everyday cooking easier.

Matching design

With a compact height of just 39 cm, the microwave oven matches the design of the KLUGE KTR2050B, KTS2040B, KTP2030B and KTE2020B ovens. The drop-down door underlines the unified look of the appliances and ensures convenient access to food.

25 l stainless steel interior

The 25 l stainless steel interior offers plenty of room for convenient reheating and cooking. The durable stainless steel surface ensures easy cleaning and a long service life.

Touch control with LCD

Intuitive controls allow quick programme selection and easy setting of time and power. The clear LCD display ensures convenient control of all functions.



6 automatic programmes

Easy preparation of favourite dishes without complicated settings.

With 6 automatic programmes, preparing your favourite meals is quick and easy. Simply choose the dish (rice, vegetables, meat, pasta, fish or chicken) and enter the quantity. The microwave then automatically sets the optimal power and cooking time, so you don't have to worry about complicated settings. The practical automatic defrost by weight function also allows gentle and even defrosting without overheating.

An excellent balance of features, quality and price, with the added value of **modern design** – this is the new Kluge built-in range.



KTM2620B

Microwave oven with grill

Microwave 900 W + grill 1100 W | **8 automatic programmes** | **Stainless steel interior** | **Turntable 31.5 cm**

Black finish; Capacity 25 l; White LED display; Touch control; Microwave power 900 W; 5 power levels; Grill 1 100 W; Combined microwave and grill modes; 8 automatic programmes; Defrost; Quick start; Timer; Child lock; Stainless steel interior; Interior lighting; Turntable Ø 31.5 cm; Dimensions (H x W x D): 38.8 × 59.5 × 40.1 cm



KTM2011B

Microwave oven with grill

Microwave 800 W + grill 1000 W | **Stainless steel interior** | **Touch control + knob** | **Timer up to 95 min**

DEPTH 32 cm
fits into a wall cabinet

Black finish; Capacity 20 l; White backlit display; Touch control with push-in rotary knob; Microwave power 800 W; 5 power levels; Grill 1 000 W; Combined microwave and grill modes; Defrost; Timer up to 95 minutes; Stainless steel interior; Interior lighting; Turntable Ø 24.5 cm; Grill rack; Dimensions (H x W x D): 38.6 × 59.4 × 32 cm



KTM2000B

Freestanding microwave oven



Capacity 20 l, power 700 W | **6 automatic programmes** | **3-setting memory** | **Defrost by weight**

DEPTH 32 cm
fits into a wall cabinet

Black finish; Capacity 20 l; Digital display; Electronic control; Microwave power 700 W; 11 power levels; 6 automatic programmes; Defrost by time or weight; Quick start; Two-stage cooking; 3-setting memory; Timer; Child lock; Enamelled interior; Turntable Ø 25.5 cm; Dimensions (H x W x D): 25.9 × 44 × 32.3 cm

kluge

Discover our pull-out coffee machine housings

designed for smart installation

What is CoffeeCase

Patented pull-out housing for built-in coffee machines

CoffeeCase is a patented universal pull-out housing that turns your freestanding coffee machine into a fully fledged built-in appliance. CoffeeCase is made in the Czech Republic and features a high-quality, quiet pull-out system. Its height matches compact appliances (455 mm), so it can be placed next to a compact oven, steam oven or microwave oven in one design line. Refilling coffee is easy: simply pull out the whole CoffeeCase and the coffee machine is easily accessible from the top and side.





CoffeeCase installation kit

Everything for easy coffee machine installation


The complete CoffeeCase installation kit consists of the CoffeeCase itself and a rear divider panel. Divider panels are available in black or white and differ in the size of the inner cut-out. The required cut-out size depends on the dimensions (height and width) of the specific coffee machine model. Further information, including cut-out dimensions, can be found in the table on page 20.

An excellent balance of features, quality and price, with the added value of **modern design** – this is the new Kluge built-in range.




KFB-BB

Front: black glass and black metal, depth 50 cm



KFB-XB

Front: black glass and stainless steel, depth 50 cm



KFB-WW

Front: white glass and white metal, depth 50 cm



KFB-MB

Front: matt glass and matt metal, depth 50 cm



DP00W / DP00B


For models KFB20BB, KFB20XB, KFB20WW and KFB20MB, the DP00W (white) or DP00B (black) divider panel for the CoffeeCase built-in housing must be purchased separately.

kluge

Product	Net depth to divider panel	Divider cut-out width	Divider cut-out height	Net width x height for coffee machine without divider	Net carcass depth	Net carcass height	Compatible coffee machines
	A	B	C	D	E	F	
KFB20BB KFB20XB KFB20WW KFB20MB	375	without divider	without divider	388 × 388	535	450	
KFB21BB KFB21XB KFB21WW KFB21MB	375	240	325	388 × 388	535	450	DeLonghi - Magnifica
KFB22BB KFB22XB KFB22WW KFB22MB	375	254	355	388 × 388	535	450	Philips; DeLonghi - Dinamica
KFB23BB KFB23XB KFB23WW KFB23MB	375	270	375	388 × 388	535	450	DeLonghi - PrimaDonna, Eleta
KFB24BB KFB24XB KFB24WW KFB24MB	375	240	340	388 × 388	535	450	Nivona – excl. series 8, 9, 10
KFB25BB KFB25XB KFB25WW KFB25MB	375	255	365	388 × 388	535	450	DeLonghi; Krups
KFB26BB KFB26XB KFB26WW KFB26MB	375	300	355	388 × 388	535	450	Siemens; Jura - D, E, J, S

* The coffee machine models listed are for guidance only. The coffee machine must be measured precisely to determine the correct cut-out in the divider panel.

Dimensions in mm



Offer valid until 30 June 2027 or until the next offer is issued

An excellent balance of features, quality and price, with the added value of **modern design** – this is the new Kluge built-in range.

Non-heated drawers

designed to make use of every space



KZN01B

Built-in non-heated drawer with handleless Push & Pull opening

Glossy glass **Push & Pull opening** **Telescopic runner**

Elegant black glossy glass; Installation under a coffee machine or oven; Easy Push & Pull opening; Storage for dishes, trays and kitchen utensils; Telescopic runner; Front panel dimensions (W x H): 59.5 × 13.0 cm; Drawer dimensions (W x H x D): 59.5 × 14.0 × 51.0 cm



KZN01MB

Built-in non-heated drawer with handleless Push & Pull opening

Matt glass **Push & Pull opening** **Telescopic runner**

Elegant black matt glass; Installation under a coffee machine or oven; Easy Push & Pull opening; Storage for dishes, trays and kitchen utensils; Telescopic runner; Front panel dimensions (W x H): 59.5 × 13.0 cm; Drawer dimensions (W x H x D): 59.5 × 14.0 × 51.0 cm



Installation diagrams are available at **elmaxstore.eu**

kluge

Discover our hobs

designed for great cooking

Hob with integrated hood

Two technologies in one save space in the kitchen

A modern induction hob with an integrated hood combines cooking and efficient extraction in a single appliance. By extracting directly at the pots and pans, it captures steam and odours where they arise, before they spread around the kitchen. There is no need for a conventional hood above the hob, giving you more free space, an unobstructed view and greater freedom when planning your kitchen. This solution is ideal for modern kitchen islands, hobs placed under a window and open-plan interiors, where high functionality meets clean, minimalist design.






Smart Pause

The Smart Pause function lets you temporarily pause cooking with a single touch, for example when you are unexpectedly interrupted. When restarted, the hob returns to the original power settings, so you can continue comfortably without lengthy adjustments.



Preset cooking functions

They make it easier to prepare a wide range of dishes, from gently melting chocolate and butter to cooking rice and pasta, sautéing and intensive frying. Preset functions make it easy to choose the right power for every cooking method.



Slider control

Slider touch control allows fast and precise power setting simply by moving your finger along the control scale. No repeated button pressing – the hob power is always comfortably under control. The intuitive controls also underline the elegant design of the hob.



Pan detection

Automatic pan detection recognises the presence of a suitable pot or pan on the cooking zone. Without cookware, heating does not start, which increases safety, reduces unnecessary energy consumption and makes cooking more convenient.

An excellent balance of features, quality and price, with the added value of **modern design** – this is the new Kluge built-in range.





Flex zone

More space and flexibility for every cooking style

Flex zone technology allows you to combine two separate induction zones into one large cooking surface that adapts to your needs. This makes it easy to use large pans, roasting dishes, griddle plates or bigger pots that would not fit on a standard cooking zone. For everyday cooking, you can also use both zones separately, with independent power settings for each pot or pan. The Flex zone offers easier handling of cookware, even heating and greater freedom when preparing all kinds of dishes.

SLIM design

Fits above an oven and in thin worktops

The design of most KLUGE induction hobs (marked SLIM in the product description) allows installation above an oven and in low worktops. The height of the hob's lower body is only 54 mm (58 mm including glass). In addition, the quiet and powerful cooling fans are located at the rear of the hob. If the back of the kitchen cabinet is left open, the hob does not overheat and cools down quickly and quietly.



ComfortMat

Matt elegance for every day

The premium ComfortMat surface made of specially etched matt glass combines elegant design with high durability and easy maintenance. Thanks to its structure, it is more resistant to everyday scratches and shows fewer fingerprints, smudges and cooking marks. The matt surface also minimises mirror-like reflections and underlines the modern look of the kitchen. The result is a practical hob that retains its elegant appearance for years.



BOOST / Double BOOST

The BOOST function and the more powerful Double BOOST briefly increase power for lightning-fast boiling of water, searing or cooking in large pots, saving a lot of time.



Bridge zone

The Bridge zone combines two separate zones into one cooking surface with shared controls – ideal for large roasting dishes and griddle plates.

Intuitive controls

Precise slider setting and lightning-fast heating with Boost

The control panel with white backlit touch elements looks elegant on the black glass and is easy to read. Each cooking zone has its own clear slider control with direct selection of preset power levels and functions. Fast and intuitive Slider control lets you set the power with a simple swipe of your finger. The Boost and Power Boost functions, available for each zone separately, provide lightning-fast heating whenever you are in a hurry.



Installation diagrams are available at **elmaxstore.eu**

kluge



KHI8000B

Induction hob with ComfortMat matt glass and integrated hood 77 cm

A+

Integrated hood 600 m³/h

BLDC hood motor

Performance **600 m³/h**

2x Flex zone

Matt black glass

Noise level **77 dB(A)**

Durable ComfortMat matt glass; Red LED display; 4 cooking zones; 2 Flex zones; Slider control; 9 power levels + Boost; 3 preset cooking functions; Smart Pause; Timer; Pan detection; Child lock; Automatic shut-off; Integrated hood with BLDC motor; Extraction rate up to 600 m³/h; Ducted and recirculation; Dimensions (H x W x D): 20 × 77 × 52 cm

Key features

ComfortMat matt glass with an etched surface resists scratches, fingerprints and reflections. The integrated hood with BLDC motor automatically adjusts its performance to your cooking. The touch slider makes operation easy and the Flex zone (up to 3 600 W) accommodates even large cookware. 3 preset functions (melting, keep warm, slow cooking) are available and the slim 209 mm design saves space under the hob.



Optional accessories

Filter TYPE	Filter CODE	Filter CODE with installation kit
Plasma	KVS8780	SET2026-115529
Plasma SLIM	KVS8782	SET2026-115523
Ceramic long-life	KVSFPH6	SET2026-115527
Carbon filter	KVSF111	included



High extraction rate

The integrated hood with an extraction rate of up to 600 m³/h efficiently captures steam and odours directly at the pots and pans, before they spread around the kitchen. It ensures fresh air even during intensive cooking without the need for a conventional hood above the hob.



BLDC motor

A modern 170 W brushless motor ensures efficient extraction with a rate of up to 600 m³/h. Thanks to efficient, quiet and precisely controlled operation, it helps keep the kitchen air fresh with quiet yet powerful extraction.



ComfortMat

The premium ComfortMat matt surface offers greater scratch resistance and reduces fingerprints, smudges and reflections. It makes maintenance easier and gives the hob an elegant look.




2x Flex zone

Two Flex zones let you adapt the cooking surface to the size of your cookware. Each can be used as one large surface for bigger cookware or as two separate cooking zones, ensuring comfortable and flexible cooking.

Offer valid until 30 June 2027 or until the next offer is issued

An excellent balance of features, quality and price, with the added value of **modern design** – this is the new Kluge built-in range.



KHI6000B

Induction hob with integrated hood 60 cm

A

Integrated hood 600 m³/h

BLDC hood motor

Performance **600 m³/h**

Bridge zone

Smart Pause function

Noise level **77 dB(A)**

High-quality Italian ILVA glass; White LED display; 4 cooking zones; 2 Flex zones; Slider control; 9 power levels + Boost; 3 preset cooking functions; Smart Pause; Timer; Pan detection; Child lock; Automatic shut-off; Integrated hood with BLDC motor; Extraction rate up to 600 m³/h; Ducted and recirculation; Dimensions (H x W x D): 20 × 59 × 52 cm

Key features

The induction hob (60 cm) with integrated hood (up to 600 m³/h) extracts steam efficiently and quietly directly at the cookware and saves space above the hob. It offers a Bridge zone for combining cooking areas, the Smart Pause function for a quick pause and pan detection for safe heating.

Optional accessories

Filter TYPE	Filter CODE	Filter CODE with installation kit
Plasma	KVS8780	SET2026-115529
Ceramic long-life	KVSFPH6	SET2026-115527
Carbon filter	KVSF111	included



Hob connection option with installation kit

Integrated hood in a 60 cm width

The induction hob with integrated hood in a 60 cm width can easily be fitted into standard kitchen units. It combines efficient extraction directly at the cookware with space savings above the hob, without the need for a conventional hood.

Everything needed for installation in the box

The hob with integrated hood comes with the necessary accessories, including the exhaust hose and outlet grille with filter. This means the basic installation components are ready and do not need to be purchased separately.


Bridge zone

The Bridge zone function lets you combine two separate cooking zones into one large surface with shared controls. Ideal for large pots, roasting dishes and griddle plates that need more space for even heating.

Free space above the hob

With the hood integrated directly into the hob, there is no need for a conventional cooker hood. You gain free space for additional cabinets, shelves or an open view, giving you more freedom when designing your kitchen.

kluge



KPI9041B

Induction hob with extra-large Maxi zone 90 cm

Width 90 cm, 5 cooking zones

2x Flex zone

Multi Slider control

5 preset cooking functions

High-quality Italian ILVA glass; White LED backlighting; 5 cooking zones; 2 Flex zones; Central Maxi zone Ø 28 cm; Slider control for each zone; 9 power levels; Boost and Power Boost; 5 preset cooking functions; Smart Pause; Timer; Residual heat indicator; Pan detection; Child lock; Automatic shut-off; Total connected load 9 kW; Dimensions (H x W x D): 6 × 90 × 52 cm

Key features

This elegant 90 cm induction hob with high-quality Italian black glass and white backlighting offers 5 cooking zones for maximum cooking comfort. Two Flex zones allow larger cookware to be used, while a separate central zone provides additional cooking space. 4 Slider touch controls ensure fast and intuitive power setting. The practical Smart Pause function lets you pause cooking at any time and then continue with the same settings.

2x Flex zone

Two Flex zones let you adapt the cooking surface to the size of your cookware. Each can be used as one large surface for bigger cookware or as two separate cooking zones, ensuring comfortable and flexible cooking.

5 preset cooking functions

Makes it easier to prepare a wide range of dishes, from gently melting chocolate and butter to cooking rice and pasta, sautéing and high-heat frying. You can easily adapt the power to every dish.

BOOST / Power BOOST


Extra power exactly when you need it

The BOOST function briefly increases the power of an induction cooking zone and significantly speeds up heating. It is ideal for quickly bringing water to the boil, intensive sautéing or searing meat. Power BOOST technology offers even more power thanks to a second boost level, which you will appreciate when cooking larger portions or using bulky cookware. Both functions bring faster cooking, time savings and greater flexibility.



Offer valid until 30 June 2027 or until the next offer is issued

An excellent balance of features, quality and price, with the added value of **modern design** – this is the new Kluge built-in range.



KPI8032BP

Matt induction hob with two Flex zones 80 cm

2x Flex zone | 3 preset cooking functions | 5 cooking zones | BOOST function

POWER MANAGEMENT 230/400 V

ComfortMat™

Matt black ComfortMat glass; SLIM design; Red LED backlighting; 5 cooking zones; 2 Flex zones; Separate central zone Ø 21 cm; Slider control; 9 power levels + Boost; 3 preset cooking functions; Smart Pause; Timer; Residual heat indicator; Pan detection; Child lock; Automatic shut-off; Power Management; Total connected load 9 kW; Dimensions (H x W x D): 5.8 × 77 × 52 cm

Key features

Premium ComfortMat matt glass with an etched surface offers excellent scratch resistance and reduces fingerprints and unwanted reflections. Power Management lets you set the maximum power consumption between 2.8 and 9 kW according to your electrical installation. Two Flex zones provide space for larger cookware and, together with a separate central zone, form 5 cooking zones. Slider control ensures convenient setting, while 3 preset cooking functions make melting, keeping warm and slow cooking easier.

Central cooking zone Ø 21 cm


The spacious central cooking zone with a diameter of 21 cm offers plenty of room for larger pots and pans. It allows efficient and even heating of bigger cookware, which you will appreciate when preparing larger portions or cooking for the whole family.

2× Flex zone

Two flexible cooking zones offer more space and freedom when cooking. They let you adapt the cooking surface to different sizes and shapes of cookware, from ordinary pots to large roasting dishes or griddle plates. Ideal for preparing several dishes at once.

5 cooking zones

Offers plenty of space for preparing several dishes at once. Two Flex zones allow larger cookware to be used, while a separate central zone provides additional space for comfortable cooking.



KPI8025BP

Induction hob with five cooking zones 80 cm

POWER MANAGEMENT 230/400 V

2x Bridge zone | 3 preset cooking functions | 5 cooking zones | BOOST function

High-quality Italian ILVA glass; SLIM design; White LED backlighting; 5 cooking zones; 2 Bridge zones; Separate central zone Ø 21 cm; Slider control; 9 power levels + Boost; 3 preset cooking functions; Smart Pause; Timer; Residual heat indicator; Pan detection; Child lock; Automatic shut-off; Power Management; Total connected load 9 kW; Dimensions (H x W x D): 5.8 × 77 × 52 cm

kluge



KPI6055H

Induction hob with automatic HTH hood control
60 cm

2x Bridge zone | HTH | BOOST function

Black glass; Red LED backlighting; 4 cooking zones; 2 Bridge zones; Touch control; 9 power levels + Boost; Hob to Hood (HTH) – automatic cooker hood control; Timer for each zone; Residual heat indicator; Pan detection; Child lock; Automatic shut-off; Total connected load 7.2 kW; Dimensions (H x W x D): 6.5 × 60 × 51.5 cm

Key features

Hob to Hood (HTH) technology intelligently connects the hob with a compatible cooker hood, which automatically adjusts its performance to the cooking intensity without manual control. The 4 cooking zones can be used separately or combined using 2 Bridge zones for comfortable cooking with larger cookware. The elegant black glass surface with red LED backlighting underlines the modern design of the hob and ensures clear operation.

Compatible HTH hoods

KOI9213BLGH, KOV7003BLGH, KOV5003BLGH, KOV5003IXH



2x Bridge zone

2 Bridge zones technology lets you use the four cooking zones separately or combine them into two larger cooking surfaces. You can easily adapt the space to the size and shape of your cookware, from ordinary pots to large pans and roasting dishes. The result is maximum flexibility and comfort in everyday cooking.

Booster on every cooking zone

The Booster function on every cooking zone briefly increases power to quickly reach the desired temperature. Ideal for bringing water to the boil quickly or heating up a pan when you need to save time.



Hob to Hood (HTH)

Smart connectivity for your kitchen

Hob to Hood (HTH) technology intelligently connects the induction hob with a compatible cooker hood. The hood automatically adjusts its extraction rate to the current cooking intensity, so you don't have to set it manually. When the cooking zones run at higher power, extraction increases; at lower power, it automatically decreases. The result is more comfortable cooking, efficient extraction and a more pleasant kitchen environment. You can focus fully on cooking and never forget to switch on the hood again.

Offer valid until 30 June 2027 or until the next offer is issued

An excellent balance of features, quality and price, with the added value of **modern design** – this is the new Kluge built-in range.



KPI6050BP


Induction hob with ComfortMat matt glass 60 cm

POWER MANAGEMENT 230/400 V

ComfortMat™

2x Flex zone | 5 preset cooking functions | Power Boost | 4x slider

Matt black ComfortMat glass; SLIM design; Red LED backlighting; 4 cooking zones; 2 Flex zones; Slider control for each zone; 9 power levels + Boost; 5 preset cooking functions; Smart Pause; Timer; Residual heat indicator; Pan detection; Child lock; Automatic shut-off; Power Management; Total connected load 7.4 kW; Dimensions (H x W x D): 5.8 × 59 × 52 cm



KPI6045BP

Induction hob with two Flex zones 60 cm

2x Flex zone | 5 preset cooking functions | Power Boost | 4x slider

POWER MANAGEMENT 230/400 V

High-quality Italian ILVA glass; SLIM design; White LED backlighting; 4 cooking zones; 2 Flex zones; Slider control for each zone; 9 power levels + Boost; 5 preset cooking functions; Smart Pause; Timer; Residual heat indicator; Pan detection; Child lock; Automatic shut-off; Power Management; Total connected load 7.4 kW; Dimensions (H x W x D): 5.8 × 59 × 52 cm

Key features

The Power Management function lets you set the maximum power consumption of the hob to 2.8–7.4 kW according to your electrical installation. Two Flex zones provide flexible space even for larger cookware, while 4 touch sliders allow convenient control of each zone separately. 5 preset cooking functions make melting, defrosting, keeping warm, simmering, deep-frying and automatic boiling easier. The Boost function ensures fast heating at the maximum power of the cooking zone and saves time. The elegant look is completed by high-quality Italian black glass with white LED backlighting.



5 preset cooking functions

Makes it easier to prepare a wide range of dishes, from gently melting chocolate and butter to cooking rice and pasta, sautéing and high-heat frying. You can easily adapt the power to every dish.


4× Slider control

Four separate touch sliders allow fast and intuitive power setting for each cooking zone without having to select it first.

White LED backlighting

White LED backlighting of the control panel ensures clarity, creates a unified design with white ovens and gives the hob a modern, elegant look.

kluge



KPI6032BP

Induction hob with ComfortMat matt glass 60 cm

5 preset cooking functions

Power Boost

1x Flex zone

4x slider

POWER MANAGEMENT 230/400 V

ComfortMat™

Matt black ComfortMat glass; SLIM design; Red LED backlighting; 4 cooking zones; 1 Flex zone; Slider control for each zone; 9 power levels; Boost and Power Boost; 5 preset cooking functions; Smart Pause; Timer; Residual heat indicator; Pan detection; Child lock; Automatic shut-off; Power Management; Total connected load 7.2 kW; Dimensions (H x W x D): 5.8 × 59 × 52 cm

Key features

Premium ComfortMat matt glass with an etched surface offers excellent scratch resistance and reduces fingerprints and unwanted reflections. The Flex zone allows comfortable cooking even with larger cookware, while the Boost and Power Boost functions ensure fast heating at maximum power. 5 preset cooking functions make everyday cooking easier. With the Power Management function, the maximum power consumption of the hob can be set to 2.8–7.2 kW according to your electrical installation.

ComfortMat


The premium ComfortMat matt surface offers greater scratch resistance and reduces fingerprints, smudges and reflections. It makes maintenance easier and gives the hob an elegant look.

4× Slider control

Four separate touch sliders allow fast and intuitive power setting for each cooking zone without having to select it first.

5 preset cooking functions

Makes it easier to prepare a wide range of dishes, from gently melting chocolate and butter to cooking rice and pasta, sautéing and high-heat frying. You can easily adapt the power to every dish.




Power Management

Maximum flexibility to suit your electrical installation

Power Management technology lets you adapt the maximum power consumption of the induction hob to your home electrical installation. With 4 setting levels – 2.8–7.2 kW – you can easily choose the right power. Depending on the installation conditions, the hob can be connected to a single-phase 230 V supply or a multi-phase 400 V supply. An ideal solution not only for modern kitchens, but also for renovations and households with limited electrical capacity. Flexibility that adapts to your home.

Offer valid until 30 June 2027 or until the next offer is issued

An excellent balance of features, quality and price, with the added value of **modern design** – this is the new Kluge built-in range.




KPI6025BP

Induction hob with independent zone control 60 cm

POWER MANAGEMENT 230/400 V

5 preset cooking functions | **Power Boost** | **1x Flex zone** | **4x slider**

High-quality Italian ILVA glass; SLIM design; White LED backlighting; 4 cooking zones; 1 Flex zone; Slider control for each zone; 9 power levels; Boost and Power Boost; 5 preset cooking functions; Smart Pause; Timer; Residual heat indicator; Pan detection; Child lock; Automatic shut-off; Power Management; Total connected load 7.2 kW; Dimensions (H x W x D): 5.8 × 59 × 52 cm




KPI6023BB

Induction hob with rotary knobs 60 cm



Automatic pan detection | **Timer up to 99 minutes** | **4 separate cooking zones** | **Rotary knobs**

Black glass; SLIM design; Red LED backlighting; 4 cooking zones; Rotary knobs; 8 power levels; Timer; Residual heat indicator; Pan detection; Automatic shut-off; Total connected load 7.0 kW; Dimensions (H x W x D): 5.8 × 59 × 52 cm



KPI6016BP

Induction hob with Bridge zone 60 cm

5 preset cooking functions | **Power Boost** | **Bridge zone**

POWER MANAGEMENT 230/400 V

Black glass; SLIM design; Red LED backlighting; 4 cooking zones; 1 Bridge zone; Slider control; 9 power levels; Boost and Power Boost; 5 preset cooking functions; Smart Pause; Timer; Residual heat indicator; Pan detection; Child lock; Automatic shut-off; Power Management; Total connected load 7.4 kW; Dimensions (H x W x D): 5.8 × 59 × 52 cm

kluge



KPI6015B

Induction hob with automatic cooking functions 60 cm

3 preset cooking functions | **BOOST function** | **Slider control**

Black glass; SLIM design; Red LED backlighting; 4 cooking zones; Slider control; 9 power levels + Boost; Melting and defrosting function; Keep warm and simmering; Smart Pause; Timer; Residual heat indicator; Pan detection; Child lock; Automatic shut-off; Total connected load 7.2 kW; Dimensions (H x W x D): 5.8 × 59 × 52 cm



KPI3005BP

Matt induction hob with a flexible cooking zone 30 cm

Double BOOST | **1x Flex zone** | **Plug & Play 230V connection** | **2x slider**

POWER MANAGEMENT 2,8/3,5 kW

ComfortMat™

Matt black ComfortMat glass; SLIM design; Red LED backlighting; 2 cooking zones; 1 Flex zone; Slider control for each zone; 9 power levels; Boost and Double Boost; 5 cooking functions; Stop & Go pause; Timer; Residual heat indicator; Pan detection; Child lock; Automatic shut-off; Plug & Play connection to a 230 V socket; Power Management 2.8 / 3.5 kW; Total connected load 3.5 kW; Dimensions (H x W x D): 5.8 × 29 × 52 cm

Key features

This compact 30 cm induction hob is the ideal solution for smaller kitchens. The premium ComfortMat matt surface offers excellent scratch resistance and reduces visible fingerprints. Thanks to the Flex function, the 2 induction cooking zones can be combined into one larger surface, while 2 touch sliders allow convenient control of each zone separately. The practical Plug & Play connection to a 230 V socket makes installation easier and the Power Management function lets you set the maximum power consumption to 2.8 or 3.5 kW.

230V PLUG & PLAY

Plug & Play


Plug & Play technology allows easy and quick connection of the induction hob to a suitable standard 230 V socket, without the need for a three-phase 400 V supply. An ideal solution for flats, smaller kitchens and renovations, making installation easier and letting you start cooking almost immediately.

Flex zone 19 × 38.5 cm

The only KLUGE Domino hob with a Flex zone lets you combine two cooking zones into one large 19 × 38.5 cm surface. It offers plenty of space for large pots, roasting dishes and griddle plates while keeping the hob compact.

Offer valid until 30 June 2027 or until the next offer is issued

An excellent balance of features, quality and price, with the added value of **modern design** – this is the new Kluge built-in range.






KPI3003BB

Induction hob with rotary knobs 30 cm



Plug & Play 230V connection | **Automatic pan detection** | **Timer up to 99 minutes**

Black glass; SLIM design; Red LED backlighting; 2 cooking zones; Rotary knobs; 8 power levels; Timer; Residual heat indicator; Pan detection; Automatic shut-off; Plug & Play connection to a 230 V socket; Total connected load 3.5 kW; Dimensions (H x W x D): 5.8 × 29 × 52 cm





KPI3002B

Induction hob with plug connection 30 cm

BOOST function | **Plug & Play 230V connection** | **Slider control**

Black glass; SLIM design; Red LED backlighting; 2 cooking zones; Slider control; 9 power levels + Boost; Timer; Residual heat indicator; Pan detection; Child lock; Automatic shut-off; Plug & Play connection to a 230 V socket; Total connected load 3.5 kW; Dimensions (H x W x D): 5.8 × 29 × 52 cm




KG01

Cast-iron griddle plate with smooth and ribbed surfaces 43.5 cm

Made of cast iron | **Non-stick surface**

Black finish; Durable cast-iron construction; Non-stick surface; Ribbed surface for grilling; Smooth surface for frying; Thick base; Even heat distribution; Suitable for induction, ceramic and gas hobs; Maximum temperature on induction 210 °C; Easy cleaning; Dimensions (H x W x D): 3.5 × 22.9 × 43.5 cm

kluge




KPV6021B

Ceramic hob with oval cooking zone 60 cm

Dual cooking zone | **Slider control** | **Smart Pause** | **3 preset cooking levels**

Black glass; SLIM design; Red LED backlighting; 4 Hi-Light cooking zones; 1 oval zone; 1 dual zone; Slider control; 9 power levels; 3 keep-warm functions; Smart Pause; Timer; Residual heat indicator; Pan detection; Child lock; Automatic shut-off; Total connected load 7.15 kW; Dimensions (H x W x D): 5.2 × 59 × 52 cm




KPV6011B

Ceramic hob with fast Hi-Light zones 60 cm

Hi-Light cooking zones | **Automatic pan detection** | **Touch control** | **Timer up to 99 minutes**

Black glass; SLIM design; Red LED backlighting; 4 Hi-Light cooking zones; Touch control; 9 power levels; Timer; Residual heat indicator; Pan detection; Child lock; Automatic shut-off; Total connected load 6 kW; Dimensions (H x W x D): 5.2 × 59 × 52 cm



KPV3001B


Ceramic hob with touch control 30 cm

Hi-Light cooking zones | **Touch control** | **Independent zone timer**

Black glass; SLIM design; 2 Hi-Light cooking zones; Touch control; 9 power levels; Timer; Residual heat indicator; Child lock; Automatic shut-off; Total connected load 3.3 kW; Dimensions (H x W x D): 5.2 × 28.8 × 52 cm

Offer valid until 30 June 2027 or until the next offer is issued

An excellent balance of features, quality and price, with the added value of **modern design** – this is the new Kluge built-in range.




KPG7520BG

Gas hob with powerful 4.2 kW WOK burner 75 cm

WOK burner | **5 gas burners** | **Gas Stop flame failure device** | **Solid cast-iron pan supports**

Black tempered glass; 5 gas burners; Burner output 1.0 / 2.0 / 2.0 / 2.9 / 4.2 kW; Powerful WOK burner 4.2 kW; Front rotary knob control; Automatic electric ignition; Gas Stop – gas leak protection; Solid cast-iron pan supports; Enamelled burner caps; Natural gas or LPG; Total output 12.1 kW; Dimensions (H x W x D): 9.6 × 74 × 52 cm



KPG6030BG

Gas hob with powerful 3.4 kW WOK burner 60 cm

Gas Stop flame failure device | **Solid cast-iron pan supports** | **Automatic ignition** | **WOK burner**

Black tempered glass; 4 gas burners; Burner output 1.0 / 2.0 / 2.0 / 3.4 kW; Powerful WOK burner 3.4 kW; Front rotary knob control; Automatic electric ignition; Gas Stop – gas leak protection; Solid cast-iron pan supports; Enamelled burner caps; Natural gas or LPG; Total output 8.4 kW; Dimensions (H x W x D): 9.7 × 58 × 52 cm



WOK burner

Maximum power for intensive cooking

The powerful WOK burner delivers an intense and even flame that allows cookware to heat up quickly and food to be cooked at high temperatures. It is ideal for stir-frying meat and vegetables and preparing authentic Asian specialities in a wok. Thanks to its high output, you can quickly sear, caramelise and cook larger quantities of ingredients. The WOK burner offers maximum control over intensive cooking and helps preserve the natural flavour and juiciness of food.

kluge



KPG6030WG

Gas hob with powerful 3.4 kW WOK burner 60 cm

Gas Stop flame failure device | **Solid cast-iron pan supports** | **Automatic ignition** | **WOK burner**

White tempered glass; 4 gas burners; Burner output 1.0 / 2.0 / 2.0 / 3.4 kW; Powerful WOK burner 3.4 kW; Front rotary knob control; Automatic electric ignition; Gas Stop – gas leak protection; Solid cast-iron pan supports; Enamelled burner caps; Natural gas or LPG; Total output 8.4 kW; Dimensions (H x W x D): 9.7 × 58 × 52 cm



KPG6002X

Gas hob with powerful 3.4 kW WOK burner 60 cm

Gas Stop flame failure device | **Solid cast-iron pan supports** | **Automatic ignition** | **WOK burner**

Stainless steel surface; 4 gas burners; Burner output 2.0 / 3.4 / 2.0 / 1.0 kW; Powerful WOK burner 3.4 kW; Front rotary knob control; Automatic electric ignition; Gas Stop – gas leak protection; Solid cast-iron pan supports; Enamelled burner caps; Natural gas or LPG; Dimensions (H x W x D): 9.57 × 58 × 52 cm



Gas Stop flame failure device

Safe cooking without the risk of gas leaks

Gas Stop technology ensures a high level of safety in everyday cooking. If the burner flame goes out accidentally, for example due to a draught or food boiling over, the flame failure device automatically shuts off the gas supply and prevents uncontrolled leakage. This practical safety feature protects your home and gives you greater peace of mind every time you cook.

An excellent balance of features, quality and price, with the added value of **modern design** – this is the new Kluge built-in range.

Discover our dishwashers

designed for perfect cleanliness



Intuitive controls

Intelligent care, savings and maximum comfort with a single touch.


The touch control panel with LED display is extremely clear: every programme and function has its own button and settings take a single touch. The intelligent automatic programme adapts the wash cycle to the amount and soiling of the dishes, while the quick programme or speed function significantly shortens washing time. With fewer dishes, you save water and energy thanks to the half-load function. The Extra Dry function ensures perfectly dry dishes and Extra Hygiene provides maximum cleanliness by washing at a higher temperature. And for quiet evenings, you will appreciate the Extra Quiet mode.



Easy access to the pump

Remove small obstructions yourself, without calling a service technician

All KLUGE dishwashers offer easy access to the drain pump. You can quickly remove small objects such as fruit stones or glass shards that could block the drain yourself, without a service call. You save time and money.



Self-cleaning filter system

Automatic maintenance for a clean filter and reliable washing

All KLUGE dishwashers are equipped with a self-cleaning filter system. It automatically rinses the filter during every wash cycle, maintaining optimal water circulation and reliable washing performance. You don't have to clean the filter by hand as often.



Inverter BLDC pump motor

Higher efficiency, quieter operation and a long service life

The modern inverter BLDC pump motor works highly efficiently and, thanks to precise electronic control, smoothly regulates water pressure according to current washing needs. The brushless design with a magnetic rotor reduces friction and wear, ensuring quiet operation, greater reliability and a longer service life. The result is high performance with low energy consumption, even in everyday use.



Knock Open

Easy dishwasher door opening with a simple knock


Knock Open technology lets you open the dishwasher door simply by knocking on the front panel, without using a handle. It offers greater comfort in everyday use and preserves the clean lines of your kitchen. It is the ideal choice for modern handleless kitchens, where elegant design meets practicality.



Adjustable cutlery drawer

Maximum flexibility and perfectly clean cutlery


The adjustable cutlery drawer consists of three separately removable parts, so you can easily gain more space for tall items in the upper basket. Above the drawer is a full spray arm – not just a rotating nozzle – that ensures everything inside is washed evenly and effectively.



Sliding Door

Sliding door hinge system for the perfect kitchen design

The Sliding Door system allows the furniture front to shift relative to the appliance door when the dishwasher is opened. This makes it easier to integrate the dishwasher into modern kitchens with a low plinth or tall furniture fronts. The result is a clean kitchen look without unnecessary installation compromises.




X-Spray arm

Reliably removes even the toughest dried-on dirt

The specially shaped lower X-Spray arm ensures effective water distribution throughout the lower basket. Intensive spraying from multiple directions helps thoroughly remove stubborn, dried-on dirt from pots, pans and larger cookware. The result is more effective washing of even heavily soiled dishes.

An excellent balance of features, quality and price, with the added value of **modern design** – this is the new Kluge built-in range.



KVD6300XL

Fully integrated tall dishwasher 60 cm

A C

Auto Door | **Knock Open** | **Adjustable cutlery drawer** | **X-spray arm**

16 place settings; SlidingDoor; Info Time Light; Knock Open; LED display; 8 programmes; 7 functions; Inverter motor; X-spray arm; Tray holder; Cutlery drawer; Adjustable upper basket; Auto Door; Silicone glass holders; Noise level 42 dB; Water consumption 11.8 l; Dimensions (H x W x D): 85.5–91.5 × 59.8 × 55 cm

Key features

The spacious XL design offers more room even for larger dishes. Automatic door opening supports efficient drying, while automatic filter cleaning makes maintenance easier. X-spray technology ensures thorough spraying of the dishes. Comfort is rounded off by interior LED lighting, Knock Open for opening with a knock and Info Time Light, which projects the remaining programme time onto the floor. The modern colour control panel offers clear function settings. With a low noise level of 42 dB, the dishwasher is also ideal for open-plan kitchens.

XL design

The XL design with a height of 85.5–91.5 cm and a taller interior offers flexibility when washing large pots, pizza plates or tall glasses while keeping the upper basket in its lower position.



Full stainless steel tub

The full stainless steel tub made of 304 and 430 steel ensures high durability, hygiene and a long service life of the dishwasher. The stainless steel surface resists water, high temperatures and corrosion. Its smooth surface collects less dirt and is very easy to maintain.



Solid construction

A durable interior and robust construction give the dishwasher a solid basis for long-term everyday use. Well-designed baskets, sturdy runners and high-quality interior components make handling easier, even when fully loaded. The whole appliance feels stable and high-quality every time you open it.

Auto Door

At the end of the wash cycle, Auto Door technology automatically opens the door slightly, increasing drying efficiency and ventilating the dishwasher at the same time. Your dishes dry completely and quickly without any help from you.

Practical fold-down holders in the lower basket

The tray holder and tall glass holders ensure stable support for large dishes and increase the versatility of the interior.

Low noise level 42 dB


With a noise level of just 42 dB(A), the dishwasher operates exceptionally quietly – ideal for kitchens open to the living room.



Info Time Light

Info Time Light technology projects the remaining time of the wash programme directly onto the floor in front of the dishwasher. You always know how the wash is progressing without having to open the door or check the control panel. A practical and elegant solution for comfortable everyday use.

kluge



KVD6120P

Fully integrated dishwasher with Knock Open 60 cm

A ↑ G B

Auto Door | **Knock Open** | **Adjustable cutlery drawer** | **X-spray arm**

16 place settings; SlidingDoor; Info Time Light; Knock Open; White LED display; Touch control; 8 programmes; 7 functions; Inverter motor; X-spray arm; Tray holder; Adjustable cutlery drawer; Adjustable upper basket; Interior LED lighting; Delay start; Auto Door; Silicone glass holders; Noise level 42 dB; Water consumption 10.9 l; Dimensions (H x W x D): 81.5–87.5 × 59.8 × 55 cm




KVD6110P

Fully integrated dishwasher with intensive X-Spray washing 60 cm

A ↑ G D

Auto Door | **Adjustable cutlery drawer** | **X-spray arm** | **Info Time Light**

16 place settings; SlidingDoor; Info Time Light; White LED display; Touch control; 6 programmes; Inverter motor; X-spray arm; Adjustable cutlery drawer; Adjustable upper basket; Interior LED lighting; Delay start; Auto Door; Silicone glass holders; Noise level 45 dB; Water consumption 11.9 l; Dimensions (H x W x D): 81.5–87.5 × 59.8 × 55 cm



KVD6100P

Fully integrated dishwasher with 16 place settings 60 cm

A ↑ G D

Auto Door | **Adjustable cutlery drawer** | **Inverter motor** | **LED info**

16 place settings; Fix Door; Info Light; White LED display; Touch control; 4 programmes; Inverter motor; Adjustable cutlery drawer; Adjustable upper basket; Delay start; Auto Door; Silicone glass holders; Noise level 45 dB; Water consumption 11.9 l; Dimensions (H x W x D): 81.5–87.5 × 59.8 × 55 cm

Offer valid until 30 June 2027 or until the next offer is issued

An excellent balance of features, quality and price, with the added value of **modern design** – this is the new Kluge built-in range.



KVD4610P

Fully integrated dishwasher with SlidingDoor system 45 cm

A↑G C

Auto Door | **Info Time Light** | **Inverter motor** | **Sliding door**

11 place settings; SlidingDoor; Info Time Light; White LED display; Touch control; 6 programmes; Inverter motor; Cutlery drawer; Adjustable upper basket; Fold-down tines in the lower basket; Upper or lower basket wash; Delay start; Auto Door; Silicone glass holders; Noise level 45 dB; Water consumption 9.2 l; Dimensions (H x W x D): 81.5–87.5 × 44.8 × 55 cm

Key features

Automatic door opening improves drying, while Info Time Light projects the remaining programme time onto the floor. The inverter motor ensures quiet and economical operation. The Sliding Door system allows elegant integration into the kitchen even at a width of just 45 cm. The practical third cutlery drawer makes storing cutlery easier and saves space in the baskets. The ECO Wash function allows washing in the upper basket, the lower basket or both, adapting water consumption and washing time to a smaller load.




Info Time Light

Info Time Light technology projects the remaining time of the wash programme directly onto the floor in front of the dishwasher. You always know how the wash is progressing without having to open the door or check the control panel. A practical and elegant solution for comfortable everyday use.

Compact 45 cm width

Thanks to its compact 45 cm width, the dishwasher fits easily even into smaller kitchens where every centimetre counts. It offers a practical space-saving solution without compromising everyday washing comfort.



KVD4600P

Fully integrated dishwasher with third cutlery drawer 45 cm

A↑G D

Inverter motor | **ECO Wash** | **Slim design**

11 place settings; Fix Door; White LED display; Touch control; 4 programmes; Inverter motor; Cutlery drawer; Adjustable upper basket; Fold-down tines in the lower basket; Delay start; Half-load wash; Overflow protection; Noise level 47 dB; Water consumption 9.8 l; Dimensions (H x W x D): 81.5–87.5 × 44.8 × 55 cm

kluge

Discover our refrigerators and wine coolers

designed for efficient cooling

Total No Frost

Perfect cooling without frost

Total No Frost technology ensures even circulation of cold air in both the fridge and freezer compartments and prevents frost from forming. No ice crystals form in the freezer that could damage the delicate structure of meat, fish or fruit, so food retains its quality for longer. There is also no need for manual defrosting, making maintenance and everyday use easier.





Fresh Zone and Humidity Zone

Drawers with optimal conditions for longer-lasting freshness

The Fresh Zone maintains a temperature of 0 to +3 °C to keep meat and fish fresh for longer. Telescopic runners and a special base ensure easy access and ideal air circulation. The HCS membrane in the Humidity Zone drawer automatically maintains humidity at 90%. It protects fruit and vegetables from drying out, preserves their flavour and prevents condensation.

An excellent balance of features, quality and price, with the added value of **modern design** – this is the new Kluge built-in range.



KCN2382J

XXL built-in Total No Frost fridge-freezer

A ↑ G D

Total No Frost | **Fresh Zone** | **Humidity Zone** | **Low noise level**

Total No Frost; Electronic control; Capacity 281/101 l; Automatic defrosting; LED lighting; Humidity Zone; Super Cool and Super Freeze; Holiday mode; Freezing capacity 9 kg/24 h; Noise level 33 dB; Energy consumption 207 kWh/year; Dimensions (H x W x D): 193.5 × 69 × 55 cm

Key features

Total No Frost technology prevents frost from forming and ensures even cooling without the need for defrosting. The Fresh Zone helps keep food fresh for longer, while the Humidity Zone maintains optimal humidity for storing fruit and vegetables. The Super Cool function quickly cools newly added food. LED lighting gives a perfect overview of the fridge contents and a low noise level of just 33 dB ensures quiet and comfortable operation.

XXL capacity

A total capacity of 382 litres (281 l fridge and 101 l freezer) offers plenty of room for the whole family's food. An ideal, spacious built-in solution for demanding households.

Inverter compressor

The inverter compressor smoothly regulates its output according to current demand. It maintains a stable temperature, reduces energy consumption and noise, and thanks to lower wear significantly extends the service life of the appliance.

Electronic control

Intuitive settings make it easy to choose the exact cooling temperature to suit your needs. Keep your fridge fully under control and create ideal conditions for longer-lasting freshness.


Reversible door

The reversible door can easily be changed to open to the left or right, so the fridge adapts perfectly to your kitchen layout.

Low noise level

With a noise level of just 33 dB(A), the fridge runs extremely quietly. It is the ideal choice for modern kitchens open to the living room, where it ensures perfectly undisturbed comfort.

kluge



KCN2700J

XL built-in Total No Frost refrigerator

A↑G D

Total No Frost | Inverter compressor | Metal Cooling | Low noise level

Total No Frost; Metal Cooling; Capacity 206/64 l; Electronic control with LED indicators; LED lighting; Fresh Zone 26 l; Humidity-controlled drawer; Glass shelves; 3 freezer drawers; Sliding door fixing; Inverter compressor; Super Cool and Super Freeze; Freezing capacity 3.2 kg/24 h; Noise level 37 dB; Energy consumption 182 kWh/year; Dimensions (H x W x D): 193.7 × 54 × 55 cm

Key features

Total No Frost technology prevents frost from forming and ensures even cooling without the need for defrosting. The Super Cool and Super Freeze functions allow newly added food to be quickly chilled or frozen. Interior LED lighting gives a perfect overview of stored food, while the inverter compressor ensures economical and reliable operation. Metal Cooling technology helps maintain a stable temperature inside the fridge. Comfort is rounded off by a low noise level of just 37 dB for quiet operation.

Metal Cooling

The Metal Cooling panel on the rear wall stores cold and helps maintain a constant internal temperature. After the door is opened, it immediately restores optimal conditions and protects the freshness of stored food.

XL capacity

With a height of 194 cm and a compact width of just 54 cm, the built-in refrigerator offers a generous XL capacity of 270 litres. It provides plenty of room for everyday shopping and larger food supplies without disrupting the unified look of the kitchen.



Inverter compressor

Guaranteed quiet, economical and reliable operation

Instead of repeatedly switching on and off, the inverter compressor smoothly adapts its output to current cooling needs. It maintains a stable temperature for longer-lasting freshness while reducing energy consumption and noise. Gentle operation also reduces mechanical stress and extends the service life of the compressor.

Offer valid until 30 June 2027 or until the next offer is issued

An excellent balance of features, quality and price, with the added value of **modern design** – this is the new Kluge built-in range.



KCN2233J

Built-in fridge-freezer with top design and No Frost Multi Cooling

A ↑ G D

No Frost Multi Cooling | **No Frost** | **Metal Cooling** | **Low noise level**

No Frost Multi Cooling; Metal Cooling Dark Inox; Capacity 170/63 l; White backlit display; Side LED lighting; 3 glass shelves; Humidity-controlled fruit and vegetable drawer; 2 freezer drawers; Sliding Tray pull-out shelf; Sliding door fixing; Super Cool and Super Freeze; Freezing capacity 3.3 kg/24 h; Noise level 36 dB; Energy consumption 175 kWh/year; Dimensions (H x W x D): 177 × 54 × 54.5 cm

Key features

No Frost Multi Cooling technology prevents frost from forming and ensures even cooling, while Metal Cooling helps maintain a stable internal temperature. The humidity-controlled drawer keeps fruit and vegetables fresh for longer. The Super Cool and Super Freeze functions quickly chill or freeze newly added food. The practical Sliding Tray pull-out shelf makes it easier to reach food in the freezer. Comfort is rounded off by clear side LED lighting, electronic control and a low noise level of just 36 dB for pleasantly quiet operation.

No Frost Multi Cooling

No Frost Multi Cooling technology circulates cold air and helps maintain a stable temperature inside the fridge. It prevents frost from forming, so there is no need for manual defrosting and food storage is more convenient.

Metal Cooling Dark Inox

The Metal Cooling rear panel in Dark Inox gives the fridge interior an elegant, modern look. It also helps maintain a stable temperature and creates optimal conditions for storing food.



Super Cool and Super Freeze

Fast cooling of fresh shopping for longer-lasting food

The Super Cool and Super Freeze functions quickly restore the optimal temperature after a larger amount of food has been added. Super Cool briefly increases cooling power, quickly chills fresh shopping and protects food already stored from warming up. Super Freeze ensures intensive freezing of new supplies so they better retain their flavour, texture and nutritional value.

kluge



KCN2251J

Built-in fridge-freezer with Total No Frost



Total No Frost | **Fresh Zone** | **Humidity Zone** | **Low noise level**

Total No Frost; Capacity 178/73 l; Electronic control; LED lighting; Humidity Zone; Automatic defrosting; Super Cool and Super Freeze; Holiday mode; Freezing capacity 6 kg/24 h; Noise level 35 dB; Energy consumption 229 kWh/year; Dimensions (H x W x D): 177.2 × 54 × 55 cm



KC2268J

Built-in fridge-freezer with Low Frost



Low noise level | **Super Cool** | **LED lighting**

Capacity 194/74 l; LED lighting; 4 glass shelves; Fruit and vegetable drawer; 3 freezer drawers; Super Cool; ECO mode; Freezing capacity 3 kg/24 h; Noise level 35 dB; Energy consumption 220 kWh/year; Dimensions (H x W x D): 177.2 × 54 × 55 cm



KC2394J

Built-in refrigerator 177 cm with freezer compartment



Inverter compressor | **Low noise level** | **LED lighting**

Capacity 253/33 l; Electronic control; LED lighting; 4 glass shelves; 2 fruit and vegetable drawers; Inverter compressor; Sliding door fixing; Automatic fridge defrosting; Freezing capacity 2.6 kg/24 h; Noise level 38 dB; Energy consumption 141 kWh/year; Dimensions (H x W x D): 176.9 × 54 × 54 cm

Offer valid until 30 June 2027 or until the next offer is issued

An excellent balance of features, quality and price, with the added value of **modern design** – this is the new Kluge built-in range.



KC2211J

Built-in fridge-freezer in a unique size for small kitchens



Inverter compressor | **Low noise level** | **Low Frost** | **LED lighting**

Low Frost; Capacity 162/50 l; Electronic control; Side LED lighting; 3 glass shelves; 2 fruit and vegetable drawers; 2 freezer drawers; Inverter compressor; Sliding door fixing; Door alarm; Freezing capacity 2.6 kg/24 h; Noise level 39 dB; Energy consumption 155 kWh/year; Dimensions (H x W x D): 144 × 54 × 54 cm




KC2179J

Built-in refrigerator with freezer compartment



Inverter compressor | **Low noise level** | **LED lighting**

Capacity 163/16 l; Electronic control; LED lighting; 4 glass shelves; Fruit and vegetable drawer; Inverter compressor; Sliding door fixing; Manual defrosting; Freezing capacity 2.6 kg/24 h; Noise level 35 dB; Energy consumption 148 kWh/year; Dimensions (H x W x D): 122.1 × 54 × 54 cm



KC2124J


Under-counter built-in refrigerator with freezer compartment



Inverter compressor | **Low noise level** | **LED lighting**

Capacity 95/16 l; Electronic control; LED lighting; 2 glass shelves; 2 fruit and vegetable compartments; Inverter compressor; Pantograph hinges; Automatic fridge defrosting; Freezing capacity 2.6 kg/24 h; Noise level 35 dB; Energy consumption 117 kWh/year; Dimensions (H x W x D): 82 × 59.6 × 55 cm

kluge



KCM600GD

XXL 4-door refrigerator with No Frost

A ↑ G D

Convertible zone | **Total No Frost** | **Metal Cooling** | **Extra-large capacity**

No Frost; Metal Cooling; Black tempered glass doors; Capacity 429/171 l; Convertible zone 90 l (−20 to +5 °C); Touch display on the door; LED lighting; 3 glass shelves; 2 fruit and vegetable drawers; 6 freezer drawers; Inverter compressor; Super Freeze; ECO and Holiday modes; Door-open alarm; Freezing capacity 10.4 kg/24 h; Noise level 39 dB; Energy consumption 261 kWh/year; Dimensions (H x W x D): 190.5 × 91 × 69 cm

Key features

The convertible zone can be switched between cooling and freezing according to your current needs. Total No Frost prevents frost from forming, while Metal Cooling helps maintain a stable internal temperature. The extra-large capacity of 429 l in the fridge and 171 l in the freezer provides plenty of space for all your food. The practical layout offers 3 glass shelves, 2 fruit and vegetable drawers and 6 door compartments, while the freezer has 6 spacious drawers. The elegant 4-door design with black tempered glass is complemented by a modern touch display on the door for convenient control.

Extra-large capacity

The extra-large 600 l capacity offers plenty of space even for larger households and bigger shopping trips. The 429 l fridge and 171 l freezer offer convenient and clear food storage thanks to practical shelves and spacious drawers.

Total No Frost

Total No Frost technology prevents frost from forming in both the fridge and freezer. Even air circulation protects food from frost, maintains a constant temperature and saves time on maintenance.



Convertible zone 90 l

Cooling or freezing to suit your needs

The 90-litre convertible zone offers unique flexibility in food storage. With temperature settings from −20 to +5 °C, you can easily convert it from a freezer to a fridge compartment and back again. Depending on your current needs, you gain more space for fresh food, drinks or frozen supplies. Whether you need to store a larger shopping trip, prepare for a family celebration or stock up for longer, the convertible zone adapts to your lifestyle and makes the most of the fridge's interior.

Offer valid until 30 June 2027 or until the next offer is issued

An excellent balance of features, quality and price, with the added value of **modern design** – this is the new Kluge built-in range.



KCN5372LD

Freestanding No Frost fridge-freezer

A ↑ G C

Metal Cooling | **No Frost** | **Inverter compressor** | **Fresh Zone**

No Frost; Stainless steel Metal Cooling; Dark stainless steel; Capacity 264/113 l; Electronic control with white backlit display on the door; LED lighting; 4 glass shelves; Design wine rack; Humidity-controlled Fresh Zone; 3 freezer drawers; Inverter compressor; Super Freeze; ECO and Holiday modes; Door-open alarm; Freezing capacity 10 kg/24 h; Noise level 39 dB; Energy consumption 168 kWh/year; Dimensions (H x W x D): 200.5 × 60 × 67.5 cm

Key features

Metal Cooling technology helps maintain a stable internal temperature and optimal food storage conditions. No Frost prevents frost from forming and eliminates the need for defrosting. The practical humidity-controlled Fresh Zone helps keep fruit and vegetables fresh for longer, while the inverter compressor ensures economical and quiet operation. The elegant wine rack with a wooden design offers stylish bottle storage. The modern look of the fridge is underlined by the premium dark stainless steel finish.

Metal Cooling

The Metal Cooling panel on the rear wall stores cold and helps maintain a constant internal temperature. After the door is opened, it immediately restores optimal conditions and protects the freshness of stored food.

Design wine rack

The design wine rack with a wood decor offers stylish and practical storage for bottles. The combination of the natural wood look and the modern fridge interior creates an elegant detail that combines aesthetics with everyday practicality.



Fresh Zone

Optimal conditions for longer-lasting freshness

The practical Fresh Zone creates suitable conditions for storing fresh food for longer. The spacious humidity-controlled drawer helps prevent fruit and vegetables from drying out, so they retain their natural flavour, juiciness and quality for longer. Thanks to the clear layout, stored food is always easy to reach. The Fresh Zone thus contributes to longer freshness and helps reduce unnecessary food waste.

kluge



KCN5372LW

Freestanding No Frost fridge-freezer

C

Metal Cooling | No Frost | Inverter compressor | Fresh Zone

No Frost; Stainless steel Metal Cooling; White finish; Capacity 264/113 l; Electronic control with white backlit display on the door; LED lighting; 4 glass shelves; Design wine rack; Humidity-controlled Fresh Zone; 3 freezer drawers; Inverter compressor; Super Freeze; ECO and Holiday modes; Door-open alarm; Reversible door; Freezing capacity 10 kg/24 h; Noise level 39 dB; Energy consumption 168 kWh/year; Dimensions (H x W x D): 200.5 × 60 × 67.5 cm



KCN5340X

Freestanding No Frost fridge-freezer

D

Fresh Zone | No Frost | Metal Cooling | Super Cool

No Frost; Metal Cooling; Dark stainless steel; Capacity 246/100 l; Touch display on the door; LED lighting; Low-temperature Fresh Zone 31 l; Fruit and vegetable drawer; Glass shelves; 3 freezer drawers; Inverter compressor; Super Cool and Super Freeze; ECO and Holiday modes; Door-open alarm; Freezing capacity 4.6 kg/24 h; Noise level 37 dB; Energy consumption 207 kWh/year; Dimensions (H x W x D): 201 × 59.5 × 65 cm



KCN5340W

Freestanding No Frost fridge-freezer

D

Fresh Zone | No Frost | Metal Cooling | Super Cool

No Frost; Metal Cooling; White finish; Capacity 246/100 l; Touch display on the door; LED lighting; Low-temperature Fresh Zone 31 l; Fruit and vegetable drawer; Glass shelves; 3 freezer drawers; Inverter compressor; Super Cool and Super Freeze; ECO and Holiday modes; Door-open alarm; Freezing capacity 4.6 kg/24 h; Noise level 37 dB; Energy consumption 207 kWh/year; Dimensions (H x W x D): 201 × 59.5 × 65 cm

Offer valid until 30 June 2027 or until the next offer is issued

An excellent balance of features, quality and price, with the added value of **modern design** – this is the new Kluge built-in range.



KCN5326X

Freestanding No Frost fridge-freezer

A ↑ G D

Fresh Zone | No Frost | Metal Cooling | Super Cool

No Frost; Metal Cooling; Stainless steel finish; Capacity 214/100 l; Touch display on the door; LED lighting; Low-temperature Fresh Zone 32 l; Fruit and vegetable drawer; Glass shelves; 3 freezer drawers; Inverter compressor; Super Cool and Super Freeze; ECO and Holiday modes; Door-open alarm; Freezing capacity 4.6 kg/24 h; Noise level 37 dB; Energy consumption 205 kWh/year; Dimensions (H x W x D): 186 × 59.5 × 65 cm



KCN5326W

Freestanding No Frost fridge-freezer

A ↑ G D

Fresh Zone | No Frost | Metal Cooling | Super Cool

No Frost; Metal Cooling; White finish; Capacity 214/100 l; Touch display on the door; LED lighting; Low-temperature Fresh Zone 32 l; Fruit and vegetable drawer; Glass shelves; 3 freezer drawers; Inverter compressor; Super Cool and Super Freeze; ECO and Holiday modes; Door-open alarm; Freezing capacity 4.6 kg/24 h; Noise level 37 dB; Energy consumption 205 kWh/year; Dimensions (H x W x D): 186 × 59.5 × 65 cm



Metal Cooling

A stable temperature for longer-lasting food

Metal Cooling technology uses a special metal panel inside the fridge that helps maintain a stable and even temperature throughout the fridge compartment. The metal surface efficiently stores cold and helps balance temperature fluctuations more quickly, for example when the door is opened frequently. Food is therefore exposed to smaller temperature changes, which helps preserve its freshness, flavour and quality for longer. The elegant metal finish also gives the fridge interior a modern, premium look. Metal Cooling combines efficient cooling with attractive design.

kluge



KCW4603B

Dual-zone under-counter wine cooler with electric Touch Open 60 cm

A ↑ G F

46

Two temperature zones

Touch Open

UV-protected glass

Wooden shelves

Capacity 46 bottles; Net capacity 129 l; 2 independent temperature zones; Temperature range 5–22 °C in both zones; Black finish; Full-glass door with UV filter; Touch Open – electric door opening by touch; Electronic control with white LED display; Interior LED lighting; 5 partially pull-out wooden shelves; Active ventilation; Child lock; Acoustic door-open alarm; Under-counter and freestanding installation; Noise level 39 dB; Energy consumption 105 kWh/year; Dimensions (H x W x D): 82.5 × 59.5 × 57 cm

Key features

The wine cooler with 2 independent temperature zones allows temperatures from 5 to 22 °C to be set in both the upper and lower zone for optimal storage of different wines. Touch Open ensures convenient electric door opening with a simple touch. With a capacity of 46 bottles and a net capacity of 129 l, it offers plenty of space for your wine collection. Partially pull-out wooden shelves make storing and selecting bottles easier, while interior LED lighting switches on automatically when the door is opened. The full-glass door with UV protection underlines the premium look and helps protect wine from harmful light



Stylish and practical wooden shelves

Partially pull-out wooden shelves combine elegant design with practical storage for your wine collection. The pull-out mechanism allows easy access to individual bottles and convenient loading and unloading without unnecessary handling of other wines. Natural wood also provides stable support for the bottles and gives the interior a premium look that stands out beautifully under the interior LED lighting.



UV-protected glass

The triple-glazed door with UV filter protects wine from light and heat, preserving its flavour and quality during long-term storage.



Touch Open

Just a single touch. Elegance without a handle

Touch Open technology opens the door electrically with a light touch, without the need for a handle. It preserves a clean, minimalist design with an elegant full-glass front. The wine cooler fits perfectly into modern kitchens, where a premium look meets practicality.

Offer valid until 30 June 2027 or until the next offer is issued

An excellent balance of features, quality and price, with the added value of **modern design** – this is the new Kluge built-in range.



KCW3603B

Built-in dual-zone wine cooler with Touch Open 60 cm

A–G

36

Two temperature zones | **Touch Open** | **UV-protected glass** | **Pull-out wooden shelves**

Capacity 36 bottles; Net capacity 85 l; 2 independent temperature zones; Temperature range 5–22 °C in both zones; Black finish; Full-glass door with triple glazing and UV protection; Touch Open – electric door opening by touch; Electronic control with displays for both zones; LED lighting with automatic switch-on; 3 partially pull-out wooden shelves; Active ventilation; Child lock; Acoustic alarm for open door and temperature rise; Noise level 39 dB; Energy consumption 140 kWh/year; Dimensions (H x W x D): 59.5 × 59 × 56.3 cm



KCW1703B

Slim dual-zone wine cooler 30 cm

A–G

17

Two temperature zones | **Width of just 29.5 cm** | **UV-protected glass** | **Pull-out wooden shelves**

Capacity 17 bottles; Net capacity 52 l; 2 separately adjustable temperature zones; Temperature range 5–22 °C in both zones; Black finish; Full-glass door with triple glazing and UV protection; Recessed handle in the door frame; Electronic control with displays for both zones; LED lighting with automatic switch-on; 4 partially pull-out wooden shelves; Active ventilation; Child lock; Acoustic alarm for open door and temperature rise; Freestanding and under-counter installation; Noise level 39 dB; Energy consumption 135 kWh/year; Dimensions (H x W x D): 82.5 × 29.5 × 57 cm



Two separate cooling zones

The ideal temperature for every type of wine

Two separately adjustable cooling zones let you store different wines at their optimal temperature in a single wine cooler. Both the upper and lower zone offer a temperature range of 5–22 °C, so you can, for example, chill white wines and store red wines at a higher temperature at the same time. Electronic control and a separate display for each zone ensure convenient setting and clear temperature monitoring. For correct operation, the temperature of the lower zone must always be the same as or higher than that of the upper zone. This gives you flexible conditions for storing wine and preparing it for serving.

kluge

Discover our washing machines and dryers

designed for perfect cleanliness

SteamAssist

Fewer creases, easier ironing and hygienically clean laundry

Modern SteamAssist technology uses the power of hot steam for gentler and more effective care of your clothes. Steam penetrates deep into the fabric, loosens the textile fibres and reduces creasing, making laundry softer and ironing much easier. It also supports hygienic cleanliness and freshness, which you will especially appreciate when washing bed linen, towels or clothes for sensitive skin. SteamAssist offers gentler care for your clothes and makes everyday washing and ironing easier.






Fully integrated washing machine

The fully integrated design allows the washing machine to be built directly into kitchen units or bathroom furniture. The appliance remains hidden behind the furniture door, saving space and preserving a unified interior design.



Quick programme 59 minutes

The practical 59-minute programme lets you wash normally soiled laundry quickly and effectively. Ideal for everyday washing of cotton and synthetics when you want to save time without an unnecessarily long wash cycle.



Anti-allergy programme

The special anti-allergy programme helps remove allergens and detergent residues from fabrics. Thorough washing and rinsing ensure a higher level of hygienic cleanliness – ideal for allergy sufferers, children and sensitive skin.



Delay start

The delay start function lets you schedule the wash 1 to 23 hours in advance. Simply load the laundry, choose a programme and set the required delay. The washing machine starts automatically at the selected time.

An excellent balance of features, quality and price, with the added value of **modern design** – this is the new Kluge built-in range.



KWF2481BI

Built-in washing machine 8 kg

A ↑ G A

Steam Assist | **Ultra-efficient washing machine** | **Inverter motor** | **Quick programme 59 minutes**

Capacity 8 kg; LED display with white backlighting; 1400 rpm; 15 programmes; Steam Assist; Inverter motor; Quick wash 15 and 59 min.; Anti-allergy programme; Automatic load weighing; Delay start; Installation kit included; Energy consumption 47 kWh/100 cycles; Dimensions (H x W x D): 81.74 × 59.74 × 54.43 cm




KWF2491DG

Front-loading washing machine 9 kg

A ↑ G A

Steam Assist | **Inverter motor** | **Sapphire drum** | **Quick programme 59 minutes**

Capacity 9 kg; Dark grey finish; LED display; 1400 rpm; 15 programmes; Steam Assist – steam-assisted washing; Inverter motor; Sapphire drum; Quick wash 12 and 59 min.; Anti-allergy programme; Automatic load weighing; Delay start; Energy consumption 45 kWh/100 cycles; Dimensions (H x W x D): 84.5 × 59.7 × 52.7 cm




Inverter motor

Quieter operation, lower consumption, long life

The modern inverter motor is an economical and reliable solution for everyday washing. Thanks to electronic control, it precisely adapts the drum speed to each phase of the wash programme, ensuring quiet operation, high efficiency and low energy consumption. Unlike conventional motors, it does not use carbon brushes that gradually wear out through friction. The brushless design reduces mechanical wear and contributes to a longer service life and greater reliability of the washing machine. The result is efficient, gentle and comfortable operation with every wash.

kluge



KHD2091DG

Heat pump dryer 9 kg

Heat pump | **Sensor drying** | **Pearl drum** | **Large capacity**

Capacity 9 kg; Dark grey finish; LED display; 15 programmes; Heat pump; Pearl drum with LED lighting; Sensor drying; Adjustable drying level and time; Anti-crease protection; Delay start; Condensate drain option; Noise level 64 dB; Energy consumption 110 kWh/100 cycles; Dimensions (H x W x D): 84.5 × 59.6 × 60.9 cm



KSKD02DG

Stacking kit with pull-out shelf

Pull-out shelf | **Load capacity up to 15 kg** | **Space saving** | **Durable construction**

Stacking kit for KLUGE washing machine and dryer; Secure placement of the dryer on top of the washing machine; Practical pull-out shelf; Shelf load capacity 15 kg; Durable plastic construction; Black finish; Space saving at home; Dimensions (H x W x D): 6.3 × 60.3 × 54.3 cm



Heat pump

Economical drying with maximum care for laundry

Modern heat pump technology ensures efficient and energy-saving drying at lower temperatures. Warm air flows through the drum, where it absorbs moisture from the laundry. It then passes through the heat pump, which removes the moisture, reheats the air and returns it to the drum. Thanks to this closed air circulation system, significant energy savings are achieved compared with conventional condenser dryers. The lower drying temperature is also gentler on textile fibres, helps protect the quality of your clothes and reduces heating of the surrounding area. The result is economical and gentle drying with long-term care for your laundry.

An excellent balance of features, quality and price, with the added value of **modern design** – this is the new Kluge built-in range.

Discover our cooker hoods

designed for clean air



Hob to Hood (HTH)

Intelligent extraction that adapts to your cooking

Hob to Hood (HTH) technology intelligently connects the induction hob with a compatible cooker hood. The extraction rate automatically adjusts to the cooking intensity – at higher cooking zone power, extraction increases; at lower power, it decreases. You don't have to set the hood manually and can concentrate fully on cooking. The result is more comfortable cooking and efficient removal of steam and odours.



Gesture control

Convenient control without a single touch

Touch-free gesture control lets you operate the hood with simple movements in front of the sensor. You can change the extraction level or control the lighting without touching the control panel, which you will especially appreciate when cooking with wet or dirty hands. This intuitive control method increases comfort and helps keep the hood surface free of fingerprints and smudges.



BOOST function

Extra power for fast removal of steam and odours

The BOOST function activates the highest available extraction rate at the touch of a button, for example when frying, sautéing or cooking larger quantities. It quickly helps remove accumulated steam, odours and moisture from the kitchen. After a set time, the hood automatically returns to normal mode, so you get extra power exactly when you need it most.

kluge

Cooker hood filters

Cleaner air, fewer odours and a more pleasant environment every time you cook

KLUGE filters offer an effective solution for cleaner air in kitchens without an external outlet. Cooking produces steam, grease and unwanted odours that can spread throughout the home. If air cannot be ducted outside, recirculation mode is the ideal solution. While the grease filter captures grease, carbon, ceramic and plasma filters help reduce cooking odours. The filtered air is then returned to the room. A wide range of filtration technologies lets you choose the right solution for each hood and ensure a more pleasant environment for everyday cooking.

Filter type	Filtration level	Service life
Plasma	★★★★	★★★★
Plasma SLIM	★★★★	★★★★
Ceramic long-life	★★★	★★
Carbon long-life	★★	★★
Carbon	★	★



Plasma filter

Uses advanced electrical discharge technology to break down and neutralise odour particles produced during cooking. It helps significantly reduce unpleasant odours and keep the kitchen air fresh, even during intensive cooking. A modern filtration solution for recirculating hoods.




Ceramic carbon filter

The ceramic carbon filter combines a ceramic structure with an activated carbon filling that helps capture cooking odours. It is designed for recirculation mode, where the cleaned air is returned to the room. It contributes to a more pleasant kitchen environment without the need for an external outlet.




Long Life carbon filter

The Long Life carbon filter offers effective odour absorption and an extended service life of up to 2 years. It is suitable for selected hoods with an outlet diameter of 120 or 150 mm. An integrated timer gives an acoustic reminder to replace the filter after 750 hours of operation. Thanks to a special filter foam, it is a practical solution for long-term recirculation.



Classic carbon filter

A simple and affordable solution for recirculating extraction. The classic carbon filter contains activated carbon that absorbs unwanted cooking odours. It allows the hood to operate without ducting air outside, making it ideal even for kitchens without a duct. To maintain efficiency, the filter must be replaced regularly as recommended by the manufacturer.



Inverter motor

Quiet, economical and reliable operation

The modern inverter BLDC motor delivers high extraction efficiency with low energy consumption and reduced noise. Thanks to its electronically controlled brushless design, it runs more smoothly and with less mechanical wear than conventional motors with carbon brushes. The result is quieter, more economical operation and a long service life, which you will appreciate in everyday cooking and in kitchens open to the living area.

An excellent balance of features, quality and price, with the added value of **modern design** – this is the new Kluge built-in range.



Decorative lighting

Decorative LED lighting gives your kitchen a unique atmosphere and underlines the modern design of the hood. With a choice of 8 lighting colours – white, red, green, blue, yellow, purple, orange and yellow-green – you can easily adapt the look of your kitchen to your mood or the occasion. The lighting creates a pleasant visual effect and turns the hood into an elegant design feature of the kitchen.



Pop-up downdraft hood 90 cm

When in use, the 90 cm wide hood rises from the worktop up to a height of 33 cm and captures steam directly at the cooking surface. When you are not cooking, it discreetly retracts, leaving a clear view and free space above the kitchen island.

KLD9500BLG

Cooker hood with pull-out glass panel 90 cm

A+

High performance | **Decorative lighting** | Performance **696 m³/h**

Touch Control | **Recirculation only** | Noise level **72 dB(A)**

Black and clear glass combined with stainless steel; Pull-out glass panel; Touch control with white backlighting; 8 power levels + Boost; Colour LED lighting with adjustable colour; Delayed shut-off; Anti-pinch protection; Recirculation with carbon filter; Extraction 303–629 m³/h (Boost 696 m³/h); Noise level 50–66 dB (72 dB Boost); Consumption 26.8 kWh/year; Dimensions (H x W x D): 55.2 × 86.8 × 23 cm

Optional accessories

* No installation kit required

Filter TYPE	Filter CODE	Filter CODE with installation kit
Plasma	KVS8780	SET2026-114365
Plasma SLIM	KVS8782	SET2026-115497
Ceramic long-life	KVSFPH6	SET2026-115507
Carbon	KVSUF95	No *, outlet in cabinet

KLD9000BLG

Downdraft hood with LED lighting 90 cm

A++

High performance | **LED, adjustable light colour** | Performance **714 m³/h**

Touch Control | **Ducted and recirculation** | Noise level **72 dB(A)**

Black finish; Pop-up panel with anti-pinch protection; White backlit touch slider control; 8 power levels + Boost; LED strip with adjustable brightness and colour temperature (3200–6500 K); Delayed shut-off; Ducted and recirculation; Extraction 263–640 m³/h (Boost 714 m³/h); Noise level 52–68 dB (Boost 72 dB); Consumption 20.3 kWh/year; Dimensions (H x W x D): 72.7 × 86.9 × 37.9 cm

Optional accessories

* No installation kit required

Filter TYPE	Filter CODE	Filter CODE with installation kit
Plasma	KVS8780	SET2026-114364
Plasma SLIM	KVS8782	SET2026-115520
Ceramic long-life	KVSFPH6	SET2026-115521
Carbon long-life	KVSULLF750	No *, outlet in cabinet
Carbon	KVSUF90 (2x)	No *, under grease filters

kluge



60 cm

Pop-up downdraft hood in a compact 60 cm width

The 60 cm downdraft hood offers practical extraction directly from the worktop without a conventional hood above the cooking surface. It rises when you cook and retracts when you have finished, keeping the kitchen open and leaving more space above the worktop.



38 cm

Designer cylindrical island hood Ø 38 cm

The island hood with an elegant cylindrical body 38 cm in diameter combines original design with practical extraction. The black metal finish is complemented by a bottom LED panel and a decorative light ring with adjustable colour temperature.

KLD6000BLG

Downdraft hood with LED lighting 60 cm

A++

High performance | LED, adjustable light colour | Performance **714 m³/h**

Touch Control | Ducted and recirculation | Noise level **72 dB(A)**

Black finish; Pop-up height up to 33 cm; White backlit touch slider control; 8 power levels + Boost; LED strip with adjustable brightness and colour temperature (3200–6800 K); Delayed shut-off; Anti-pinch protection; Ducted and recirculation; Extraction 263–640 m³/h (Boost 714 m³/h); Noise level 52–68 dB (Boost 72 dB); Consumption 19.6 kWh/year; Dimensions (H x W x D): 72.7 × 60 × 37.9 cm

Optional accessories

* No installation kit required

Filter TYPE	Filter CODE	Filter CODE with installation kit
Plasma	KVS8780	SET2026-114364
Ceramic long-life	KVSFPH6	SET2026-115521
Carbon long-life	KVSULLF750	No *, outlet in cabinet
Carbon	KVSUF60 (2x)	No *, under grease filters

KLI3800BL

Island hood with LED lighting 38 cm

A

BLDC motor | LED, adjustable light colour | Performance **544.9 m³/h**

Ducted and recirculation | Noise level **67 dB(A)**

Black metal finish; Quiet inverter motor; Soft Touch electronic control; Bottom LED panel 7.5 W and decorative light ring 6 W; Adjustable brightness and colour temperature (3200–6800 K); 3 power levels + Boost; Delayed shut-off; Ducted and recirculation; Extraction 250.5–485 m³/h (Boost 544.9 m³/h); Noise level 49–64 dB (Boost 67 dB); Consumption 28.7 kWh/year; Dimensions (H x W x D): 92.3–96.2 × 38 × 38 cm

Optional accessories

* No installation kit required

Filter TYPE	Filter CODE	Filter CODE with installation kit
Plasma	KPLRON600120	*
Carbon long-life	KVSULLF750	*
Carbon	KVSUF120	*

An excellent balance of features, quality and price, with the added value of **modern design** – this is the new Kluge built-in range.



Hob to Hood (HTH)

Hob to Hood (HTH) technology connects the island hood with a compatible induction hob. The extraction level changes automatically according to the power of the cooking zones, so you don't have to keep adjusting the settings and can focus on cooking.

KOI9213BLGH

Island hood with automatic HTH control 90 cm

A

HTH | BLDC motor | Performance **700 m³/h**

High performance | LED, adjustable light colour | Noise level **71 dB(A)**

Matt black metal with glass panel; Automatic HTH control from the hob; Quiet inverter motor; Touch control with display; 3 power levels + Boost; 4 LED strips with adjustable colour temperature; Delayed shut-off; Ducted and recirculation; Extraction 210–515 m³/h (Boost 700 m³/h); Noise level 45–64 dB (Boost 71 dB); Consumption 41.7 kWh/year; Dimensions (H x W x D): 80.5–100.5 × 90 × 60 cm

Optional accessories

* No installation kit required

Filter TYPE	Filter CODE	Filter CODE with installation kit
Plasma	KPLRON600120	*
Carbon long-life	KVSULLF750	*
Carbon	FR-7708 (2x)	*



Generous 90 cm extraction width

The generous 90 cm width offers wider coverage of the cooking area and is particularly suitable for larger hobs. The angled glass design also leaves more space in front of the hood and underlines the elegant look of a modern kitchen.

KMS9040BLG

Angled chimney hood with elegant glass panel 90 cm

B

High performance | LED strip | Performance **580 m³/h**

Touch Control | Ducted and recirculation | Noise level **68 dB(A)**

Black finish with front glass panel; Touch control with display; 3 power levels; LED strip 6 W; Ducted and recirculation; Extraction 335–580 m³/h; Noise level 57–68 dB; Consumption 53.4 kWh/year; Dimensions (H x W x D): 76.1–102.6 × 89.6 × 43 cm

Optional accessories

* No installation kit required

Filter TYPE	Filter CODE	Filter CODE with installation kit
Plasma	KPLRON600120	*
Carbon long-life	KVSULLF750	*
Carbon	FR-7944 (2x)	*

kluge



90 cm

New-generation quiet inverter motor

The modern inverter motor ensures efficient removal of steam and odours while reducing noise and energy consumption. Thanks to electronic control, it offers smooth, reliable operation that you will appreciate in everyday cooking.



60 cm

High extraction rate of up to 700 m³/h in Boost mode

The BOOST function increases the extraction rate to up to 700 m³/h, helping to quickly remove steam and strong odours when frying, sautéing or cooking several dishes at once. Intensive extraction ensures a more pleasant environment even during demanding cooking.

KOS8301BLG

Angled chimney hood with powerful inverter motor 80 cm

A+

BLDC motor | High performance | Performance **700 m³/h**

LED, adjustable light colour | Touch Control | Noise level **69 dB(A)**

Black and clear glass; Quiet inverter motor; Touch control with LED display; 3 power levels + Boost; LED strip with adjustable colour temperature; Delayed shut-off; Ducted and recirculation; Extraction 210–515 m³/h (Boost 700 m³/h); Noise level 43–63 dB (Boost 69 dB); Consumption 30.3 kWh/year; Dimensions (H x W x D): 77–96 × 80 × 38.6 cm

Optional accessories

* No installation kit required

Filter TYPE	Filter CODE	Filter CODE with installation kit
Plasma	KPLRON600120	*
Carbon long-life	KVSULLF750	*
Carbon	FR-0563 (2x)	*

KOS6301BLG

Angled chimney hood with quiet inverter motor 60 cm

A+

BLDC motor | High performance | Performance **700 m³/h**

LED, adjustable light colour | Touch Control | Noise level **69 dB(A)**

Black and clear glass; Quiet inverter motor; Touch Control with LED display; 3 power levels + Boost; LED strip with adjustable colour temperature; Delayed shut-off; Ducted and recirculation; Extraction 210–515 m³/h (Boost 700 m³/h); Noise level 43–63 dB (Boost 69 dB); Consumption 30.3 kWh/year; Dimensions (H x W x D): 77–96 × 60 × 38.6 cm

Optional accessories

* No installation kit required

Filter TYPE	Filter CODE	Filter CODE with installation kit
Carbon long-life	KVSULLF750	*
Carbon	FR-8705 (2x)	*

An excellent balance of features, quality and price, with the added value of **modern design** – this is the new Kluge built-in range.



Powerful extraction of up to 580 m³/h

An extraction rate of up to 580 m³/h helps effectively remove steam and odours from everyday cooking. Three settings make it easy to adapt the extraction level to the dish you are preparing and keep the kitchen environment pleasant.

KMS6040BLG

Angled chimney hood with elegant black glass 60 cm

B

High performance | LED strip | Touch Control | Ducted and recirculation

Performance **580 m³/h**

Noise level **68 dB(A)**

Black front glass; Touch Control with display; 3 power levels; LED strip 6 W; Ducted and recirculation; Extraction 335–580 m³/h; Noise level 57–68 dB; Energy class B; Consumption 53.4 kWh/year; Dimensions (H x W x D): 76.1–102.6 × 59.6 × 43 cm

Optional accessories

* No installation kit required

Filter TYPE	Filter CODE	Filter CODE with installation kit
Carbon long-life	KVSULLF750	*
Carbon	FR-7944 (2x)	*



Designer cylindrical chimney hood Ø 35 cm

The slim cylindrical body 35 cm in diameter gives the chimney hood a distinctive look that stands out in a modern kitchen. The combination of black metal and glass looks elegant, while the compact shape creates an interesting design feature above the cooking surface.

KMK3500BL

Chimney hood with elegant cylindrical design 35 cm

B

2x LED strip | Remote control | Ducted and recirculation

Performance **565 m³/h**

Noise level **68 dB(A)**


Black metal combined with black glass; Soft Touch electronic buttons with white backlighting; LED display; Remote control; 3 power levels + Boost; 2 LED strips 6 W; Ducted and recirculation; Extraction 260–490 m³/h (Boost 565 m³/h); Noise level 51–65 dB (Boost 68 dB); Consumption 65.7 kWh/year; Dimensions (H x W x D): 80 × 35 × 35 cm

Optional accessories

* No installation kit required

Filter TYPE	Filter CODE	Filter CODE with installation kit
Carbon long-life	KVSULLF750	*
Carbon	FR-0846	*

kluge



90 cm

Exceptional extraction rate of up to 750 m³/h in Boost mode

The BOOST function briefly increases the extraction rate to up to 750 m³/h and helps quickly remove larger amounts of steam and odours. You will especially appreciate it when frying at high heat, sautéing or cooking several dishes at once, when more intensive extraction is needed.

KMK6070BLG

Chimney hood with high Boost performance 750 m³/h 60 cm

A

High performance | **LED strip** | Performance **750 m³/h**

Touch Control | **Ducted and recirculation** | Noise level **75 dB(A)**

Black metal combined with glass; Backlit touch control; Remote control; 3 power levels + Boost; LED strip 6 W (3800 K); Ducted and recirculation; Extraction 220–445 m³/h (Boost 750 m³/h); Noise level 47–67 dB (Boost 75 dB); Consumption 50.4 kWh/year; Dimensions (H x W x D): 48.5–80.5 × 59.6 × 42.5 cm

Optional accessories

* No installation kit required

Filter TYPE	Filter CODE	Filter CODE with installation kit
Carbon	FWOR	*







80 cm

Fully integrated design in an 80 cm width

The 80 cm fully integrated hood blends discreetly into the kitchen cabinet while offering a wide extraction area. The black glass on the underside looks elegant and helps preserve the clean lines of the kitchen without a prominent cooker hood.

KMV8020BLG

Fully integrated hood with remote control 80 cm

B

Fully integrated hood | **LED strip** | Performance **510 m³/h**

Touch Control | **Ducted and recirculation** | Noise level **66 dB(A)**

Black metal with black bottom glass; Touch control on glass with digital display; Remote control; 3 power levels + Boost; Front LED strip 9 W; Delayed shut-off; Ducted and recirculation; Extraction 220–395 m³/h (Boost 510 m³/h); Noise level 48–61 dB (Boost 66 dB); Consumption 60.5 kWh/year; Dimensions (H x W x D): 35.5 × 79.6 × 29 cm

Optional accessories

* No installation kit required

Filter TYPE	Filter CODE	Filter CODE with installation kit
Carbon long-life	KVSULLF750	*
Carbon long-life	KVSFW217	KVSUFW50
Carbon	FR-7944 (2x)	*

Offer valid until 30 June 2027 or until the next offer is issued

An excellent balance of features, quality and price, with the added value of **modern design** – this is the new Kluge built-in range.





Remote control included



60 cm

Convenient remote control

The practical remote control lets you change the extraction level and operate the hood without reaching for the control panel. You will appreciate it while cooking and even from the kitchen table, especially when the hood is mounted higher in the cabinet.

KMV6020BLG

Fully integrated hood with touch control on glass
60 cm

B

Fully integrated hood | **LED strip** | Performance **515 m³/h**

Touch Control | **Ducted and recirculation** | Noise level **66 dB(A)**

Black metal with black glass; Touch Control with digital display; Remote control; 3 power levels + Boost; Front LED strip 9 W; Delayed shut-off; Ducted and recirculation; Extraction 210–380 m³/h (Boost 515 m³/h); Noise level 48–61 dB (Boost 66 dB); Consumption 63 kWh/year; Dimensions (H x W x D): 35.5 × 59.6 × 29 cm

Optional accessories

* No installation kit required

Filter TYPE	Filter CODE	Filter CODE with installation kit
Carbon long-life	KVSULLF750	*
Carbon long-life	KVSFW217	KVSUFW50
Carbon	FR-7944 (2x)	*



60 cm

Elegant white glass finish

The white glass on the underside of the fully integrated hood creates a clean, elegant look that naturally matches light-coloured kitchen units. The hood remains discreetly integrated into the furniture while offering convenient touch control.

KMV6020WHG

Fully integrated hood with elegant white glass
60 cm

B

Fully integrated hood | **LED strip** | Performance **515 m³/h**

Touch Control | **Ducted and recirculation** | Noise level **66 dB(A)**

White metal with white glass; Touch Control with digital display; Remote control; 3 power levels + Boost; Front LED strip 9 W; Delayed shut-off; Ducted and recirculation; Extraction 210–380 m³/h (Boost 515 m³/h); Noise level 48–61 dB (Boost 66 dB); Consumption 63 kWh/year; Dimensions (H x W x D): 35.5 × 59.6 × 29 cm

Optional accessories

* No installation kit required

Filter TYPE	Filter CODE	Filter CODE with installation kit
Carbon long-life	KVSULLF750	*
Carbon long-life	KVSFW217	KVSUFW50
Carbon	FR-7944 (2x)	*

kluge



Opening the glass panel switches on the hood/lighting

60 cm

KOV6140BLG

Fully integrated hood with tilting glass panel 60 cm

A

BLDC motor | High performance | Performance **620 m³/h**

Fully integrated hood | 2x LED strip | Noise level **68 dB(A)**

Black finish with tilting glass panel; Quiet inverter motor; Touch Control with LED indicators; Remote control; 3 power levels + Boost; 2 LED strips with 3-level brightness control; Ducted and recirculation; Extraction 240–410 m³/h (Boost 620 m³/h); Noise level 49–61 dB (Boost 68 dB); Consumption 58 kWh/year; Dimensions (H x W x D): 31.5 × 60 × 29 cm

Optional accessories

* No installation kit required

Filter TYPE	Filter CODE	Filter CODE with installation kit
Carbon long-life	KVSULLF750	*
Carbon long-life	KVSFW217	KVSUFW50
Carbon	FR-8705 (2x)	*

Tilting glass panel with touch control

The black tilting glass panel gives the built-in hood a modern, elegant look. Touch control makes it easy to set the extraction level, including BOOST mode, and adapt performance to your current cooking needs.



Remote control included

60 cm

KOV7003BLGH

Fully integrated hood with automatic HTH control 72 cm

B

HTH | High performance | Performance **655 m³/h**

LED, adjustable light colour | Fully integrated hood | Noise level **68 dB(A)**

Matt black metal; Automatic HTH control from the hob; Soft Touch electronic buttons with LED display; Remote control; 3 power levels + Boost; 2 LED strips with adjustable colour temperature; Delayed shut-off; Ducted and recirculation; Extraction 250–460 m³/h (Boost 655 m³/h); Noise level 50–63 dB (Boost 68 dB); Consumption 54.9 kWh/year; Dimensions (H x W x D): 26 × 72 × 28.5 cm

Optional accessories

* No installation kit required

Filter TYPE	Filter CODE	Filter CODE with installation kit
Plasma	KPLRON600120	*
Carbon long-life	KVSULLF750	*
Carbon long-life	KVSFW217	KVSUFW50
Carbon	FR-8705 (2x)	*

Hob to Hood (HTH)

Thanks to Hob to Hood (HTH) technology, the hood communicates with a compatible induction hob and automatically adjusts its performance as cooking progresses. Extraction increases during intensive heating and decreases at lower power, with no need for manual switching.

Offer valid until 30 June 2027 or until the next offer is issued

An excellent balance of features, quality and price, with the added value of **modern design** – this is the new Kluge built-in range.





Remote control included



54 cm

BOOST function

The BOOST function briefly increases the extraction rate to up to 620 m³/h and quickly helps remove steam and odours during intensive frying or sautéing. With a single press, you get extra power exactly when you need it and a more pleasant kitchen environment.

KOV5003BLGH

Fully integrated hood with automatic HTH control
54 cm

B

HTH | High performance | Performance **620 m³/h**

LED, adjustable light colour | Fully integrated hood | Noise level **68 dB(A)**

Matt black metal; Automatic HTH control from the hob; Soft Touch electronic buttons with LED display; Remote control; 3 power levels + Boost; 2 LED strips with adjustable colour temperature; Delayed shut-off; Ducted and recirculation; Extraction 240–450 m³/h (Boost 620 m³/h); Noise level 51–63 dB (Boost 68 dB); Consumption 54.1 kWh/year; Dimensions (H x W x D): 26 × 54 × 28.5 cm

Optional accessories

* No installation kit required

Filter TYPE	Filter CODE	Filter CODE with installation kit
Carbon long-life	KVSULLF750	*
Carbon long-life	KVSFW217	KVSUFW50
Carbon	FR-8705 (2x)	*





Remote control included



54 cm

LED lighting

Two LED strips with adjustable colour temperature let you adapt the lighting of the cooking surface to your current needs. Choose a warmer tone for a pleasant atmosphere or cooler light for a better overview while cooking, and match the hood to your kitchen lighting.

KOV5003IXH

Fully integrated hood with automatic HTH control
54 cm

B

HTH | High performance | Performance **620 m³/h**

LED, adjustable light colour | Fully integrated hood | Noise level **68 dB(A)**

Stainless steel finish; Automatic HTH control from the hob; Soft Touch electronic buttons with LED display; Remote control; 3 power levels + Boost; 2 LED strips with adjustable colour temperature; Delayed shut-off; Ducted and recirculation; Extraction 240–450 m³/h (Boost 620 m³/h); Noise level 51–63 dB (Boost 68 dB); Consumption 54.1 kWh/year; Dimensions (H x W x D): 26 × 54 × 28.5 cm

Optional accessories

* No installation kit required

Filter TYPE	Filter CODE	Filter CODE with installation kit
Carbon long-life	KVSULLF750	*
Carbon long-life	KVSFW217	KVSUFW50
Carbon	FR-8705 (2x)	*

kluge





75 cm

Gesture control

Touch-free gesture control lets you switch on the hood and change the extraction level with a simple hand movement. You don't have to touch the control panel, even with dirty fingers, so the glass surface stays cleaner and cooking is more comfortable.

KLV7551B

Fully integrated hood with gesture control 75 cm

A+

Gesture control | **Inverter motor** | Performance **382 m³/h**

LED, adjustable light colour | **Fully integrated hood** | Noise level **57 dB(A)**

Black glass; Gesture and Touch Control; Quiet inverter motor; 3 power levels + Boost; LED strip 4 W with adjustable brightness and colour temperature (3200–6800 K); 5-minute delayed shut-off; Ducted and recirculation; Extraction 221–312 m³/h (Boost 382 m³/h); Noise level 49–57 dB; Consumption 11 kWh/year; Dimensions (H x W x D): 20.5 × 75 × 28.5 cm

Optional accessories

* No installation kit required

Filter TYPE	Filter CODE	Filter CODE with installation kit
Carbon long-life	KVSULLF750	*
Carbon long-life	KVSFW217	KVSUFW50
Carbon	KVSUF55	*





75 cm

Wide 75 cm extraction area

The 75 cm fully integrated design offers a wide extraction area above the hob while blending discreetly into the kitchen cabinet. The elegant black glass preserves the clean lines of the kitchen and provides plenty of surface for capturing steam.

KLV7501B

Fully integrated hood with economical inverter motor 75 cm

A+

High performance | **Fully integrated hood** | Performance **402 m³/h**

2x LED strip | **Touch Control** | Noise level **64 dB(A)**

Black glass; Mechanical push-button control; Inverter motor; 3 power levels; LED strip 4 W (4000 K); Ducted and recirculation; Extraction 255–402 m³/h; Noise level 52–64 dB; Energy class A+; Consumption 13 kWh/year; Dimensions (H x W x D): 17.5 × 75 × 28.5 cm

Optional accessories

* No installation kit required

Filter TYPE	Filter CODE	Filter CODE with installation kit
Carbon long-life	KVSULLF750	*
Carbon long-life	KVSFW217	KVSUFW50
Carbon	KVSUF55	*

An excellent balance of features, quality and price, with the added value of **modern design** – this is the new Kluge built-in range.



High extraction rate of up to 660 m³/h in Boost mode

BOOST mode offers a short-term extraction rate of up to 660 m³/h for moments when cooking produces more steam and odours. Simply select the intensive level and the hood helps clear the kitchen air faster, even when preparing more demanding dishes.

KOV6600BLG

Fully integrated hood with high Boost performance 660 m³/h 60 cm

B

High performance | Fully integrated hood | Performance **660 m³/h**

2x LED strip | Touch Control | Noise level **70 dB(A)**

Matt black metal with black glass; Soft Touch electronic buttons with LED display; Remote control; 3 power levels + Boost; 2 LED strips with adjustable brightness and colour temperature (2900–6200 K); Delayed shut-off 10–90 min.; Ducted and recirculation; Extraction 250–430 m³/h (Boost 660 m³/h); Noise level 51–63 dB (Boost 70 dB); Consumption 66.3 kWh/year; Dimensions (H x W x D): 26.4 × 60 × 29 cm

Optional accessories

* No installation kit required

Filter TYPE	Filter CODE	Filter CODE with installation kit
Carbon long-life	KVSFW217	KVSUFW50
Carbon	FR-8705 (2x)	*



Low installation height of just 18.2 cm

With a construction height of just 18.2 cm, the fully integrated hood fits easily into a kitchen cabinet. The low, discreet design helps preserve the clean look of the furniture and offers practical extraction directly above the hob.

KOV6620BLG

Fully integrated hood with rotary control 60 cm

B

Fully integrated hood | 2x LED strip | Performance **320 m³/h**

Ducted and recirculation | Height of just 18.2 cm | Noise level **65 dB(A)**

Black metal combined with black glass; Mechanical rotary knob control; 3 power levels; 2 LED strips 7 W; Ducted and recirculation; Extraction 165–320 m³/h; Noise level 52–65 dB; Consumption 34 kWh/year; Dimensions (H x W x D): 18.2 × 59.8 × 29 cm

Optional accessories

* No installation kit required

Filter TYPE	Filter CODE	Filter CODE with installation kit
Carbon long-life	KVSFW217	KVSUFW50
Carbon	FR-0846	*

kluge



51 cm

Compact fully integrated design in a 51 cm width

With a width of just 51 cm, the fully integrated hood offers a discreet solution for kitchens with limited space. It blends discreetly into the cabinet, preserves the clean look of the kitchen and, thanks to three power levels, easily adapts to everyday cooking.

KMV6700BLG

Fully integrated hood with compact 51 cm width

C

Fully integrated hood | LED strip | Ducted and recirculation

Performance **310 m³/h**

Noise level **63 dB(A)**

Matt black metal combined with black glass; Mechanical push-button control; 3 power levels; LED strip 5 W (3800 K); Ducted and recirculation; Extraction 140–310 m³/h; Noise level 46–63 dB; Consumption 60.5 kWh/year; Dimensions (H x W x D): 21 × 51 × 26 cm

Optional accessories

* No installation kit required

Filter TYPE	Filter CODE	Filter CODE with installation kit
Carbon	FR-0846	*



60 cm

Gesture control

You can operate the hood conveniently using the touch panel or simple hand gestures. This makes it easy to set the extraction level as needed, even without touching the control panel. You will especially appreciate touch-free control when cooking with dirty hands.

KLV5251B

Fully integrated hood with gesture control 60 cm

A+

Gesture control | Inverter motor | LED, adjustable light colour | Fully integrated hood

Performance **382 m³/h**

Noise level **57 dB(A)**

Black glass; Gesture and Touch Control; Inverter motor; 3 power levels + Boost; LED strip 4 W with adjustable brightness and colour temperature (3200–6800 K); 5-minute delayed shut-off; Ducted and recirculation; Extraction 221–312 m³/h (Boost 382 m³/h); Noise level 49–57 dB; Consumption 11 kWh/year; Dimensions (H x W x D): 20.5 × 59.5 × 28.5 cm

Optional accessories

* No installation kit required

Filter TYPE	Filter CODE	Filter CODE with installation kit
Carbon long-life	KVSULLF750	*
Carbon long-life	KVSFW217	KVSUFW50
Carbon	KVSUF55	*

An excellent balance of features, quality and price, with the added value of **modern design** – this is the new Kluge built-in range.





60 cm

KLV5201B

Fully integrated hood with economical inverter motor 60 cm

A+

BLDC motor

Fully integrated hood

Performance **402 m³/h**

LED strip

Ducted and recirculation

Noise level **64 dB(A)**

Matt black metal; Mechanical push-button control; Quiet inverter motor; 3 power levels; LED strip 3 W (4000 K); Ducted and recirculation; Extraction 255–402 m³/h; Noise level 52–64 dB; Consumption 13 kWh/year; Dimensions (H x W x D): 17.5 × 59.5 × 28.5 cm

Exceptionally economical operation

An annual energy consumption of approximately 13 kWh places this fully integrated hood among very economical solutions. The inverter motor and energy class A+ help reduce running costs without compromising effective extraction in everyday cooking.

Optional accessories

* No installation kit required

Filter TYPE	Filter CODE	Filter CODE with installation kit
Carbon long-life	KVSULLF750	*
Carbon long-life	KVSFW217	KVSUFW50
Carbon	KVSUF55	*



Fully integrated hood

Powerful extraction that does not spoil the look of your kitchen

KLUGE fully integrated hoods blend discreetly into the kitchen cabinet and preserve the clean, uninterrupted lines of your kitchen units. Yet they offer effective extraction of steam and odours directly above the cooking surface. Thanks to their discreet design, they suit both modern and classic kitchens, combining functionality, space saving and an elegant look without a prominent hood above the worktop.



Delayed shut-off

Fresh air even after cooking

The practical delayed shut-off function lets the hood keep running after you have finished cooking. Extraction continues for the set time and helps remove residual steam, odours and moisture left in the kitchen after cooking. The hood then switches off automatically, without you having to worry about it. The result is a more pleasant environment and greater comfort in everyday use.

kluge



60 cm

Inverter motor

The modern inverter motor combines effective extraction with low energy consumption and a pleasant noise level. Thanks to electronic control, it ensures smooth operation with less mechanical wear, contributing to the reliability and longer service life of the hood.



60 cm

Discreet fully integrated design

The fully integrated hood in a black finish fits easily into a kitchen cabinet without spoiling the look of your kitchen units. It offers three extraction levels and practical LED lighting of the cooking surface for comfortable everyday cooking.

KLV5201X

Fully integrated hood with economical inverter motor 60 cm

A+

Inverter motor | **Fully integrated hood** | Performance **402 m³/h**

LED lighting | **Ducted and recirculation** | Noise level **64 dB(A)**

Stainless steel finish; Mechanical push-button control; Quiet inverter motor; 3 power levels; LED strip 3 W (4000 K); Ducted and recirculation; Extraction 255–402 m³/h; Noise level 52–64 dB; Consumption 13 kWh/year; Dimensions (H x W x D): 17.5 × 59.5 × 28.5 cm

Optional accessories

* No installation kit required

Filter TYPE	Filter CODE	Filter CODE with installation kit
Carbon long-life	KVSULLF750	*
Carbon long-life	KVSFW217	KVSUFW50
Carbon	KVSUF55	*

KOV5012BL

Fully integrated hood with two LED lights 60 cm

C

Fully integrated hood | Performance **335 m³/h**

Ducted and recirculation | Noise level **64 dB(A)**

Black finish; Mechanical push-button control; 3 power levels; 2x GU10 LED lighting (3 W); Ducted and recirculation; Extraction 145–335 m³/h; Noise level 48–64 dB; Consumption 58.6 kWh/year; Dimensions (H x W x D): 16.7 × 59.8 × 27.1 cm


Optional accessories

* No installation kit required

Filter TYPE	Filter CODE	Filter CODE with installation kit
Carbon	FR-0846	*

An excellent balance of features, quality and price, with the added value of **modern design** – this is the new Kluge built-in range.





60 cm

Ducted and recirculation

The option of ducted or recirculation mode offers greater freedom when planning your kitchen. Steam and odours can be ducted outside, or, with carbon filters fitted, the air can be cleaned and returned to the room. The hood adapts to different installation options.

KOV5012IX

Fully integrated hood with two LED lights 60 cm

C

Fully integrated hood

Performance **335 m³/h**

Ducted and recirculation

Noise level **64 dB(A)**

Stainless steel finish; Mechanical push-button control; 3 power levels; 2x GU10 LED lighting (3 W); Ducted and recirculation; Extraction 145–335 m³/h; Noise level 48–64 dB; Consumption 58.6 kWh/year; Dimensions (H x W x D): 16.7 × 59.8 × 27.1 cm

Optional accessories

* No installation kit required

Filter TYPE	Filter CODE	Filter CODE with installation kit
Carbon	FR-0846	*



60 cm

Touch and touch-free control

You can operate the hood using the touch panel or simple hand gestures, without having to touch its surface. Gesture control can also be switched off at any time, so you can easily adapt the way you operate it to your habits and current needs.

KLT6101BLG

Telescopic hood with gesture control 60 cm

A+++

Gesture control **Inverter motor**

Performance **431 m³/h**

BOOST function **Touch Control**

Noise level **63 dB(A)**

Black finish; Gesture and Touch Control; Economical inverter motor; 3 power levels + Boost; 2x LED lighting 0.5 W; 5-minute delayed shut-off; Ducted and recirculation; Extraction 153–409 m³/h (Boost 431 m³/h); Noise level 51–62 dB (Boost 63 dB); Consumption 8.3 kWh/year; Dimensions (H x W x D): 24 × 59.8 × 30.9 cm (depth with front extended 45.9 cm)

Optional accessories

* No installation kit required

Filter TYPE	Filter CODE	Filter CODE with installation kit
Carbon long-life	KVSULLF750	*
Carbon long-life	KVSFW217	KVSUFW50
Carbon filter	KVSUF55	*

kluge



60 cm

KLT6001BL

Telescopic hood with exceptionally economical A+++ operation 60 cm

A+++

Low noise level

Ducted and recirculation

Telescopic design

Performance **402 m³/h**

Noise level **60 dB(A)**

Black finish; Rocker switch control; 2 power levels; LED lighting 0.5 W (4000 K); Ducted and recirculation; Extraction 268–402 m³/h; Noise level 52–60 dB; Consumption 7.9 kWh/year; Dimensions (H x W x D): 22 × 59.8 × 30.9 cm (depth with front extended 45.9 cm)

Telescopic design

The telescopic design allows the hood to be discreetly built into a kitchen cabinet. When cooking, simply pull out the front and push it back in when you have finished. The elegant black front naturally matches other appliances and preserves the clean look of the kitchen.

Optional accessories

* No installation kit required

Filter TYPE	Filter CODE	Filter CODE with installation kit
Carbon	KVSUF55	*



60 cm

KLT6001X

Telescopic hood with exceptionally economical A+++ operation 60 cm

A+++

LED lighting

Ducted and recirculation

Performance **402 m³/h**

Noise level **60 dB(A)**

Grey finish with stainless steel front; Rocker switch control; 2 power levels; LED lighting 0.5 W (4000 K); Ducted and recirculation; Extraction 268–402 m³/h; Noise level 52–60 dB; Consumption 7.9 kWh/year; Dimensions (H x W x D): 22 × 59.8 × 29.7 cm (depth with front extended 44.7 cm)

Energy class A+++

Energy class A+++ and an annual energy consumption of just 7.9 kWh deliver exceptionally economical operation. The telescopic hood also fits discreetly into a kitchen cabinet and, with two power levels, makes it easy to adapt extraction to your current needs.

Optional accessories

* No installation kit required

Filter TYPE	Filter CODE	Filter CODE with installation kit
Carbon	KVSUF55	*

Terms & Disclaimer

Prices are stated including 23% VAT, do not include the local recycling fee, and are for information purposes only. Retail prices of appliances are set by individual retailers. Technical specifications and equipment are subject to change without prior notice. Text information and stated values may contain errors. Due to ongoing technical development throughout the year, minor changes may also occur in the products sold and their features. For up-to-date information, please always contact your retailer.

Manufacturer
ELMAX STORE a.s.
Topolová 777/2,
735 42 Těrlicko, Czech Republic
www.elmax.cz

+420 599 529 262
info@elmax.cz